

QINGDAO QHCY INTERNATIONAL TRADING CO.,LTD.

Web:cartradinghub.com Tel: 86-15176650760 E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

		Haobo HT	configurati	ion sheet		
	Haobo HT 2023 600 rear-wheel drive technology version	Haobo HT 2023 550 rear drive replacement version	Haopin HT 2023 670 rear-wheel drive UHV version	Haopin HT 2023 670 rear-wheel drive UHV NDA version	Haopin HT 2023 model 670 gull wing UHV NDA version	Haobo HT 2023 770 Gullwing Ultra High Voltage Max Edition
		Basi	c paramete	rs		
Manufacturer	Aian	Aian	Aian	Aian	Aian	Aian
level	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV
Energy type	pure electric	pure electric	pure electric	pure electric	pure electric	pure electric
time to market	2023.11	2023.11	2023.11	2023.11	2023.11	2023.11
CLTC pure electric cruising	600	550	670	670	670	770
Fast charging time (hours)	0.5	0.52	0.25	0.25	0.25	0.16
Slow charging time (hours)	12.5	11.7	13.4	13.4	13.4	16
Fast charging percentage	30-80	30-80	30-80	30-80	30-80	30-80
Maximum	180	180	250	250	250	250
Maximum torque (N · m)	355	355	430	430	430	430
Motor(Ps)	245	245	340	340	340	340
Length*width*he	4935*1920*17	4935*1920*17	4935*1920*1	4935*1920*17	4935*1920*17	4935*1920*17
ight (mm)	00	00	700	00	00	00
Body structure	5-door, 5- seater SUV	5-door, 5- seater SUV	5-door, 5- seater SUV	5-door, 5- seater SUV	5-door, 5- seater SUV	5-door, 5- seater SUV
Maximum speed (km/h)	183	183	183	183	183	183
Official 0- 100km/h	6.8	6.8	5.8	5.8	5.8	6.2

			T			
Vehicle warranty	Six years or 150,000 kilometers					
First owner warranty policy	-	-		-	-	
			Body			
Length(mm)	4935	4935	4935	4935	4935	4935
Width(mm)	1920	1920	1920	1920	1920	1920
Height(mm)	1700	1700	1700	1700	1700	1700
Wheelbase(mm)	2935	2935	2935	2935	2935	2935
Front wheelbase	1640	1640	1640	1640	1640	1640
Rear wheelbase	1660	1660	1660	1660	1660	1660
Approach angle	18	18	18	18	18	18
Departure angle	twenty three					
Minimum turning radius	5.6	5.6	5.6	5.6	5.6	5.6
Body structure	SUV	SUV	SUV	SUV	SUV	SUV
Car door opening method	swing door	swing door	swing door	swing door	Swing door + gull wing door	Swing door + gull wing door
Number of doors (number)	5	5	5	5	5	5
Number of seats (seats)	5	5	5	5	5	5
Front trunk	55	55	55	55	55	55
Trunk vol <mark>ume</mark>	670-1802	670-1802	670-1802	670-1802	670-1802	670-1802
Curb weight (kg)	2080	2130	2160	2160	2220	2220
Maximum full load mass (kg)	2580	2580	2680	2680	2680	2680
		Ele	ectric motor	r		
	Permanent	Permanent	Permanent	Permanent	Permanent	Permanent
Motor type	magnet/sync	magnet/sync	magnet/syn	magnet/sync	magnet/sync	magnet/sync
	hronous	hronous	chronous	hronous	hronous	hronous
Total motor power (kW)	180	180	250	250	250	250
Total motor	245	245	340	340	340	340
Total torque of motor (N · m)	355	355	430	430	430	430

Maximum power of rear electric motor (kW)	180	180	250	250	250	250
Maximum torque of rear electric motor	355	355	430	430	430	430
Number of drive	single motor	single motor	single motor	single motor	single motor	single motor
Motor layout	rear	rear	rear	rear	rear	rear
Battery Type	Lithium iron phosphate battery	Lithium iron phosphate battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery brand	China New Airlines	China New Airlines	Yaoneng New Energy	Yaoneng New Energy	Yaoneng New Energy	Yaoneng New Energy
Battery cooling method	liquid cooling	liquid cooling	liquid cooling	liquid cooling	liquid cooling	liquid cooling
Exchange	-	support	-	-	-	-
CLTC pure electric cruising	600	550	670	670	670	770
Battery energy	72.7	70	80	80	80	93
Electricity consumption per 100 kilometers (kWh/100km)	13.7	13.9	12.8	12.8	12.9	13.1
	There is no limit on the age/mileage of the first	There is no limit on the age/mileage of the first	There is no limit on the age/mileage of the first	There is no limit on the age/mileage of the first	There is no limit on the age/mileage of the first car	There is no limit on the age/mileage of the first
Battery pack warranty	car owner (the liability exemption clause shall be subject to the official)	car owner (the liability exemption clause shall be subject to the official)	car owner (the liability exemption clause shall be subject to the official)	car owner (the liability exemption clause shall be subject to the official)	owner (the liability exemption clause shall be subject to the official)	car owner (the liability exemption clause shall be subject to the official)
Fast charging	support	support	support	support	support	support
High voltage fast charging	-	-	support	support	support	support
Fast charging time (hours)	0.5	0.52	0.25	0.25	0.25	0.16
Slow charging time (hours)	12.5	11.7	13.4	13.4	13.4	16

Fast charging capacity (%)	30-80	30-80	30-80	30-80	30-80	30-80
electric motor	180	180	250	250	250	250
			Gearbox			
Number of gears	1	1	1	1	1	1
Cogsbox type	fixed ratio	fixed ratio	fixed ratio	fixed ratio	fixed ratio	fixed ratio
Gearbox type	gearbox	gearbox	gearbox	gearbox	gearbox	gearbox
	Electric	Electric	Electric	Electric	Electric	Electric
abbreviation	vehicle single	vehicle single	vehicle	vehicle single	vehicle single	vehicle single
abbieviation	speed	speed	single speed	speed	speed gearbox	speed
	gearbox	gearbox	gearbox	gearbox	speed gearbox	gearbox
		Cho	assis steerin	ıg		
Drive mode	rear wheel	rear wheel	rear wheel	rear wheel	rear wheel	rear wheel
Drive mode	drive	drive	drive	drive	drive	drive
four-wheel drive	-	-	-	-	-	<u> </u>
Center differential	-	- (1	-		-
1	Double	Double	Double	Double	Double	Double
Front suspension	wishbone	wishbone	wishbone	wishbone	wishbone	wishbone
type	independent	independent	independent	independent	independent	independent
	suspension	suspension	suspension	suspension	suspension	suspension
rear suspension	Five-link	Five-link	Five-link	Five-link	Five-link	Five-link
type	independent	independent	independent	_	independent	independent
3) P 2	suspension	suspension	suspension	suspension	suspension	suspension
Assist type	electric assist	electric assist	electric assist	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load- bearing	Load-bearing	Load-bearing	Load-bearing
		W	heel brake			
Enough bound	ventilated	ventilated	ventilated	ventilated	ventilated	ventilated
Front brake type	disc	disc	disc	disc	disc	disc
rear brake type	ventilated	ventilated	ventilated	ventilated	ventilated	ventilated
rear brake type	disc	disc	disc	disc	disc	disc
Parking brake	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
type	parking	parking	parking	parking	parking	parking
Front tire specifications	245/55 R19	245/55 R19	245/50 R20	245/50 R20	245/50 R20	245/50 R20
Rear tire	245/55 R19	245/5 <mark>5</mark> R19	245/50 R20	245/50 R20	245/50 R20	245/50 R20
Spare tire	Tire repair	Tire repair	Tire repair	Tire repair	Tire repair	Tire repair
specifications	tool	tool	tool	tool	tool	tool

		Pa	issive safety	T		
Main/passenger	Main●	Main●	Main ●	Main●	Main	Main 🌑
seat airbag	/Deputy ●	/Deputy ●	/Deputy	/Deputy ●	/Deputy●	/Deputy●
Front/rear side	Front	Front ●	Front●	Front	Front●	Front
airbags	/Back-	/Back-	/Back-	/Back-	/Back-	/Back-
Front/rear head	Front	Front •	Front	Front ●	Front●/Back	Front●
airbags (curtain	/Back●	/Back	/Back●	/Back●		/Back●
airbags)	- H	- HI	- H	- 171	a heri	
Tire pressure	●Tire	● Tire	● Tire	● Tire	Tire	●Tire
monitoring function	pressure display	pressure display	pressure display	pressure display	pressure display	pressure display
Run-flat tires	display	dispidy	dispidy -	dispidy	dispidy -	dispidy
Seat belt not	• The whole	•The whole	The whole	• The whole	• The whole	• The whole
fastened	car	car	car	car	car	car
ISOFIX child	- 322	- ***	4			
seat interface		•	•	•		
ABS anti-lock	•	•	•	•		•
Braking force						
distribution	•		•	•	•	•
(EBD/CBC, etc.)						
Brake assist						
(EBA/BAS/BA,						
Traction control	•	•	•		•	
(ASR/TCS/TRC,						
Body stability control) •	•		•	•	•
control		A	ctive safety			>
Lane Departure		11	ctive safety			
Warning System	•		•	•		•
Active	_					_
braking/active			•	•	•	
Fatigue driving		•	•	•	•	•
DOW opening		_				
warning				_		
forward collision		•		•	•	
warning						
rear collision	•		-	•	•	-
Low speed	•	•	•	•	•	•
roadside	•	•	•	•	•	•
assistance call	4					

Anti-rollover	•		•	•	•	•
		Dri	ving contro	ol		
Driving mode	● Sports ● Economy ● Standard/Co mfortable ●	● Sports ● Economy ● Standard/Co mfortable ●	Sports • Economy • Standard/C omfortable	● Sports ● Economy ● Standard/Co mfortable ●	● Sports ● Economy ● Standard/Co mfortable ●	Sports Economy Standard/Comfortable
	Customized/ Personalized	Customized/ Personalized	Customized /Personalize	Customized/ Personalized	Customized/ Personalized	Customized/ Personalized
Single pedal	•	•	•		•	•
energy recovery automatic Hill assist		•	•		•	•
steep descent		•	•			
strp descent		Driv	ring hardwa	ire		
Front/rear parking radar	Front-/Back	ī —	Front-/Back	1	Front●/Back	Front● /Back●
Driving assistance images	●360-degree panoramic image	● 360-degree panoramic image	●360- degree panoramic image	●360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image
Transparent chassis/540 degree image	· 1	-	-	3	•	•
Assisted driving chip	٠- ر	-	(-)/	●NVIDIA Drive Orin	●NVIDIA Drive Orin	●Huawei MDC 610
Chip total computing	-	Ī	-	●150 TOPS	●150 TOPS	● 544 TOPS
Number of Ultrasonic radar quantity	• 5 pieces	• 5 pieces	●5 pieces	●11 pieces	● 11 pieces ● 20 pieces	●13 pieces
Millimeter wave radar quantity	•3 pieces	• 3 pieces	• 3 pieces	●5 pieces	•5 pieces	●6 pieces
LiDAR quantity		-		-	-	•3 pieces
		ī —	ving functio	1		
cruise system	●Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise	●Full-speed adaptive cruise	Full-speedadaptivecruise	●Full-speed adaptive cruise
Assisted driving	● ADiGO	● ADiGO	●ADiGO	● ADiGO	• ADiGO	●ADiGO
Assisted driving	●L2	●L2	●L2	●L2	●L2	●L2

Reverse side	•	•	•	•	•	• (
warning system satellite						
navigation		•	•	•	•	
Navigation						
traffic	•	•		•	•	
map brand	●Gaode	●Gaode	Gaode	●Gaode	●Gaode	●Gaode
HD map	-	-	-	•	•	•
Parallel	•	•	•	•		•
Lane Keeping						
Assist System						
Lane centering		•	•		•	•
Road traffic sign		•	•		•	
recognition Automatic						
remote control	_	-	-			
memory parking	<u>-</u>					
Automatic lane	_)			
change assist	-	-	-	•		•
Steering wheel	_					
hand off	•		•		•	•
Autonomous						●Urban
driving	_	-	_	●Highway	●Highway	sections •
assistance road				section	section	High-speed
section		Λ		.1 C		sections
		Appear	rance/anti-	theft		I
Rim material	●Aluminum	●Aluminum	Aluminum	●Aluminum	●Aluminum	●Aluminum
Kiiii iliateriai	alloy	alloy	alloy	alloy	alloy	alloy
Electric suction			arroy		• The whole	●The whole
door	-		-	-	car	car
Automatic						
opening and	-	-	-	-	•	
closing of car						
Frameless design	•	•		•	• (
Electric trunk	•	•		•	•	•
induction trunk	•	•	•	•	•	•
Electric trunk	•		•	•	•	•
position memory						
Central locking	•	•	•		•	•

Key type	● Remote key ● Bluetooth key	Remote key Bluetooth key	●Remote key ● Bluetooth key	●Remote key ● Bluetooth key	● Remote key ● Bluetooth key	● Remote key ● Bluetooth key
Keyless start	•	•		•	•	
Keyless ent <mark>r</mark> y	●Front row	●Front row	•Front row	●Front row	●Front row	•Front row
Hidden electric door handle	•	•	•	•	•	•
Active closing						
air intake grille						
Remote start	•	•	•		•	•
Battery		•	•		•	•
external		• F	. 1: 1 .		•	
т 1 1:1.	A L FID		terior lights		O LED	O LUD
Low beam light	• LED	●LED	•LED	●LED	•LED	•LED
high beam light	●LED	●LED	LED	●LED	●LED	●LED
LED daytime running lights	•	•	•	•	•	•
Adaptive high						
and low beam	•		•	•	•	•
automatic	•		•		•	•
car front fog	-	-	-	-	-	-
Headlight height adjustable	1.	•	•	•	•	•
Delayed turn off of headlights) •	•	•	•	• 1	•
		Sky	ylight/glass	3		
	●The	● The	●The	●The	●The	●The
	panoramic	panoramic	panoramic	panoramic	panoramic	panoramic
Skylight type	sunroof	sunroof	sunroof	sunroof	sunroof	sunroof
	cannot be	cannot be	cannot be	cannot be	cannot be	cannot be
T. /	opened	opened	opened	opened	opened	opened
Front/rear	Front	Front •	Front • (Paral •	Front •	Front●/Back	
electric windows One-touch	/Back ● The whole	/Back The whole	/Back The whole	/Back ● The whole	• The whole	/Back ● The whole
window lifting	car	car	car	car	car	car
Window anti-	Cui	Cui	Cui	Cui	Cui	cui
pinch function	•		•	•	•	•
Multilayer	●The whole	●The whole	●The whole	●The whole	• The whole	●The whole
soundproof glass		car	car	car	car	car
	1					

Rear side privacy	•		•	•	•	•
	Main	Main	●Main	●Main	●Main	●Main
Car vanity	driver +	driver +	driver +	driver +	driver +	driver +
	lighting •	lighting ●	lighting •	lighting	lighting ●	lighting •
mirror	Co-pilot +	Co-pilot +	Co-pilot +	Co-pilot +	Co-pilot +	Co-pilot +
	lighting	lighting	lighting	lighting	lighting	lighting
rear wiper	-	-	-	-	-	-
Sensing wiper	Rain	Rain	Rain	●Rain	• Rain sensor	Rain
function	sensor type	sensor type	sensor type	sensor type	type	sensor type
	71		r rearview r)	71
	● Electric	● Electric	●Electric	• Electric	● Electric	●Electric
	adjustment	adjustment	adjustment	adjustment	adjustment •	adjustment
	• Electric	● Electric	● Electric	• Electric	Electric	Electric
	folding •	folding ●	folding ●	folding •	folding ●	folding •
	Rearview	Rearview	Rearview	Rearview	Rearview	Rearview
	mirror	mirror	mirror	mirror	mirror	mirror
	memory •	memory •	memory •	memory •	memory •	memory •
Exterior rearview mirror function	Heated	Heated	Heated	Heated	Heated	Heated
	rearview	rearview	rearview	rearview	rearview	rearview
	mirrors	mirrors •	mirrors •	mirrors	mirrors •	mirrors •
	Automaticall	Automaticall	Automatical		Automaticall	Automatical
	y flip down		ly flip down		v flip down	y flip down
	when	when	when	when	when	when
	reversing •	reversing •	reversing •	reversing •	reversing •	reversing •
	Automaticall	Automaticall	Automatical	Automaticall	Automaticall	Automatical
	y fold when	y fold when	ly fold when	y fold when	y fold when	y fold when
	the car is	the car is	the car is	the car is	the car is	the car is
	locked	locked	locked	locked	locked	locked
		Sci	reen/system	1		
Central control	● Touch	● Touch	●Touch	● Touch	Touch	●Touch
color screen	LCD screen	LCD screen	LCD screen	LCD screen	LCD screen	LCD screen
Central control screen size	●14.6 inches	• 14.6 inches	■ 14.6	● 14.6 inches	●14.6 inches	●14.6 inches
Screen	● 2.5K	● 2.5K	●2.5K	● 2.5K	●2.5K	●2.5K
Bluetooth/car	•	•	•	•	• (
Mobile p <mark>h</mark> one	● Original	Original	Original	● Original	●Original	Original
interconnection/	interconnecti	interconnecti	interconnect	interconnecti	interconnecti	interconnecti
mapping	on/mapping	on/mapping	ion/mappin g	on/mapping	on/mapping	on/mapping
				71/0)	

Voice	Multimedia system	Multimedia system	Multimedia system	Multimedia system ●	●Multimedia system ● Navigation	Multimedia system
recognition control system	Navigation Telephone	Navigation ●Telephone	Navigation	Navigation Telephone	■ Telephone	Navigation Telephon
	● Air conditioning	● Air conditioning	Telephone Air	● Air conditioning	● Air conditioning	• Air conditioning
face recognition Vehicle	•	•) •	•	•	•
intelligent	● ADiGO	● ADiGO	●ADiGO	● ADiGO	∙ADiGO	●ADiGO
Vehicle smart chip	• Qualcomm Snapdragon 8155	• Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	• Qualcomm Snapdragon 8155	● Qualcomm Snapdragon 8155	● Qualcomi Snapdragor 8155
Voice wake word	•	•		•	•	•
Voice area wake- up recognition	Four areas	•Four areas	• Four areas	●Four areas	•Four areas	•Four area
Speech continuous	•	•	7 •	•		•
It can be said that it is visible	•	•	•	•	•	•
		Intellige	ent configur	ation		
Internet of	•	•	•		•	•
4G/5G network	●4G	●4G	● 4G	●4G	● 4G	● 5G
OTA upgrade	•	•	•	•	•	•
Wi-Fi hotspot	•	•		•		•
In-vehicle biometric	•	•	•	•		•

	• Door	• Door	• Door	• Door	• Door	• Door
	control •	control	control ●	control ●	control ●	control •
	Window	Window	Window	Window	Window	Window
	control	control ●	control ●	control •	control ●	control ●
	Vehicle start	Vehicle start	Vehicle start	Vehicle start	Vehicle start	Vehicle start
	● Charging	Charging	Charging	Charging	Charging	Charging
	management	management	managemen	management	management	management
	● Car light	● Car light	t • Car	● Car light	Car light	● Car light
	control ●	control ●	light control	control •	control ● Air	control ●
	Air	Air	● Air	Air	conditioning	Air
	conditioning	conditioning	conditioning	conditioning	control ●	conditioning
Mobile APP	control •	control •	control ●	control •	Seat heating	control •
remote function	Seat heating	Seat heating	Seat heating	Seat heating	● Seat	Seat heating
	• Seat	● Seat	● Seat	Seat	ventilation	• Seat
	ventilation	ventilation	ventilation	ventilation	Vehicle	ventilation
	Vehicle	Vehicle	Vehicle	Vehicle	condition	Vehicle
	condition	condition	condition	condition	query/diagno	condition
		query/diagno			sis Vehicle	
		sis • Vehicle			positioning/c	
		positioning/c		positioning/c		positioning/o
	ar search ●	ar search	positioning/	ar search	Car owner	ar search
	Car owner	Car owner	car search	Car owner	service (find	Car owner
	service (find	service (find	• Car owner		charging	service (find
	charging	charging	service (find	charging	piles, gas	charging
	Stee	ering wheel/	interior red	arview mirro	r	
Steering wheel material	• Leather	● Leather	● Leather	● Leather	Leather	■Leather
	●Manual up	●Manual up	● Manual	●Manual up		●Manual up
Steering wheel	and down +	and down +	up and	and down +	●Manual up	and down +
position	front and	front and	down +	front and	and down +	front and
adjustment	rear	rear	front and	rear	front and rear	rear
,	adjustment	adjustment	rear	adjustment	adjustment	adjustment
	● Electronic	▲ Electronic	adjustment	● Eleatronia	● Electronic	● Electronic
Shift pattern	Electronicgear shifting	● Electronic gear shifting	● Electronic gear shifting	Electronicgear shifting	• Electronic	Electronicgear shifting
Multifunction	gear snirting	gear smitting	gear shifting	gear smitting	gear shifting	gear smitting
steering wheel	•	•	•	•	•	•
					A	
steering wheel gear shift	-	-	-	-	-	-
Steering wheel	_	_	_	_	_	_
Steering wheel	-	_	_	-	-	

steering wheel	-	-	-	-	-	- (
Trip computer display screen	● Color	● Color	●Color	●Color	● Color	● Color
Full LCD instrument panel	•	•		•	•	
LCD instrument	●8.8 inches	●8.8 inches	●8.8 inches	●8.8 inches	●8.8 inches	●8.8 inches
Interior rearview mirror function	• Automatic anti-dazzle	● Automatic anti-dazzle	Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	●Automatic anti-dazzle
ETC device	•	•	•	•) •	•
			arging in ca	r	i	·
Multimedia/cha	●USB ●	●USB ●	● USB ●	●USB ●	● USB ●	● USB ●
rging interface	Type-C	Type-C	Type-C	Type-C	Type-C	Type-C
Number of	3 in the	●3 in the	\bullet 3 in the	●3 in the	•3 in the	3 in the
USB/Type-C	front row/1	front row/1	front row/1	front row/1	front row/1	front row/1
interfaces	in the back	in the back	in the back	in the back	in the back	in the back
Mobile phone	row	row	row	row	row	row
wireless charging	●Front row	●Front row	•Front row	●Front row	•Front row	●Front row
Mobile phone wireless charging	● 50W	● 50W	● 50W	● 50W	● 50W	● 50W
Luggage compartment	•	•	•	•	•	•
	1	Seat	configurati	on		
	Genuine	●Genuine	●Genuine	●Genuine	● Genuine	●Genuine
seat material	leather	leather	leather	leather	leather	leather
	●Front and	●Front and	●Front and	●Front and	●Front and	●Front and
	back	back	back	back	back	back
	adjustment	adjustment	adjustment	adjustment	adjustment •	adjustment
	●Backrest	●Backrest	●Backrest	●Backrest	Backrest	●Backrest
Main seat	adjustment	adjustment	adjustment	adjustment	adjustment	adjustment
adjustment	Height	Height	●Height	Height	Height	●Height
method	adjustment	adjustment	adjustment	adjustment	adjustment	adjustment
	(4-way) ●	(4-way) ●	(4-way) •	(4-way) ●	(4-way) ●	(4-way) ●
_	Waist	Waist	Waist	Waist	Waist support	Waist
	support (4-	support (4-	support (4-	support (4-	(4-way)	support (4-
	way)	way)	way)	way)		way)

	T		Г			T
	●Front and	•Front and	•Front and	●Front and	●Front and	•Front and
	back	back	back	back	back	back
	adjustment	adjustment	adjustment	adjustment	adjustment	adjustment
Secondary seat adjustment	●Backrest	●Backrest	●Backrest	●Backrest	Backrest	●Backrest
	adjustment	adjustment	adjustment	adjustment	adjustment	adjustment
method	● Height	Height	Height	Height	Height	●Height
	adjustment	adjustment	adjustment	adjustment	adjustment	adjustment
	(2-way) ●Leg	(2-way) ●Leg		(2-way) ●Leg	(2-way) ●Leg	(2-way) ●
	rest	rest	Leg rest	rest	rest	Leg rest
	adjustment	adjustment	adjustment	adjustment	adjustment	adjustment
Main/passenger	Main●	Main●	Main ●	Main●	Main ●	Main ●
seat electric	/Deputy ●	/Deputy ●	/Deputy●	/Deputy ●	/Deputy●	/Deputy●
	● Heating ●	●Heating ●	● Heating	● Heating ●	●Heating ●	
	Ventilation	Ventilation	•	Ventilation	Ventilation	●Heating ●
Front seat	○Massage	○Massage	Ventilation	○Massage	○Massage ●	Ventilation
functions	Massage	● Massage	○Massage	■ Massage	Massage	Massage
	(driver's seat	(driver's seat	● Massage	(driver's seat	(driver's seat	
4	only)	only)	(driver's seat	only)	only)	
Power seat	●Driver's	•Driver's	● Driver's	●Driver's	● Driver's	● Driver's
memory function	seat ●Co-	seat •Co-	seat ●Co-	seat ●Co-	seat ●Co-	seat ●Co-
	pilot's seat					
Adjustable buttons for the	•	•	•		•	
passenger seat						
Second row seat	Backrest	●Backrest	Backrest	Backrest	●Backrest	●Backrest
adjustment	adjustment	adjustment	adjustment	adjustment	adjustment	adjustment
Second row seat	,	,	,	,		,
functions	○Heating	○Heating	○Heating	○Heating	○Heating	●Heating
Rear small table	•		•	•		•
Rear seats fold	●Inverted	Inverted	● Inverted	●Inverted	● Inverted	● Inverted
down	proportions	proportions	proportions	proportions	proportions	proportions
Front/rear	Front	Front	Front	Front	Front /Back	
center armrest	/Back●	/Back●	/Back●	/Back●	•	/Back●
Rear cup holder		,	, =	,	•	, = 3.5
- P - State		Andio/	interior ligi	htina		
Speaker brand			interior fig.			
Number of	-	-	•22	-	-	-
speakers	●22 speakers	●22 speakers	speakers	●22 speakers	●22 speakers	●22 speaker
Dolby Atmos	•		•	•	•	•
touch reading	•	•	•	•	•	•
	A	>)	

Car interior			•			
ambient lighting	●Multicolor	Multicolor	Multicolor	●Multicolor	●Multicolor	●Multicolor
Air conditioner/refri gerator	Haobo HT 2023 600 rear-wheel drive technology version	Haobo HT 2023 550 rear drive replacement version	Haobo HT 2023 670 rear-wheel drive UHV version	Haopin HT 2023 670 rear-wheel drive UHV NDA version	Haopin HT 2023 model 670 gull wing UHV NDA version	Haobo HT 2023 770 Gullwing Ultra High Voltage Max Edition
		Air condi	tioner/refri	gerator		
heat pump air conditioner	•	•	•	•) •	•
Independent air conditioning in the rear		-	-	O ₂	-	A
Rear seat air	•	•	•	•	•	•
Temperature	•	•	4.	•		•
zone control						
Car air purifier In-car PM2.5	•		•	•		•
filter device	•		•	•	•	•
Car fragrance	•		•		•	•
		Opti	onal packa	.ge		
	Deluxe exclusive package (12000)	Deluxe exclusive package (12000)	Luxury Exclusive Package(0)	Luxury Exclusive Package(0)	Luxury Exclusive Package(0)	
	Hao platinum orange, polar	Liquid silver, Hao platinum	Polar white, freedom gray, agate purple,	Hao platinum orange, polar	Hao platinum orange, polar	l platinum
Exterior color	white, quantum red, agate purple,	orange, polar white, quantum red,	night shadow black, Hao	white, quantum red, agate purple,	white, quantum red, agate purple, starry green, night rose, night shadow black, liquid	white, quantum red, agate purple, starry green, night rose, night shadow black, liquid
1	starry green, night rose, night shadow black, liquid	agate purple, star green, night rose, night shadow	platinum orange, quantum red, starry	starry green, night rose, night shadow black, liquid		
	silver, free gray	black, free	green, night rose, liquid silver	silver, free	silver, free gray	silver, free gray

interior color	Green/white (Pure Snow Moon), black (Dawn at Night), brown/beige (Sand Painting Scroll)	Green/white (Pure Snow Moon), black (Dawn at Night), brown/beige (Sand Painting Scroll)	Brown/beig e (rock sand scroll), black (bright night and dawn), green/white (pure snow moon)	(Pure Snow Moon),	Black (Bright Night and Dawn), Green/White (Pure Snow Moon), Brown/Beige (Rock Sand Painted Scroll)	Black (Bright Night and Dawn), Green/White (Pure Snow Moon), Brown/Beige (Rock Sand Painted Scroll)
Note: ● Standar	d () Optional	- None				