

QINGDAO QHCY INTERNATIONAL TRADING CO.,LTD.
Web:cartradinghub.com Tel: 86-15176650760 E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	Benz EQS confi	guration table	
	Mercedes-Benz EQS 2023 450+ Pioneer Edition	Mercedes-Benz EQS	Mercedes-Benz EQS 2023 580 4MATIC
	Basic pa	rameters	
Manufacturer	Mercedes-EQ	Mercedes-EQ	Mercedes-EQ
level	large car	large car	large car
Energy type	pur <mark>e</mark> electric	pure electric	pure electric
time to market	2023. 02	2023. 02	2023. 02
CLTC pure electric cruising range (km)	813	813	720
Fast charging time (hours)	0. 62	0.62	0.62
Slow charging time (hours)	-	-	-
Fast charging percentage	80	80	80
Maximum power(kW)	245	245	380
Maximum torque (N•m)	568	568	855
Motor(Ps)	333	333	517
Length*width*height (mm)	5227*1926*1512	5224*1926 <mark>*</mark> 1512	5224*1926*1517
Body structure	5-door, 5-seater hatchback	5-door, 5-seater hatchback	5-door, 5-seater hatchback
Maximum speed (km/h)	200	200	200
Official O-100km/h acceleration (s)	6. 4	6. 4	4. 4
Electric energy equivalent fuel consumption (L/100km)	1.60	1.65	1.89
Vehicle warranty			Three years with no limit on kilometers
First owner warranty policy	-	<b>\</b> -	-
	Во		
Length (mm)	5227	5224	5224
Width (mm)	1926	1926	1926
Height (mm)	1512	1512	1517
Wheelbase (mm)	3210	3210	3210
Front wheelbase (mm)	1667	1667	1667
Rear wheelbase (mm)	1682	1682	1682
Approach angle (°)	13. 4	12.6	13

Departure angle (°)	15. 1	14. 9	15. 2
Minimum turning radius (m)	() <sup>2</sup> -	5. 45	5. 45
Body structure	hatchback	hatchback	hatchback
Car door opening method	swing door	swing door	swing door
Number of doors (number)	5	5	5
Number of seats (seats)	5	5	5
Trunk volume (L)	610-1770	610-1770	610-1770
Drag coefficient (Cd)	0.2	0.2	0. 2
Curb weight (kg)	2490	2530	2690
Maximum full load mass (kg)	3025	3025	3135
		c motor	Darmanant
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	245	245	380
Total motor power (Ps)	333	333	517
Total torque of motor (N•m)	568	568	855
Maximum power of front electric motor (kW)	-	-(	135
Maximum torque of front electric motor (N•m)	-		287
Maximum power of rear electric motor (kW)	245	245	245
Maximum torque of rear electric motor (N • m)	568	568	568
Number of drive motors	single motor	single motor	Dual motor
Motor layout	rear	rear	Front + rear
Battery Type	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery brand	Ningde era	Ningde era	Ningde era
CLTC pure electric cruising range (km)	813	813	720
Battery energy (kWh)	111.8	111.8	111.8

Electricity			
consumption per 100	14.0	1.4.0	10.7
kilometers	14. 6	14. 6	16. 7
(kWh/100km)			·
Battery pack	Ten years or	Ten years or	Ten years or
warranty	250,000 kilometers	250,000 kilometers	250,000 kilometers
	250,000 KITOMeters	250,000 KITOMETELS	200,000 KITOMETELS
Fast charging	support	support	support
function		V	
Past charging power (kW)	145	145	145
Fast charging time (hours)	0.62	0.62	0. 62
Slow charging time (hours)	<u> </u>	-	-
Fast charging capacity(%)	80	80	80
electric motor	245	245	380
		cbox	000
Number of gears	gea.	1	1
	fined resting	fixed matin	fined metic
Gearbox type		fixed ratio gearbox	
11	Electric vehicle	Electric vehicle	Electric vehicle
abbreviation	single speed	single speed	single speed
	gearbox	gearbox	gearbox
	chassis	steering	
D. 1	1 1 1 1	1 1 1	Dual motor four-
Drive mode	rear wheel drive	rear wheel drive	wheel drive
			Electric four-wheel
four-wheel drive	_	-	drive
Center differential			urive
	-	-	-
structure	Double wishbone	Double wishbone	Double wishbone
Front suspension			<b>A</b>
type	independent	independent	independ <mark>e</mark> nt
	suspension	suspension	suspension
rear suspension	Multi-link	Multi-link	Mu <mark>l</mark> ti-link
type	independent	independent	ind <mark>e</mark> pendent
type	suspension	suspension	suspension
Assist type	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing
y ====================================		brake	
Front brake type	ventilated disc	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	255/45 R20	255/45 R20	265/40 R21
Rear tire specifications	255/45 R20	255/45 R20	265/40 R21
Spare tire specifications	none	none	none
	nassive	safety	
Main/naccongor cost			
	Main●Deputy●	Main●Deputy●	Main●Deputy●
Main/passenger seat airbag	Main⊕Deputy⊕	Main●Deputy●	Main●Deputy●

Front/rear side airbags	before ● after ●	before ● after ●	before ● after ●	
Front/rear head airbags (curtain airbags)	before ● after ●	before ● after ●	before ● after ●	
knee air bag passive pedestrian	•		•	
protection Tire pressure monitoring function	●Tire pressure display	Tire pressure display	●Tire pressure display	
Run-flat tires	— — — — — — — — — — — — — — — — — — —		-	
Seat belt not fastened reminder	●The whole car	●The whole car	●The whole car	
ISOFIX child seat interface	•	•	•	4
ABS anti-lock Braking force distribution	•	•	•	4
(EBD/CBC, etc.)  Brake assist	•	4 •		
(EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.)	•	•		
Body stability control	•	•	•	
(ESC/ESP/DSC, etc.)	active	safety		
Lane Departure Warning System	•	•	•	
Active braking/active	•	•	•	
safety system Fatigue driving tips	•	•		
forward collision warning	• \	•		
Low speed warning Built-in driving recorder		•	•	
roadside assistance	•	•	•	
call /	Driving	control	●Sports ●Economy	
call	• Sports • Economy	• Sports • Economy		
call Driving mode switch	●Sports ●Economy ●		Standard/Comfortabl	
	Sports Economy  Standard/Comfortabl  e Customized/Personal	Standard/Comfortabl e  Customized/Personal	Standard/Comfortabl e  Customized/Personal	
	●Sports ●Economy ● Standard/Comfortabl e ●	Standard/Comfortabl e ●	Standard/Comfortabl	,

		-		
Hill assist		•	•	
steep descent	-	_	_	
Variable suspension function	●Suspension soft and hard adjustment ●Suspension height adjustment	●Suspension soft and hard adjustment ●Suspension height adjustment		
air suspension	•		•	
variable steering			•	
ratio	AND / G			
Integral active	4WD/of	f-road		
steering system	•	•	•	
	driving	hardware		
Front/rear parking	before ● after ●	before ● after ●	before ● after ●	
radar Driving assistance	●360-degree	●360-degree	●360-degree	
images	panoramic image	panoramic image	panoramic image	
Ima 900		function	pariotamic image	
cruise system	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise	
Assisted driving	■L2	■L2	L2	
level Reverse side				
warning system		•	•	
satellite navigation system	•	• \	•	
Navigation traffic				
information display	0			
map brand	●Gaode	●Gaode	●Gaode	
AR real-life navigation	•		•	
<u>Parallel assistance</u>			• \	
Lane Keeping Assist System	•	•		
Lane centering	•	•		
Road traffic sign recognition	•	•	•	
Automatic parking		•		
remote control				
parking				
Automatic lane	•	•	•	
change assist	Appearance,	/anti-thoft		
Sport appearance		anti thert		
package				
Rim material	●Aluminum alloy	•Aluminum alloy	●Aluminum alloy	
P. 1 1 .		•	•	
Frameless design	•	-		
Frameless design door Electric trunk		•		

Electric trunk		•		
position memory Central locking in	•	•\	•	
car Key type	●Remote key	● Remote key	●Remote key	
Keyless start syst <mark>e</mark> m	•		•	
Keyless entry function	●The whole car	●The whole car	●The whole car	
Hidden electric door handle	•	•	•	
Remote start function	•	•	•	
Battery preheating		•		
low beam light 🦠		r lights		
source	●LED	●LED	●LED	
high beam light source	●LED	●LED	●LED	
Lighting features	●Digital	●Digital	●Digital	
LED daytime running lights	• (	•		
Adaptive high and low beam	•	•	•	
automatic headlight		•	•	
turn headlight car front fog lights	-	- (	-	
Headlight height adjustable	•	•	•	
Delayed turn off of headlights	•	•	• (	
		t/glass		
Skylight type	●Segmented electric sunroof	●Segmented electric sunroof	●Segmented electric sunroof	
Front/rear electric windows	before ● after ●	before ● after ●	before ● after ●	
One-touch window lifting function	●The whole car	●The whole car	•The whole car	
Window anti-pinch function	•	•	•	
Multilayer soundproof glass	<del>-</del>	4	●The whole car	
Car vanity mirror	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	
rear wiper	-	-	-	
1 car wiper	●Rain sensor type	•Rain sensor type	●Rain sensor type	

exterior rearview	Mercedes-Benz EQS	Mercedes-Benz EQS	Mercedes-Benz EQS	
mirror	2023 450+ Pioneer Edition	2023 450+ Deluxe Edition	2023 580 4MATIC	
	• Electric	• Electric	●Electric	
	adjustment $lacktriangle$	ad <mark>justment</mark> •	adjustment •	
4	Electric folding •	Electric folding •	Electric folding	
	Rearview mirror memory ●Rearview	Rearview mirror memory ●Rearview	Rearview mirror memory • Rearview	
Exterior rearview	mirror heating	mirror heating	mirror heating	
mirror function		Automatic flip down	_	
	when reversing $lacktriang$	when reversing •	when reversing •	
	Automatic folding	Automatic folding	Automatic folding	
	when locking the car •Automatic	when locking the car ●Automatic	when locking the car • Automatic	
	anti-dazzle	anti-dazzle	anti-dazzle	
		/system		
Central control color screen	●Touch OLED screen	●Touch OLED screen	●Touch OLED screen	
Central control screen size	●17.7 inches	●17.7 inches	●17.7 inches	
Passenger entertainment	●12.3 inches	●12.3 inches	●12.3 inches	
screen Bluetooth/car phone		•	•	
Mobile phone	• C	AC	Comment ComPlem	
interconnection/map ping	●Support CarPlay ●Support CarLife	●Support CarPlay ●Support CarLife	●Support CarPlay ●Support CarLife	
77			• Multimedia system	
Voice recognition control system	●Navigation ● Telephone ●Air	●Navigation ● Telephone ●Air	●Navigation ● Telephone ●Air	
Control system	conditioning	conditioning	conditioning	
gesture control	-	<u></u>	• \	
Vehicle intelligent system	● MBUX	●MBUX	● MBUX	
rear LCD screen	- 4	_	0	
Rear seat control	_			
multimedia	7 . 111			
Internet of	Intelligent o	configuration		
Vehicles		•	•	
4G/5G network	●4G	<b>●</b> 4G	●4G	
OTA upgrade				
	● Air conditioning control ● Vehicle	● Air conditioning control ● Vehicle	● Air conditioning control ● Vehicle	
	condition	condition	condition	
Mobile APP remote function	query/diagnosis	query/diagnosis •	query/diagnosis •	
Tunction	Vehicle	Vehicle	Vehicle	
	positioning/car	positioning/car	positioning/car	
Active noise	search	search	search	
reduction	•	•	•	

	Steering wheel/inte	rior rearview mirror		
Steering wheel material	•Genuine leather	●Genuine leather	●Genuine leather	
Steering wheel position adjustment	●Electric up and down + front and rear adjustment	●Electric up and down + front and rear adjustment	●Electric up and down + front and rear adjustment	
Shift pattern	●Electronic gear shifting	●Electronic gear shifting	●Electronic gear shifting	
Multifunction steering wheel	•	•	•	
steering wheel gear shift	•	•	•	
Steering wheel heating	0	0	•	
steering wheel memory		•	•	
Trip computer display screen	●Color	●Color	●Color	
Full LCD instrument panel	•	•	•	
LCD instrument size HUD heads up	●12.3 inches —	• 12.3 inches	●12.3 inches	
digital display  AR-HUD augmented  reality head-up  display	-	0	•	
Interior rearview mirror function	●Automatic anti- dazzle	●Automatic anti- dazzle	●Automatic anti- dazzle	
ETC device	Chargin	g in car	0	
Multimedia/charging interface		● Type-C	OHDMI ●Type-C	
Number of USB/Type- C interfaces	●6 people in the front row/2 people in the back row	●6 people in the front row/2 people in the back row	●6 people in the front row/2 people in the back row	
Mobile phone wireless charging	●Front row ●Back row	●Front row ●Back row	●Front row ●Back row	
function	Seat conf	iguration		
seat material	● Genuine leather     ● Front and back     adjustment ●	●Genuine leather  ●Front and back  adjustment ●	●Genuine leather  ●Front and back adjustment ●	
Main seat adjustment method	Backrest adjustment  Height adjustment (4-way) Leg rest adjustment Waist support (4-way)	Backrest adjustment  Height adjustment  (4-way) Leg rest  adjustment Waist  support (4-way)		
			4	

Secondary seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	●Front and back adjustment ■Backrest adjustment ●Height adjustment (4-way) ●Leg rest adjustment ●Waist support (4-way)	
Main/passenger seat electric adjustment	Main●Deputy●	Main●Deputy●	Main⊕Deputy⊕	
Front seat functions	●Heating	●Heating○ Ventilation	●Heating ● Ventilation ● Massage	
Power seat memory function	●Driver's seat ● Passenger's seat ● Rear seat	●Driver's seat ● Passenger's seat ● Rear seat	●Driver's seat ● Passenger's seat ● Rear seat	
Adjustable buttons for the passenger seat and rear row	•	•	• 6	
Second row seat adjustment	●Fore and aft adjustment ● Backrest adjustment	Fore and aft adjustment  Backrest adjustment	●Front and back adjustment ● Backrest adjustment ●Waist adjustment	
Electrically adjustable second row seats	•	•	•	
Second row seat functions	●Heating ● Ventilation	●Heating ● Ventilation	●Heating ● Ventilation ● Massage	
Rear seats fold down	●Inverted proportions	●Inverted proportions	●Inverted proportions	
Front/rear center armrest Rear cup holder	before ● after ●	before ● after ●	before ● after ●	
Medi edp Horder	Audio/inter	ior lighting		
Speaker brand name	OBurmester Berlin Voice	OBurmester Berlin Voice	●Burmester Berlin Voice	
Number of speakers	●9 speakers○15 speakers	●9 speakers○15 speakers	•15 speakers	
touch reading light Car interior ambient lighting	• Multicolor	● Multicolor	● ●Multicolor	
Air conditioning temperature control method	Air conditions  • Automatic air conditioning	•r/refrigerator  ● Automatic air conditioning	•Automatic air conditioning	
Independent air conditioning in the rear	-	-	•	
Rear seat air outlet	•	•	•	

Temperature zone control	•	•	•
Car air purifier	•	•	•
In-car PM2.5 filter device	•	•	•
negative ion generator	•		•
Car fragrance device	- (	-	•
	Optional	package	
Exterior color	Sodalite blue, space-time silver, diamond white (bright color), graphite gray, obsidian black, arctic white, zircon quartz red metallic paint, moonstone matte gray	Arctic white, zircon quartz red metallic paint, sodalite blue, graphite gray, space-time silver, obsidian black, moonstone matte gray, diamond white (bright color)	Obsidian black, arctic white, zircon quartz red metallic paint, sodalite blue, graphite gray, space-time silver, moonstone matte gray, diamond white (bright color)
interior color	Black/space gray, black/balau brown, macchidomi/space gray, balau brown/nebula gray	Balau brown/nebula gray, black/balau brown, black/space gray, macchidomi/space gray	Black/Balau Brown, Balau Brown/Nebula Gray, Black/Space Gray, Macchidomi/Space Gray
Note: ●Standard○Op	otional-None	Ŭ,	<u> </u>