



QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.

Web: cartradinghub.com Tel: 86-15176650760
E-mail: ctt15588640503@gmail.com / ctt1:15176650760@gmail.com

Geely M6 configuration table				
	Geely Geometry M6 2022 450 new smart model	Geely Geometry M6 2022 450 new model	Geely Geometry M6 2022 580 Xinle Type	Geely Geometry M6 2022 580 new interesting
Basic parameters				
Manufacturer	Geely Geometry	Geely Geometry	Geely Geometry	Geely Geometry
level	Compact SUV	Compact SUV	Compact SUV	Compact SUV
Energy type	pure electric	pure electric	pure electric	pure electric
time to market	2022. 11	2022. 11	2022. 11	2022. 11
CLTC pure electric cruising range (km)	450	450	580	580
Fast charging time (hours)	0. 5	0. 5	0. 63	0. 63
Slow charging time (hours)	8. 5	8. 5	11	11
Fast charging percentage	80	80	80	80
Maximum power (kW)	150	150	150	150
Maximum torque (N • m)	310	310	310	310
Motor (Ps)	204	204	204	204
Length*width*height (mm)	4432*1833*1560	4432*1833*1560	4432*1833*1560	4432*1833*1560
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed (km/h)	150	150	150	150
Official 0-100km/h acceleration (s)	6. 9	6. 9	6. 9	6. 9
Electric energy equivalent fuel consumption (L/100km)	1. 47	1. 47	1. 49	1. 49
Vehicle warranty	Four years or 150,000	Four years or 150,000	Four years or 150,000	Four years or 150,000
First owner warranty policy	-	-	-	-
Body				
Length (mm)	4432	4432	4432	4432
Width (mm)	1833	1833	1833	1833
Height (mm)	1560	1560	1560	1560
Wheelbase (mm)	2700	2700	2700	2700
Front wheelbase (mm)	1561	1561	1561	1561

Rear wheelbase (mm)	1560	1560	1560	1560
Minimum ground clearance with full load (mm)	140	140	140	140
Approach angle (°)	17	17	17	17
Departure angle (°)	27.8	27.8	27.8	27.8
Minimum turning radius (m)	5.35	5.35	5.35	5.35
Body structure	SUV	SUV	SUV	SUV
Car door opening method	swing door	swing door	swing door	swing door
Number of doors (number)	5	5	5	5
Number of seats (seats)	5	5	5	5
Trunk volume (L)	340-1150	340-1150	340-1150	340-1150
Curb weight (kg)	1545	1545	1665	1665
Maximum full load mass (kg)	2015	2015	2065	2065
Electric motor				
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	150	150	150	150
Total motor power (Ps)	204	204	204	204
Total torque of motor (N·m)	310	310	310	310
Maximum power of front electric motor (kW)	150	150	150	150
Maximum torque of front electric motor (N·m)	310	310	310	310
Number of drive motors	single motor	single motor	single motor	single motor
Motor layout	frontload	frontload	frontload	frontload
Battery Type	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery brand	-	-	Ningde era	Ningde era
Battery cooling method	liquid cooling	liquid cooling	liquid cooling	liquid cooling
CLTC pure electric cruising range (km)	450	450	580	580
Battery energy (kWh)	53	53	70	70
Battery energy density (Wh/kg)	160.35	160.35	183.23	183.23

Electricity consumption per 100 kilometers (kWh/100km)	13	13	13.2	13.2
Battery pack warranty	There is no limit on the age/mileage of the first car owner (the liability exemption clause shall be subject	There is no limit on the age/mileage of the first car owner (the liability exemption clause shall be	There is no limit on the age/mileage of the first car owner (the liability exemption clause shall be	There is no limit on the age/mileage of the first car owner (the liability exemption clause shall be
Fast charging function	support	support	support	support
Fast charging time (hours)	0.5	0.5	0.63	0.63
Slow charging time (hours)	8.5	8.5	11	11
Fast charging capacity (%)	80	80	80	80
electric motor	150	150	150	150
Gearbox				
Number of gears	1	1	1	1
Gearbox type	fixed ratio	fixed ratio	fixed ratio	fixed ratio
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
Chassis steering				
Drive mode	Front wheel	Front wheel	Front wheel	Front wheel
four-wheel drive	-	-	-	-
Center differential structure	-	-	-	-
Front suspension type	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension
rear suspension type	torsion beam non-independent suspension	torsion beam non-independent suspension	torsion beam non-independent suspension	torsion beam non-independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
Wheel brake				
Front brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
rear brake type	disc type	disc type	disc type	disc type
Parking brake type	Electronic	Electronic	Electronic	Electronic
Front tire specifications	225/50 R17	225/50 R17	225/50 R17	225/45R18
Rear tire specifications	225/50 R17	225/50 R17	225/50 R17	225/45R18
Spare tire specifications	none	none	none	none
Passive safety				

Main/passenger seat airbag	Main●Deputy●	Main●Deputy●	Main●Deputy●	Main●Deputy●
Front/rear side airbags	—	before ● after —	—	before ● after —
Front/rear head airbags (curtain airbags)	—	—	—	before ● after ●
Tire pressure monitoring function	●Tire pressure display	●Tire pressure display	●Tire pressure display	●Tire pressure display
Run-flat tires	—	—	—	—
Seat belt not fastened reminder	●Front row	●Front row	●Front row	●Front row
ISOFIX child seat interface	●	●	●	●
ABS anti-lock	●	●	●	●
Braking force distribution (EBD/CBC, etc.)	●	●	●	●
Brake assist (EBA/BAS/BA, etc.)	●	●	●	●
Traction control (ASR/TCS/TRC, etc.)	●	●	●	●
Body stability control (ESC/ESP/DSC, etc.)	●	●	●	●
Active safety				
Lane Departure Warning System	●	●	●	●
Active braking/active safety system	●	●	●	●
Fatigue driving tips	—	—	—	—
forward collision warning	●	●	●	●
Low speed warning	●	●	●	●
Driving control				
Driving mode switch	●Sport ● Economy ● Standard/Comfortable	●Sport ● Economy ● Standard/Comfortable	●Sport ● Economy ● Standard/Comfortable	●Sport ● Economy ● Standard/Comfortable
energy recovery system	●	●	●	●
automatic parking	●	●	●	●
Hill assist	●	●	●	●
steep descent	●	●	●	●
Driving hardware				
Front/rear parking radar	Front-Back●	Front-Back●	Front-Back●	before ● after ●
Driving assistance images	●Reversing image	●360-degree panoramic image	●Reversing image	●360-degree panoramic image

Transparent chassis/540 degree image	-	-	-	●
Number of cameras	●1 piece	●5 pieces	●1 piece	●5 pieces
Ultrasonic radar quantity	●4 pieces	●4 pieces	●4 pieces	●12 pieces
Driving function				
cruise system	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise
Assisted driving level	●L2	●L2	●L2	●L2
satellite navigation system	●	●	●	●
Navigation traffic information display	●	●	●	●
map brand	●Gaode	●Gaode	●Gaode	●Gaode
Parallel assistance	-	-	-	●
Lane Keeping Assist System	●	●	●	●
Lane centering	●	●	●	●
Road traffic sign recognition	●	●	●	●
Automatic parking	-	-	-	●
remote control parking	-	-	-	●
Appearance/anti-theft				
Rim material	●Aluminum alloy	●Aluminum	●Aluminum	●Aluminum
Electric trunk	-	-	-	-
roof rack	-	●	-	●
Central locking in car	●	●	●	●
Key type	●Remote key ●Bluetooth key	●Remote key ●Bluetooth key	●Remote key ●Bluetooth key	●Remote key ●Bluetooth key
Keyless start system	●	●	●	●
Keyless entry function	-	●The whole car	-	●The whole car
Hidden electric door handle	-	●	-	●
Active closing air intake grille	-	●	-	●
Remote start function	●	●	●	●
Battery preheating	●	●	●	●
Exterior lights				
low beam light source	●LED	●LED	●LED	●LED
high beam light source	●LED	●LED	●LED	●LED
LED daytime running lights	-	●	-	●

Adaptive high and low beam	●	●	●	●
automatic headlight	●	●	●	●
car front fog lights	-	-	-	-
Headlight height adjustable	●	●	●	●
Delayed turn off of headlights	●	●	●	●
Skylight/glass				
Skylight type	-	●The panoramic sunroof cannot be opened	-	●The panoramic sunroof cannot be opened
Front/rear electric windows	before ● after ●	before ● after ●	before ● after ●	before ● after ●
One-touch window lifting function	●The whole car	●The whole car	●The whole car	●The whole car
Window anti-pinch function	●	●	●	●
Car vanity mirror	●Main driver's seat ●Co-pilot	●Main driver + lighting ●Co-pilot +	●Main driver's seat ●Co-pilot	●Main driver + lighting ●Co-pilot +
rear wiper	-	-	-	●
Sensing wiper function	-	●Rain sensor type	-	●Rain sensor type
Exterior rearview mirror				
Exterior rearview mirror function	●Electric adjustment ●Heated rearview mirrors	●Electric adjustment ●Electric folding ●Heated rearview mirror ●Automatic folding when the car is locked	●Electric adjustment ●Heated rearview mirrors	●Electric adjustment ●Electric folding ●Rearview mirror memory ●Heated rearview mirrors ●Automatically flip down when reversing ●
Screen/system				
Central control color screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD screen
Central control screen size	●14.6 inches	●14.6 inches	●14.6 inches	●14.6 inches
Bluetooth/car phone	●	●	●	●
Mobile phone interconnection/map ping	●Original interconnection/mapping	●Original interconnection/mapping	●Original interconnection/mapping	●Original interconnection/mapping
Voice recognition control system	●Multimedia system ●Navigation ●Telephone ●Air	●Multimedia system ●Navigation ●Telephone ●Air	●Multimedia system ●Navigation ●Telephone ●Air	●Multimedia system ●Navigation ●Telephone ●Air

Vehicle intelligent system	●HarmonyOS	●HarmonyOS	●HarmonyOS	●HarmonyOS
Vehicle system memory (GB)	●8	●8	●8	●8
Vehicle system storage (GB)	●128	●128	●128	●128
Voice wake word free	●	●	●	●
Voice area wake-up recognition	●Dual area	●Dual area	●Dual area	●Dual area
Speech continuous recognition	●	●	●	●
It can be said that it is visible	●	●	●	●
Intelligent configuration				
Internet of Vehicles	●	●	●	●
4G/5G network	●4G	●4G	●4G	●4G
OTA upgrade	●	●	●	●
Wi-Fi hotspot	●	●	●	●
Mobile APP remote function	●Door control ●Vehicle starting ●Charging management ●Air conditioning control	●Door control ●Vehicle starting ●Charging management ●Air conditioning	●Door control ●Vehicle starting ●Charging management ●Air conditioning	●Door control ●Vehicle starting ●Charging management ●Air conditioning
Steering wheel/interior rearview mirror				
Steering wheel material	●Leather	●Leather	●Leather	●Leather
Steering wheel position adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear	●Manual up and down + front and rear	●Manual up and down + front and rear
Shift pattern	●Electronic gear shifting	●Electronic gear shifting	●Electronic gear shifting	●Electronic gear shifting
Multifunction steering wheel	●	●	●	●
steering wheel gear shift	-	-	-	-
Steering wheel heating	-	-	-	-
steering wheel memory	-	-	-	-
Trip computer display screen	●Color	●Color	●Color	●Color
Full LCD instrument panel	●	●	●	●
LCD instrument size	●10.2 inches	●10.2 inches	●10.2 inches	●10.2 inches
HUD heads up digital display	-	-	-	●

Interior rearview mirror function	●Manual anti-dazzle	●Manual anti-dazzle	●Manual anti-dazzle	●Manual anti-dazzle
Charging in car				
Multimedia/charging interface	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C
Number of USB/Type-C interfaces	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row
Mobile phone wireless charging function	-	●Front row	-	●Front row
Seat configuration				
seat material	●Imitation	●Imitation	●Imitation	●Imitation
Main seat adjustment method	●Front and back adjustment ●Backrest adjustment ●Height	●Front and back adjustment ●Backrest adjustment ●Height	●Front and back adjustment ●Backrest adjustment ●Height	●Front and back adjustment ●Backrest adjustment ●Height
Secondary seat adjustment method	●Fore and aft adjustment ●Backrest	●Fore and aft adjustment ●Backrest	●Fore and aft adjustment ●Backrest	●Fore and aft adjustment ●Backrest
Main/passenger seat electric adjustment	-	Main●Deputy-	-	Main●Deputy●
Front seat functions	-	●Heating	-	●Heating
Power seat memory function	-	-	-	●Driving position
Adjustable buttons for the passenger seat and rear row	-	-	-	-
Second row seat adjustment	-	-	-	-
Rear seats fold down	●Inverted proportions	●Inverted proportions	●Inverted proportions	●Inverted proportions
Front/rear center armrest	before ● after -	before ● after ●	before ● after -	before ● after ●
Rear cup holder	-	●	-	●
Audio/interior lighting				
Speaker brand name	-	-	-	-
Number of speakers	●Unknown	●Unknown	●Unknown	●Unknown
touch reading light	-	-	-	●
Car interior ambient lighting	-	-	-	●72 colors
Air conditioner/refrigerator				
Air conditioning temperature control method	●Automatic air conditioning	●Automatic air conditioning	●Automatic air conditioning	●Automatic air conditioning
heat pump air conditioner	-	-	○	○

Independent air conditioning in the rear	-	-	-	-
Rear seat air outlet	●	●	●	●
Temperature zone control	●	●	●	●
Car air purifier	-	●	-	●
In-car PM2.5 filter device	●	●	●	●
negative ion generator	-	●	-	●
Optional package				
Exterior color	Black/Sumei Pink, Black/Crescent Moon Silver, Black/Hazy Purple, Black/Yunfeng White, Samui Pink, Crescent Silver, Haze	Cloud peak white, crescent moon silver, haze purple	Sumei powder, haze purple, crescent moon silver, cloud peak white	Cloud peak white, crescent moon silver, haze purple
interior color	coral pink, azure blue	Azurite blue	Azure blue, coral pink	Azurite blue
Note: ●Standard ○ Optional - None				