

QINGDAO QHCY INTERNATIONAL TRADING CO.,LTD.

 $Web: cartrading hub. com\ Tel:\ 86-15176650760$ E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	Leapmoon	C11 configurati	on sheet	
	Leapmoon C11 2023 Pure Electric 500 Comfort Edition			Leapmoo C11 2023 pure electric 580 four-wheel drive performance version
	Вс	asic parameters		
Manufacturer	Leap car	Leap car	Leap car	Leap ca <mark>r</mark>
level	Medium SUV	Medium SUV	Medium SUV	Medium SUV
Energy type	pure electric	pure electric	pure electric	pure electric
Environmental protection standards	-	1	-	-
time to market	2023.03	2023.03	2023.03	2023.03
WLTC pure electric cruising range (km)	-	-	-	-
CLTC pure electric cruising range (km)	502	502	650	580
Fast charging time (hours)	0.67	0.67	0.67	0.67
Slow charging time (hours)	6	6	7.5	7.5
Fast charging percentage	80	80	80	80
Maximum power(kW)	200	200	200	400
Maximum torque $(N \cdot m)$	360	360	360	720
engine	pure electric	pure electric	pure electric	pure electric
Motor(Ps)	272	272	272	544
gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
Length*width*height (mm)	4750*1905*1675	4750*1905*1675	4750*1905*1675	4750*1905*1675
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV

				(
Maximum speed (km/h)	170	170	170	200	
Official 0-100km/h acceleration (s)	7.9	7.9	7.9	4.5	
WLTC comprehensive fuel consumption (L/100km)	-		-		
Minimum state of charge fuel consumption	-	<u> </u>		-	
(L/100km)					
Vehicle warranty	Four years or 120,000 kilometers				
First owner warranty policy	_	-	-		
		Body			
Length(mm)	4750	4750	4750	4750	
Width(mm)	1905	1905	1905	1905	
Height(mm)	1675	1675	1675	1675	
Wheelbase(mm)	2930	2930	2930	2930	
Front wheelbase (mm)	1605	1605	1605	1605	
Rear wheelbase (mm)	1595	1595	1595	1595	
Minimum ground clearance without load (mm)	180	180	180	180	
Approach angle (°)	twenty one	twenty one	twenty one	twenty one	
Departure angle (°)	twenty four	twenty four	twenty four	twenty four	
Body structure	SUV	SUV	SUV	SUV	
Car door opening method	swing door	swing door	swing door	swing door	
Number of doors (number)	5	5	5	5	
Number of seats (seats)	5	5	5	5	
Fuel tank volume (L)	-		-		
Trunk volume (L)	375-840	375-840	375-840	375-840	
Curb weight (kg)	2035	2035	2070	2190	
Maximum full load	2410	2410	2445	2565	

		Engine		
engine model		-Blighte	_	_
Displacement (mL)				-
Displacement(L)	-		- -	
Intake form	-		-	
Engine layout	-	-	_	-
Cylinder arrangement	-	_	_	_
Number of cylinders (number)	-	<u> </u>	1	-
Number of valves per cylinder (number)	4	-		-
Air Supply		- (-	- 4
Maximum horsepower (Ps)	272	272	272	544
Maximum power(kW)	200	200	200	400
Maximum power speed (rpm)	-	-4-		
Maximum torque $(N \cdot m)$	360	360	360	720
Maximum torque speed (rpm)		-	1 -	-
Maximum net power (kW)	-	- (<u></u> -	- (
fuel form	pure electric	pure electric	pure electric	pure electric
fuel grade	-	(-)	-	-
Fuel supply method	-		-	-
Cylinder head material	-	-	- (<u> </u>
Cylinder material		-		-
Environmental		_ '		_
protection standards				
		Electric motor		
	Permanent	Permanent	Permanent	Permanent
Motor type	magnet/synchronou		magnet/synchron	magnet/synchronou
	S	ous	ous	S
Total motor power (kW)	200	200	200	400
Total motor power (Ps)	272	272	272	544

Total torque of motor $(N \cdot m)$	360	360	360	720
Maximum power of front electric motor (kW)	-		, -	200
Maximum torque of front electric motor $(N \cdot m)$	-		-	360
Maximum power of rear electric motor (kW)	200	200	200	200
Maximum torque of rear electric motor (N · m)	360	360	360	360
Number of drive motors	single motor	single motor	single motor	Dual motor
Motor layout	rear	rear	rear	Front + rear
Battery Type	Lithium iron	Lithium iron	Ternary lithium	Ternary lithium
Ductory Type	phosphate battery	phosphate battery	battery	battery
Battery brand	Honeycomb Energy/Guoxuan Hi-Tech/Jiangsu Zhengli	Honeycomb Energy/Guoxuan Hi-Tech/Jiangsu Zhengli	AVIC Lithium Battery/Xinwand	AVIC Lithium Battery
Battery cooling method	liquid cooling	liquid cooling	liquid cooling	liquid cooling
Exchange battery	not support	not support	not support	not support
WLTC pure electric cruising range (km)	-	-	- (-
CLTC pure electric cruising range (km)	502	502	650	580
WLTC comprehensive range (km)		-		
Battery energy (kWh)	69.2	69.2	89.55	89.97
Battery energy density (Wh/kg)	<u>-</u>		180.98	181.3
Electricity consumption per 100 kilometers (kWh/100km)	-		16.4	18.5

Battery pack warranty	Eight years or 150,000 kilometers	Eight years or 150,000 kilometers	Eight years or 150,000 kilometers	Eight years or 150,000 kilometers
Fast charging function	support	support	support	support
Fast charging time (hours)	0.67	0.67	0.67	0.67
Slow charging time (hours)	6	6	7.5	7.5
Fast charging capacity (%)	80	80	80	80
<i>y</i>		Gearbox		
Number of gears	1	1	1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle
(\ C	Chassis Steering		
Drive mode	rear wheel drive	rear wheel drive	rear wheel drive	Dual motor four- wheel drive
four-wheel drive	<u> </u>	- (4.	Electric four-wheel
Center differential	-	-	<u> </u>	-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
		Wheel Brake		
Front brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	235/60 R18	235/60 R18	235/60 R18	235/60 R18
Rear tire specifications	235/60 R18	235/60 R18	235/60 R18	235/60 R18

Spare tire	none	none	none	none
specifications		D : S S		
M: /		Passive Safety	M: •/D	
Main/passenger seat airbag	Main ●/Deputy ●	Main	Main	Main ● / Deputy ●
Front/rear side airbags	Front● /Back-	Front ● /Back-	Front ● /Back-	Front●/Back
Front/rear head airbags (curtain airbags)	Front ● /Back ●	Front●/Back●	Front●/Back●	Front ● /Back ●
Tire pressure monitoring function	● Tire pressure display	● Tire pressure display	• Tire pressure display	●Tire pressure
Run-flat tires	<u> </u>	-	<u> </u>	-
Seat belt not fastened reminder	● Front row	●Front row	●Front row	● Front row
ISOFIX child seat	•	-	•	
ABS anti-lock	•	•	•) •
Braking force				
distribution (EBD/CBC, etc.)		•	1.	•
Brake assist	_			
(EBA/BAS/BA, etc.)	•			
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•
Body stability control				
(ESC/ESP/DSC, etc.)				
	1	Active Safety		\mathcal{I}
Lane Departure Warning System		•	•	•
Active braking/active safety system	•	•	•	• _
Fatigue driving tips	-	• \	•	•
DOW opening warning	-		•	
forward collision warning	•	•	•	•
rear collision warning	-	•	• (•
Low speed warning	•	•		•

Built-in driving recorder		•	•	• (
roadside assistance	<u> </u>	• 1	•	•
call	Γ	Driving Control		
	• Sports •	• Sports •	● Sports ●	●Sports ●
	Economy	Economy •	Economy •	Economy
	Standard/Comforta	Standard/Comfort	Standard/Comfort	Standard/Comforto
Driving mode switch	ble ●	able ●	able •	ble ●
	Customized/Person	Customized/Perso	Customized/Perso	Customized/Person
	alized	nalized	nalized	alized
energy recovery	•	• (•	• \
automatic parking		•	•	
Hill assist	•		•	
steep descent	•	•	•	•
	I 611 2022	L C11	I C11	Leapmoo C11 2023
1 1	Leapmoon C11 2023	<i>j</i> -	Leapmoo C11	pure electric 580
driving hardware	Pure Electric 500		2023 Pure Electric	four-wheel drive
	Comfort Edition	500 Smart Edition	650 Smart Edition	performance version
Front/rear parking radar	Front/Back	Front●/Back●	Front●/Back●	Front ●/Back ●
1		●360-degree	● 360-degree	●360-degree
Driving assistance	●360-degree	panoramic image	panoramic image	panoramic image
images	panoramic image	●Vehicle side	● Vehicle side	Vehicle side blind
		blind spot image	blind spot image	spot image
Number of cameras	●5 pieces	●11 pieces	●11 pieces	●11 pieces
Ultrasonic radar quantity	•4 pieces	●12 pieces	●12 pieces	●12 pieces
Millimeter wave radar quantity	●1 piece	●5 pieces	• 5 pieces	• 5 pieces
	D	riving Function		
	Full-speed	●Full-speed	●Full-speed	●Full-speed
cruise system	adaptive cruise	adaptive cruise	adaptive cruise	adaptive cruise
Assisted driving	D.1	● Leapmotor	● Leapmotor	2.1
sys <mark>t</mark> em	●Leapmotor Pilot	Pilot	Pilot	●Leapmotor Pilot
Assisted driving level	●L2	●L2	●L2	●L2
Reverse side warning				_
system	-	•		•
				l

satellite navigation				
system				
Navigation traffic				
information display			•	
map brand	●Gaode	●Gαode	●Gaode	Gaode
AR real-life	-	•	•	•
Parallel assistance	-) •	• \	•
Lane Keeping Assist System	•	•		•
Lane centering	•	•		•
Road traffic sign		• (•	• (
recognition				
Automatic parking	-	•	•	
remote control parking	<u>-</u>	1.	•	•
Automatic lane change assist	-	•	•	•
Steering wheel hand off detection		•	•	•
on detection	Appe	earance/Anti-th	eft	
Rim material	• Aluminum alloy		Aluminum	● Aluminum alloy
Frameless design door	• Attainman anoy	O'Hammam	7 Hummum	Triuminum unoy
Electric trunk	<u> </u>	0	0	0
Electric trunk position memory	0	0	0	0
roof rack	_	•	•	•
Engine electronic		-	- \	ن ن
Central locking in car		•		•
Key type	• Remote key	●Remote key ● Bluetooth key	● Remote key ● Bluetooth key	●Remote key ● Bluetooth key
Keyless start system	•	• •	• Diagram Rey	
Keyless entry function			-	
Hidden electric door				
ha <mark>n</mark> dle	-		•	
Remote start function	•	•	•	•
Battery preheating	•		• •	•
external discharge	0	0	0	0
		Exterior Lights		

Low beam light source	O LED	●LED	●LED	•LED
high beam light source	•LED	●LED	●LED	•LED
LED daytime running lights	-		•	
Adaptive high and low beam	-		-	-
automatic headlight	•	•		•
car front fog lights	-	-		-
Headlight height adjustable		•	•	•
Delayed turn off of				
headlights				
		Skylight/Glass		
Skylight type	 ○ The panoramic sunroof can be opened ● The panoramic sunroof cannot be opened 	OThe panoramic sunroof can be opened ●The panoramic sunroof cannot be opened	OThe panoramic sunroof can be opened ●The panoramic sunroof cannot be opened	 ○ The panoramic sunroof can be opened ● The panoramic sunroof cannot be opened
Front/rear electric windows	Front●/Back●	Front●/Back●	Front●/Back●	Front ● / Back ●
One-touch window lifting function	• The whole car	•The whole car	●The whole car	●The whole car
Window anti-pinch	•	•	•	٠.
Multilayer soundproof glass	-	●Front row	●Front row	●Front row
Rear side privacy glass	0	0	0	0
Car vanity mirror	● Main driver's seat ● Co-pilot	● Main driver + lighting ● Co- pilot + lighting	Main driver + lighting ●Co- pilot + lighting	●Main driver + lighting ●Co-pilot + lighting
rear wiper	•		•	
Sensing wiper function	●Rain sensor type	● Rain sensor type	● Rain sensor type	● Rain sensor type
	Exteri	or Rearview Mi	rror	

		●Electric	●Electric	●Electric
		adjustment	adjustment •	adjustment
		Electric folding	Electric folding	Electric folding
	● Electric	Rearview mirror	Rearview mirror	Rearview mirror
T	adjustment		memory Heated	
Exterior rearview mirror function	Electric folding ●	rearview mirrors	rearview mirrors	rearview mirrors
mirror function	Automatic folding	● Automatically flip down when	● Automatically flip down when	Automatically flip down when
	when locking the car	reversing •	reversing •	reversing •
		Automatically	Automatically	Automatically fold
	1	fold when the car	fold when the car	when the car is
		is locked	is locked	locked
		Screen/System		
Central control color	●Touch LCD	●Touch LCD	●Touch LCD	●Touch LCD
screen	screen	screen	screen	screen
Central control screen	●12.8 inches	12.8 inches	●12.8 inches	•12.8 inches
size	12.0 menes	12.0 menes	12.0 menes	12.0 menes
Passenger	●10.25 inches	●10.25 inches	●10.25 inches	●10.25 inches
entertainment screen		_	_	
Bluetooth/car phone			0 1	
Mobile phone	Original	• Original	Original	● Original
interconnection/map ping	pping	mapping mapping	mapping	pping pping
	●Multimedia	●Multimedia	●Multimedia	●Multimedia
	system	system	system	system •
Voice recognition	Navigation •	Navigation •	Navigation •	Navigation •
control system	Telephone Air	Telephone Air	Telephone Air conditioning	Telephone Air
	conditioning • Sunroof	conditioning ● Sunroof	Sunroof	conditioning ● Sunroof
face recognition	Sulfoot	Sumoor	Sumoor	Sulffoor
Vehicle intelligent	• Leapmotor OS	• Leapmotor OS	• Leapmotor OS	●Leapmotor OS
system	● Qualcomm	● Qualcomm	● Qualcomm	● Qualcomm
Vehicle smart chip	Snapdragon 8155	Snapdragon 8155	Snapdragon 8155	Snapdragon 8155
Rear seat control	onaparagon 0133	Shaparagon 0133	onaparagon 0100	onaparagon 0133
multimedia	-	(•)	•	•
Vehicle system	- 42	10	210	210
memory (GB)	●12	●12	●12	●12
Vehicle system	●64	●128	●128	●128
storage (GB)	₩ 04	U 120	120	₩120

Voice wake word free	•	•	•	•
Voice area wake-up recognition	•Dual area	●Dual area	●Dual area	●Dual area
Speech continuous recognition	•		•	•
It can be said that it is visible	•	•	•	•
	Intelli	igent Configurat	tion	
Internet of Vehicles	•	•		•
4G/5G network	● 4G	●4G	●4G	● 4G
OTA upgrade		•	•	•
Wi-Fi hotspot		•	•	•
	●Door control ●	●Door control ●	●Door control ●	●Door control ●
	Vehicle start ●	Vehicle start ●	Vehicle start ●	Vehicle start
	Charging	Charging	Charging	Charging
Mobile APP remote function	management	management	management	management
	Vehicle condition	Vehicle condition	Vehicle condition	Vehicle condition
	query/diagnosis	query/diagnosis	query/diagnosis	query/diagnosis ●
	Vehicle	● Vehicle	●Vehicle	Vehicle
	positioning/finding			
	● Car owner	g ● Car owner	g Car owner	●Car owner
	services (find	services (find	services (find	services (find
	charging piles, gas	charging piles, gas		
	stations, parking	stations, parking	stations, parking	stations, parking
	lots, etc.)	lots, etc.)	lots, etc.) ●	lots, etc.) •
	Maintenance/repair	Maintenance/rep		Maintenance/repair
	appointments	air appointments	air appointments	appointments
		el/Interior Rear		
Steering wheel	•Leather ()	● Leather ○	● Leather ○	●Leather ○
material	Genuine leather	Genuine leather	Genuine leather	Genuine leather
Steering wheel	● Manual up and	●Manual up and	● Manual up and	● Manual up and
position adjustment	down + front and	down + front and	down + front and	down + front and
- ,	rear adjustment	rear adjustment	rear adjustment	rear adjustment
Shift pattern	• Electronic gear	• Electronic gear	●Electronic gear	• Electronic gear
	shifting	shifting	shifting	shifting
Multifunction	•		•	
steering wheel				
steering wheel gear	-) -	- \	-
shift				

Steering wheel heating	0	0	0	0
steering wheel memory		-4	-	
Trip computer display	● Color	● Color	● Color	● Color
Full LCD instrument panel	•	•	•	•
LCD instrument size	● 10.25 inches	●10.25 inches	●10.25 inches	●10.25 inches
Interior rearview mirror function	● Manual anti-glare ○ Automatic anti- glare	●Manual anti- glare ○Automatic anti-glare	● Manual anti- glare ○ Automatic anti-glare	●Manual anti-glare ○Automatic anti- glare
4	\sim C	harging In Car	<i>y</i>	
Multimedia/charging interface	● USB	● USB ● Type-C	● USB ● Type-C	●USB ●Type-C
Number of USB/Type-C interfaces	• 2 in the front row	●2 in the front row/2 in the back row	●2 in the front row/2 in the back row	● 2 in the front row/2 in the back row
Mobile phone wireless charging function		●Front row	• Front row	● Front row
Luggage compartment 12V power interface	-	•	.	• C
	Sec	at Configuration	1	4
seat material	●Imitation leather ○Genuine leather	● Imitation leather () Genuine leather	●Imitation leather ○Genuine leather	●Imitation leather ○Genuine leather
Main seat adjustment method	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○ Waist support (4- way)	adjustment	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○ Waist support (4-way)	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○ Waist support (4- way)
Secondary seat adjustment method	●Fore and aft adjustment ● Backrest adjustment	● Fore and aft adjustment ● Backrest adjustment	● Fore and aft adjustment ● Backrest adjustment	● Fore and aft adjustment ● Backrest adjustment

Main/passenger seat	Main ●/Deputy ●	Main ● /Deputy	Main ● /Deputy	Main ● / Deputy ●
Front seat functions	○ Heating ○Ventilation ○Massage	○Heating ○Ventilation ○Massage	● ○Heating ○ Ventilation ○ Massage	○ Heating○ Ventilation○ Massage
Power seat memory function	-	• Driving position	● Driving position	●Driving position
Adjustable buttons for the passenger seat and rear row	-		1	-
Second row seat adjustment	4	-		-
Second row seat functions	○Heating	○Heating	○Heating	○ Heating
Rear seats fold down	● Inverted proportions	●Inverted proportions	●Inverted proportions	Invertedproportions
Front/rear center armrest	Front ● / Back ●	Front●/Back●	Front●/Back●	Front ● /Back ●
Rear cup holder	-	•	•	•
	Audi	o/Interior Light	ing	
Speaker brand name		-	-	-
Number of speakers	●12 speakers	●12 speakers	●12 speakers	●12 speakers
touch reading light	-	-	-	•
Car interior ambient lighting	-	●Multicolor	●Multicolor	●Multicolor
	Air Con	ditioner/Refrige	erator	4
Air conditioning temperature control method	● Automatic air conditioning	•Automatic air conditioning	• Automatic air conditioning	• Automatic air conditioning
Independent air conditioning in the rear		•		• _
Rear seat air outlet	•	•	•	•
Temperature zone control	-		•	
Car air purifier	•	•	•	
In-car PM2.5 filter	•	•	• ,	•
device		ptional Pades		
		ptional Package		

	Fully equipped set (15000)	Fully equipped set (15000)	Fully equipped set (15000)	Fully equipped package (580 four- wheel drive performance version) (20000)					
Exterior color	Sky Gray, Black/Light White, Black/Walden Green, Black/Galaxy Silver, Metallic Black, Black/Glacier Blue	Light white, metallic black, galaxy silver	Sky gray, metallic black, glossy white, galaxy silver, glacier blue	Light white, metallic black, sky gray, galaxy silver, glacier blue					
interior color	Rock gray/fog purple, carbon gray/rock gray, dark black/wood brown	Dark black/wood brown	Rock gray/fog purple, dark black/wood brown	Rock gray/fog purple, dark black/wood brown					
Note: ● Standard ○ Optional - None									