	E-mail: ctl15588640503@gmail.co	
	XPENG P7i configuration t	
	Xpeng P7 2023 P7i 610 Max Performance Edition	Xpeng P7 2023 P7i 610 Pengyi Performance Edition
	Basic parameters	r enormance Eantion
Manufacturer	Xpeng Motors	Xpeng Motors
level	mid-size car	mid-size car
Energy type	pure electric	pure electric
time to market	2023.03	2023.03
NEDC pure electric		
cruising range (km)		
CLTC pure electric	(10	(10
cruising range (km)	610	610
Fast charging time	0.48	0.48
(hours)	0.40	0.40
Slow charging time		
(hours)		
Fast charging	10-80	10-80
percentage		
Maximum power(kW)	348	348
Maximum torque	757	757
(N · m)		
Motor(Ps)	473	473
Length*width*height	4888*1896*1450	4888*1896*1450
(mm)		
Body structure Maximum speed	4-door, 5-seat sedan	4-door, 5-seat sedan
(km/h)	200	200
Official 0-100km/h		
acceleration (s)	3.9	3.9
Electric energy		
equivalent fuel		
consumption	1.76	1.76
(L/100km)		
Vehicle warranty	Five years or 120,000 kilometers	Five years or 120,000 kilometers
First owner warranty		
policy	-	

	Body	
Length(mm)	4888	4888
Width(mm)	1896	1896
Height(mm)	1450	1450
Wheelbase(mm)	2998	2998
Front wheelbase (mm)	1615	1615
Rear wheelbase (mm)	1621	1621
Approach angle (°)	14	14
Departure angle (°)	15	15
Body structure	Sedan	Sedan
Car door opening method	swing door	Scissor door + swing door
Number of doors (number)	4	4
Number of seats (seats)	5	5
Trunk volume (L)		
Drag coefficient (Cd)		-
Curb weight (kg)	2140	2140
Maximum full load		2545
mass (kg)	2515	2515
4	electric motor	
Motor type	Front induction/asynchronous rear permanent magnet/synchronous	Front induction/asynchronous rear permanent magnet/synchronous
Total motor power (kW)	348	348
Total motor power (Ps)	473	473
Total torque of motor (N \cdot m)	757	757
Maximum power of front electric motor (kW)	145	145
Maximum torque of front electric motor (N · m)	317	317
Maximum power of		
rear electric motor (kW)	203	203

Maximum torque of rear electric motor (N · m)Number of drive motorsMotor layoutMotor layoutBattery TypeBattery brandBattery cooling methodMEDC pure electric cruising range (km)CLTC pure electric cruising range (km)Battery energy (kWh)Battery energy (kWh)Electricity consumption per 100Kilometers (kWh/100km)Battery pack marantyFast charging function	440 Dual motor Front + rear Ternary lithium battery China New Airlines liquid cooling - 610 86.2 160 15.6	440 Dual motor Front + rear Ternary lithium battery China New Airlines liquid cooling - 610 86.2 160 15.6
rear electric motor (N · m) (Number of drive motors (Motor layout (Battery Type (Battery brand (Battery brand (Battery cooling (method (Battery cooling (Motor layout (Battery cooling (Motor layout (Battery cooling (Motor layout (Battery energy (Motor layout (Motor	Dual motor Front + rear Ternary lithium battery China New Airlines liquid cooling - 610 86.2 160	Dual motor Front + rear Ternary lithium battery China New Airlines liquid cooling - 610 86.2 160
motorsMotor layoutBattery TypeBattery brandBattery brandBattery cooling methodMotor layoutBattery cooling methodMethodSattery cooling methodCLTC pure electric cruising range (km)CLTC pure electric cruising range (km)Battery energy (kWh)Battery energy (kWh)Electricity consumption per 100 kilometers (kWh/100km)Battery pack warrantyFast charging	Front + rear Ternary lithium battery China New Airlines liquid cooling - 610 86.2 160	Front + rear Ternary lithium battery China New Airlines liquid cooling - 610 86.2 160
Battery TypeBattery brandBattery coolingmethodMEDC pure electriccruising range (km)CLTC pure electriccruising range (km)Battery energy (kWh)Battery energy (kWh)Electricityconsumption per 100kilometers(kWh/100km)Battery packwarrantyFast charging	Ternary lithium battery China New Airlines liquid cooling - 610 86.2 160	Ternary lithium battery China New Airlines liquid cooling - 610 86.2 160
Battery brandBattery cooling methodMethodNEDC pure electric cruising range (km)CLTC pure electric cruising range (km)Battery energy (kWh)Battery energy (kWh)Battery energy (kWh)Electricity consumption per 100kilometers (kWh/100km)Battery pack warrantyFast charging	China New Airlines liquid cooling - 610 86.2 160	China New Airlines liquid cooling - 610 86.2 160
Battery cooling methodMethodNEDC pure electric cruising range (km)CLTC pure electric cruising range (km)Battery energy (kWh)Battery energy (kWh)Battery energy density (Wh/kg)Electricity consumption per 100 kilometers (kWh/100km)Battery pack warrantyFast charging	liquid cooling - 610 86.2 160	liquid cooling - 610 86.2 160
methodNEDC pure electriccruising range (km)CLTC pure electriccruising range (km)Battery energy (kWh)Battery energy (kWh)Electricityconsumption per 100kilometers(kWh/100km)Battery packwarrantyFast charging	- 610 86.2 160	- 610 86.2 160
cruising range (km)CLTC pure electric cruising range (km)Battery energy (kWh)Battery energy (kWh)Battery energy density (Wh/kg)Electricity consumption per 100 kilometers (kWh/100km)Battery pack warrantyFast charging	86.2	86.2
cruising range (km)Battery energy (kWh)Battery energydensity (Wh/kg)Electricityconsumption per 100kilometers(kWh/100km)Battery packwarrantyFast charging	86.2	86.2
Battery energy density (Wh/kg) Electricity consumption per 100 kilometers (kWh/100km) Battery pack warranty Fast charging	160	160
density (Wh/kg)Electricityconsumption per 100kilometers(kWh/100km)Battery packwarrantyFast charging		
consumption per 100 kilometers (kWh/100km) Battery pack warranty Fast charging	15.6	15.6
warranty Fast charging		
	Eight years or 160,000 kilometers	Eight years or 160,000 kilometers
	support	support
Fast charging powe <mark>r</mark> (kW)	175	175
Fast charging time (hours)	0.48	0.48
Slow charging time (hours)		
Fast charging capacity(%)	10-80	10-80
electric motor	348	348
	gearbox	
Number of gears	1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox
abbreviation Elec	ectric vehicle single speed gearbox	Electric vehicle single speed gearbox
	chassis steering	
Drive mode	Dual motor four-wheel drive	Dual motor four-wheel drive

four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential structure	· ·	-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric <mark>a</mark> ssist
Body structure	Load-bearing	Load-bearing
	wheel brake	
Front brake type	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking
Front tire specifications	245/45R19	245/45R19
Rear tire	245/45R19	245/45R19
Spare tire specifications	Tire repair tool	Tire repair tool
	passive safety	
Main/passenger seat airbag	Main Deputy	Main ● Deputy ●
Front/rear side airbags	before $ullet$ after -	before $ullet$ after -
Front/rear head airbags (curtain airbags)	before $ullet$ after $ullet$	before $ullet$ after $ullet$
Tire pressure monitoring function	• Tire pressure display	●Tire pressure display
Run-flat tires		
Seat belt not fastened reminder	• The whole car	• The whole car
ISOFIX child seat interface	• •	•
ABS anti-lock	• _	•
Braking force distribution (EBD/CBC, etc.)		•
Brake assist (EBA/BAS/BA, etc.)		
	4	

Traction control			
(ASR/TCS/TRC, etc.)			
Body stability control			
(ESC/ESP/DSC, etc.)			
L D L	active safety		
Lane Departure Warning System	•	•	
Active			
braking/active safety			
system	•		
Fatigue driving tips			
DOW opening			
warning			
forward collision			
warning		· · · · · · · · · · · · · · · · · · ·	
rear collision			
warning			
Sentry			
mode/clairvoyance		•	
Low speed warning		•	
Built-in driving		•	
recorder			
	Driving control		
Driving mode switch	● Sport ● Standard/Comfortable	●Sport ●Standard/Comfortable	
Single pedal mode	•	•	
energy recovery	•	•	
system			
automatic parking	•	•	
Hill assist	•	•	
steep descent		Suppoprior soft and hard	
Variable suspension function		 Suspension soft and hard adjustment 	
Tunction	driving hardware		
Front/rear parking radar	before • after •	before $ullet$ after $ullet$	
Driving assistance	● 360-degree panoramic image ●	● 360-degree panoramic image ●	
images	Vehicle side blind spot image	Vehicle side blind spot image	
Transparent			
chassis/540 degree	•		
image	4		

Assisted driving chip	●Dual NVIDIA Orin-X	●Dual NVIDIA Orin-X
Chip total computing power	● 508 TOPS	● 508 TOPS
Number of cameras	●12 pieces	●12 pieces
Ultrasonic radar quantity	●12 pieces	●12 pieces
Millimeter wave radar quantity	●5 pieces	●5 pieces
LiDAR quantity	●2 pieces	•2 pieces
	driving function	
cruise system	Full-speed adaptive cruise	•Full-speed adaptive cruise
Assisted driving system	●XPILOT ●XNGP	● XPILOT ● XNGP
Assisted driving level	●L2	●L2
Reverse side warning system	•	•
satellite navigation system		•
Navigation traffic		
information display		•
map brand	Gaode	●Gaode
HD map	•	•
Parallel assistance	•	
Lane Keeping Assist System	•	•
Lane centering	\bullet \vee	•
Road traffic sign		
recognition		
Automatic parking	•	•
remote control		
parking		
memory parking		• (
Automatic lane	•	•
change assist		
Automatic ramp exit	• (1	• ()
(entry) Traffi <mark>c</mark> light		
identification		•
remote summoning		
	4	

Autonomous driving assistance road section	●Urban sections ● High-speed sections	● Urban sections ● High-speed sections	
	Appearance/anti-theft		
Rim material	Aluminum alloy	●Aluminum alloy	
Electric suction door	• The whole car	●The whole car	
Automatic opening and closing of car doors	- 0	•	
Frameless design			
door	•		
Electric trunk			
induction trunk		•	
Central locking in car	•	•	
Key type	● Remote key ●Bluetooth key	●Remote key ●Bluetooth key	
Keyless start system		•	
Keyless entry function	• The whole car	• The whole car	
Hidden electric door handle		•	
Active closing air intake grille		•	
Remote start function	•	•	
Battery preheating		•	
external discharge	exterior lights		
low beam light source	•LED	●LED	
high beam light source	●LED	LED	
LED daytime running lights	•	•	
Adaptive high and low beam	•	•	
automatic headlight		•	
Turn assist light		•	
car front fog lights Headlight height		-	
adjustable			

Delayed turn off of	•	•	
headlights		1	
	skylight/glass	Segmented non-openable	
Skylight type	Segmented non-openable skylight	skylight	
Front/rear electric windows	before $ullet$ after $ullet$	before $ullet$ after $ullet$	
One-touch window lifting function	• The whole car	•The whole car	
Window anti-pinch			
function	•		
Rear side privacy glass	•	•	
Car vanity mirror	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co- pilot + lighting	
rear wiper	-	-	
Sensing wiper			
function	Rain sensor type	●Rain sensor type	
	exterior rearview mirror		
Exterior rearview mirror function	folding • Rearview mirror memory • Heated rearview mirrors • Automatically flip down when reversing • Automatically fold when the car is locked	folding ●Rearview mirror memory ●Heated rearview mirrors ● Automatically flip down when reversing ● Automatically fold when the car is locked	
	screen/system		
Central control color screen	●Touch LCD screen	● Touch LCD screen	
Central control screen size	•14.96 inches	•14.96 inches	
Screen Resolution	-		
Bluetooth/car phone		•	
Mobile phone interconnection/map ping		•	
Voice recognition control system	 Multimedia system Navigation Telephone Air conditioning 	● Multimedia system ● Navigation ● Telephone ● Air conditioning	
face recognition	•		

Vehicle intelligent system	•Xmart OS	•Xmart OS	
Vehicle smart chip	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	
Vehicle system memory (GB)		- ()	
Vehicle system storage (GB)		-	
Voice wake word free	•	•	
Voice area wake-up recognition	•Four areas	•Four areas	
Speech continuous recognition	•	•	
It can be said that it			
is visible			
	Intelligent configuration		
Internet of Vehicles	•	•	
4G/5G network	●5G	● 5G	
OTA upgrade		•	
Wi-Fi hotspot	•	•	
Mobile APP remote function	 Door control Window control Vehicle start Charging management Light control Air conditioning control Vehicle condition inquiry/diagnosis 	 Door control Window control Vehicle start Charging management Light control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle 	
	Vehicle positioning/car search	positioning/car search	
Car KTV	•	•	
	Steering wheel/interior rearview	mirror	
Steering wheel material	• Genuine leather	• Genuine leather	
Steering wheel	• Manual up and down + front and	●Manual up and down + front	
position adjustment	rear adjustment	and rear adjustment	
Shift pattern	Electronic gear shifting	• Electronic gear shifting	
Multifunction		•	
steering wheel			
steering wheel gear shift		- V	
Steering wheel heating		•	
steering wheel memory	-		

Trip computer	• Color	• Color
display screen		· · · · · · · · · · · · · · · · · · ·
Full LCD instrument panel	•	4 • K
LCD instrument size	●10.25 inches	●10.25 inches
Interior rearview mirror function	●Automatic anti-dazzle	•Automatic anti-dazzle
ETC device	-	-
	Charging in car	
Multimedia/charging interface	● USB ● Type-C	●USB ●Type-C
Number of	• 3 people in the front row/2 people	• 3 people in the front $row/2$
USB/Type-C	in the back row	people in the back row
interfaces		people in the back low
Mobile phone		
wireless charging	• Front row	• Front row
function		
Mobile phone		
wireless charging	•15W	●15W
power	Seat configuration	1
seat material	• Genuine leather	Genuine leather
seut materiai	Front and back adjustment	● Front and back adjustment ●
Main seat adjustment	Backrest adjustment Height	Backrest adjustment \bullet Height
method	adjustment (4-way) Waist support	adjustment (4-way) ●Waist
	(4-way)	support (4-way)
	● Front and back adjustment ●	●Front and back adjustment ●
Secondary seat	Backrest adjustment ●Height	Backrest adjustment ●Height
adjustment method	adjustment (2-way)	adjustment (2-way)
Main/passenger seat	Main ● Deputy ●	Main ● Deputy ●
electric adjustment	Main Deputy	Main Deputy
Front seat functions	• Heating • Ventilation	●Heating ●Ventilation
Power seat memory function	●Driver's seat ●Co-pilot's seat	●Driver's seat ● Co-pilot's seat
Adjustable buttons		
for the passenger seat	-	-
and rear row		1 -
and rear row Second row seat		
Second row seat	● Heating	Heating

Rear seats fold down	 Inverted proportions 	 Inverted proportions
Front/rear center armrest	before $ullet$ after $ullet$	before ● after ●
Rear cup holder	• (•
4	Audio/interior lighting	
Speaker brand name	ODynaudio Dynaudio	Dynaudio Dynaudio
Number of speakers	●20 speakers	●20 speakers
Dolby Atmos	•	
touch reading light	•	
Car interior ambient lighting	●Multicolor	Multicolor
	Air conditioner/refrigerat	cot
Air conditioning temperature control method	• Automatic air conditioning	• Automatic air conditioning
heat pump air conditioner	• ~	•
Independent air conditioning in the rear		_
Rear seat air outlet		•
Temperature zone control	•	•
Car air purifier	•	•
In-car PM2.5 filter device	• •	•
negative ion generator	-	- ()
Car fragrance device	•	
	Optional package	
Exterior color	Moonlight is silver, dark night is black, sky is gray, nebula is white	Crescent silver, dark night black, sky gray, interstellar green, nebula white
interior color	Cool black, elegant rice	Black/Qiyu gray, cool black, gravity red
Note: ●Standard⊖Op	rtional-None	
X		