

QINGDAO QHCY INTERNATIONAL TRADING CO.,LTD.

Web:cartradinghub.com Tel: 86-15176650760 E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

		1		
1	AITO LU	XEED S7 configurat	ion table	
	LUXEED S7 2024	LUXEED S7 2024	LUXEED S7 2024	LUXEED S7 2024
	Pro	Max	Max+	Max RS
		Basic parameters		
Manufacturer	Smart car	Smart car	Smart car	Smart car
level	Medium and large	Medium and large	Medium and large	Medium and larg
icvei	cars	cars	cars	cars
Energy type	pure electric	pure electric	pure electric	pure electric
time to market	2023.11	2023.11	2023.11	2023.11
CLTC pure electric cruising range (km)	550	705	855	630
Fast charging time (hours)	0.25	0.25	0.25	0.25
Slow charging time (hours)	-	-	-	-
Fast charging percentage	30-80	30-80	30-80	30-80
Maximum power(kW)	215	215	215	365
Maximum torque $(N \cdot m)$	-	-	-	-
Motor(Ps)	292	292	292	496
Length*width*height (mm)	4971*1963*1477	4971*1963*1474	4971*1963*1472	4971*1963*1461
Body structure	4-door, 5-seat sedan	4-door, 5-seat sedan	4-door, 5-seat sedan	4-door, 5-seat seda
Maximum speed (km/h)	210	210	210	210
Official 0-100km/h acceleration (s)	5.4	5.4	5.4	3.3
Vehicle warranty	Four years or 100,000 kilometers	Four years or 100,000 kilometers	Four years or 100,000 kilometers	Four years or 100,000 kilometer
First owner warranty policy	-	-	-	-
		Body		
Length(mm)	4971	4971	4971	4971

		<u>) </u>		1
Width(mm)	1963	1963	1963	1963
Height(mm)	1477	1474	1472	1461
Wheelbase(mm)	2950	2950	2950	2950
Front wheelbase (mm)	1695	1695	1695	1695
Rear wheelbase (mm)	1695	1695	1695	1695
Approach angle (°)	14	13	13	13
Departure angle (°)	14	14	14	14
Minimum turning radius (m)	5.7	5.7	5.7	5.7
Body structure	Sedan	Sedan	Sedan	Sedan
Car door opening method	swing door	swing door	swing door	swing door
Number of doors (number)	4	4	4	4
Number of seats (seats)	5	5	5	5
Trunk volume (L)	420-1450	4 <mark>2</mark> 0-1450	420-1450	420-1450
Drag coefficient (Cd)	0.203	0.203	0.203	0.203
Curb weight (kg)	1975	2010	2050	2170
Maximum full load mass (kg)	2384	2422	4	2589
4		electric motor		
Motor type	Permanent magnet/synchron ous	Permanent magnet/synchrono us	Permanent magnet/synchrono us	Front induction/asynchro nous rear permanent magnet/synchrono us
Total motor power (kW)	215	215	215	365
Total motor power (Ps)	292	292	292	496
Total torque of motor (N · m)	_		-	
Maximum power of front electric motor (kW)	-		-	150
Maximum power of rear electric motor (kW)	215	215	215	215

cruising range (km) 550 705 855 630 Battery energy (kWh) 62 82 100 82 Electricity 82 82 100 82					
Battery Type Lithium iron phosphate battery Battery brand Battery cooling method CLTC pure electric cruising range (km) Battery energy (kWh) Electricity Display by the battery Battery pack Electricity Warranty Battery pack Elight years or 160,000 kilometers (kWh/100km) Battery pack Fast charging function High voltage fast charging (hours) Fast charging time (hours) Electric trous appears on the fixed ratio gearbox Number of gears Electric vehicle single speed gearbox Electric vehicle single speed gearbox Drive mode Ternary lithium + lithium iron phosphate Jiangsu Times Jia		single motor	single motor	single motor	Dual motor
Battery Type phosphate battery phosphate battery phosphate battery brand Battery cooling method	Motor layout	rear	rear	rear	Front + rear
Battery cooling method CLTC pure electric cruising range (km) Sattery energy (kWh) Electricity onsumption per 100 kilometers (kWh/100km) Battery pack warranty 160,000 kilometers 1	Battery Type		lithium iron		lithium iron
method CLTC pure electric cruising range (km) Electricity onsumption per 100 kilometers (kWh/100km) Battery pack warranty 160,000 kilometers Fast charging function High voltage fast charging time (hours) Fast charging time (hours) Fast charging time (abours) Fast charging time (abours) Fast charging capacity(%) electric motor 215 215 215 215 365 Electric vehicle abbreviation Equation	Battery brand	Jiangsu Times	Jiangsu Times	Jiangsu Times	Jiangsu Times
cruising range (km) 550 705 855 630 Sattery energy (kWh) 62 82 100 82 Electricity onsumption per 100 kilometers (kWh/100km) -		liquid cooling	liquid cooling	liquid cooling	liquid cooling
Electricity onsumption per 100 kilometers (kWh/100km) Battery pack warranty 160,000 kilometers 160,000 kilo		550	705	855	630
insumption per 100 kilometers (kWh/100km) Battery pack warranty Battery pack warranty Battery pack warranty Battery pack beautiful pack warranty Battery pack beautiful pack warranty Battery pack warranty Battery pack beautiful pack beautiful pack warranty Battery pack beautiful pa	Battery energy (kWh)	62	82	100	82
Fast charging function High voltage fast charging (hours) Slow charging capacity(%) electric motor Number of gears Third fixed ratio gearbox Electric vehicle abbreviation Drive mode Tast charging support Suppor	consumption per 100 kilometers	<u> </u>	-	12.4	
function High voltage fast charging Fast charging time (hours) Fast charging gaper (hours) Fast charging time (hours) Fast charging time (hours) Fast charging time (hours) Fast charging time (hours) Fast charging agapetity (hours) Fast charging time (hours) Fast charging agapetity (hours) Fast charging capacity (hours) Fast charging agapetity (hours) Fast charging time (hours) Fast	4			-	
charging Fast charging time (hours) Slow charging time (hours) Fast charging capacity(%) electric motor Number of gears Bearbox type Charging support		support	support	support	support
(hours) Slow charging time (hours) Fast charging agarcity(%) electric motor Number of gears This direction of the fixed ratio gearbox gearbox Searbox type Electric vehicle abbreviation Electric vehicle single speed gearbox Searbox gearbox Electric vehicle single speed gearbox Searbox gearbox Electric vehicle single speed gearbox Schassis steering Drive mode The fixed ratio gearbox gearbox gearbox The fixed ratio gearbox gearbox The fixed ratio gearbox gearbox Schassis steering Dual motor four- The fixed ratio gearbox Th		support	support	support	support
(hours) Fast charging capacity(%) electric motor 215 215 215 215 30-80 Number of gears Number of gears 1 1 1 1 1 1 Gearbox type Electric vehicle gearbox Electric vehicle single speed gearbox gearbox Electric vehicle single speed gearbox Chassis steering Drive mode Prive mode Tear wheel drive		0.25	0.25	0.25	0.25
capacity(%) electric motor 215 215 215 215 30-80 Number of gears Number of gears 1 1 1 1 1 1 Gearbox type Electric vehicle single speed gearbox Electric vehicle single speed gearbox Chassis steering Drive mode Tear wheel drive		-		-	-
Number of gears 1 1 1 1 1 Gearbox type fixed ratio gearbox Electric vehicle Electric vehicle single speed gearbox gearbox Chassis steering Prive mode Prive mode Drive mode Prive mode Prive mode Drive mode Drive mode 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		30-80	30-80	30-80	30-80
Number of gears 1 1 1 1 1 Gearbox type fixed ratio gearbox gearbox fixed ratio gearbox fixed ratio gearbox fixed ratio gearbox gearbox gearbox fixed ratio gearbox gearbox fixed ratio gearbox gearbox gearbox fixed ratio gearbox gearbox gearbox fixed ratio gearbox fixed ratio gearbox gearbox gearbox gearbox gearbox gearbox gearbox gearbox gearbox fixed ratio gearbox gearbox gearbox gearbox gearbox gearbox gearbox gearbox fixed ratio gearbox fixed ratio gearbox gearbo	electric motor	215	215	215	365
Gearbox type fixed ratio gearbox fixed ratio gear			gearbox		
Gearbox type Gearbox fixed ratio gearbox fixed ratio gearbox fixed ratio gearbox	Number of gears	1	1	1	1
abbreviation single speed single speed single speed gearbox gearbox gearbox Chassis steering Drive mode rear wheel drive re	Gearbox type		fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
Drive mode rear wheel drive rear wheel drive Dual motor four-	abbreviation	single speed	single speed gearbox	single speed	single speed
Drive mode rear wheel drive rear wheel drive rear wheel drive			chassis steering	1	D 1 °
	Drive mode	rear wheel drive	rear wheel drive	rear wheel drive	

four-wheel drive		-	-	Electric four-wheel drive
Center differential structure	<u></u>		-	-
Front suspension type	Double wishbone independent suspension			
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
		wheel brake		
Front brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	245/50R19	245/50R19	245/50R19	245/45R20
Rear tire specifications	245/50R19	245/50R19	245/50R19	245/45R20
Spare tire specifications	-	-	<u></u>	-
		passive safety		
Main/passenger seat	Main ● Deputy ●	Main ● Deputy ●	Main ● Deputy ●	Main Deputy ●
Front/rear side airbags	before ● after -	before ● after -	before • after -	before • after -
Front/rear head airbags (curtain airbags)	before ● after ●			
Tire pressure	• Tire pressure	● Tire pressure	●Tire pressure	●Tire pressure
monitoring function	display	display	display	display
Run-flat tires	-		-	
Seat belt not fastened reminder	●The whole car	• The whole car	●The whole car	• The whole car
ISOFIX child seat interface	•	•	•	•
ABS anti-lock	•	•		•

Braking force distribution (EBD/CBC, etc.)	•	•	•	•
Brake assist (EBA/BAS/BA, etc.)	•	•()	•	
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•
Body stability control (ESC/ESP/DSC, etc.)		O .	•	•
	4	active safety		
Lane Departure Warning System		•	•	•
Active braking/active safety system	. .	•	•	
Fatigue driving tips	•		•	
DOW opening warning	•		• (•
forward collision				
warning		•	•	
rear collision				
warning				
Sentry mode/clairvoyance	•	•	•	•
Low speed warning	•		•	•
Built-in driving recorder	•		•	•
roadside assistance call	• _	•	•	.
		Driving control		
Driving mode switch	● Sports ● Economy ● Standard/Comfort able ●	● Sports ● Economy ● Standard/Comfort able ●	● Sports ● Economy ● Standard/Comfort able ●	●Sports ● Economy ● Standard/Comforta ble ●
4	Customized/Perso			Customized/Person alized
Single pedal mode	•	•		•
energy recovery system	•	•	•	•
automatic parking	•	•		•
Hill assist		•		•

steep descent	•	•	•	•
Variable suspension function			-	● Suspension soft and hard adjustment ● Suspension height adjustment
air suspension	-		-	•
		driving hardware		
Front/rear parking radar	before ● after ●	before ● after ●	before ● after ●	before ● after ●
Driving assistance images	● 360-degree panoramic image	● 360-degree panoramic image	• 360-degree panoramic image	● 360-degree panoramic image
Transparent chassis/540 degree image	•	•	•	
Number of cameras	●10 pieces	•11 pieces	●11 pieces	•11 pieces
Ultrasonic radar quantity	●12 pieces	●12 pieces	●12 pieces	●12 pieces
Millimeter wave radar quantity	•3 pieces	•3 pieces	• 3 pieces	●3 pieces
LiDAR quantity	-	●1 piece	●1 piece	●1 piece
1		driving function		. =
cruise system	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise
Assisted driving system	●HUAWEI ADS	●HUAWEI ADS	●HUAWEI ADS	●HUAWEI ADS
Assisted driving level	●L2	●L2	●L2	●L2
Reverse side warning system	•	•	•	•
satellite navigation system		•		•
Navigation traffic information display) •	• 1	•	• 1/-
map brand	●Huawei Petal	●Huawei Petal	● Huawei Petal	● Huawei Petal
Parallel assistance	•	10	•	•
Lane Keeping Assist System	•	•	•	•
Lane centering	•	•		•

Road traffic sign recognition		•	•	• (
Automatic parking				
remote control				
parking	•	• ()	•	•
Valet Parking	-	0	0	0
Automatic lane				
change assist	•			•
Automatic ramp exit				
(entry)	4	•		•
Traffic light		•		•
identification		•		
Follow the trail and	_	•	•	•
reverse				
remote summoning	-	0	0	O
Steering wheel hand off detection	•		•	•
		()		
Autonomous driving	●Highway	OUrban sections	○Urban sections	OUrban sections
assistance road	section	● High-speed	● High-speed	● High-speed
section		sections	sections	sections
	A	ppearance/anti-thef	t	
Sport appearance package	-	- 📏	<u> </u>	0
Rim material	●Aluminum alloy	•Aluminum alloy	●Aluminum alloy	●Aluminum alloy
Electric suction door	• The whole car	●The whole car	●The whole car	• The whole car
Frameless design door	• ~	•	•	•
Electric trunk		•		•
Central locking in car		•	•	•
Key type	Mechanical keyBluetooth keyNFC/RFID key○ UWB digital key	Mechanical keyBluetooth keyNFC/RFID key ○UWB digital key	● Mechanical key ● Bluetooth key ● NFC/RFID key○ UWB digital key	● Mechanical key ● Bluetooth key ● NFC/RFID key○ UWB digital key
Keyless start system	•	•	•	•
Keyless entry function	• The whole car	●The whole car	●The whole car	●The whole car
	4			1

Hidden electric door		•	•	•
Active closing air intake grille		• ~	•	•
Remote start function	•		•	
Battery preheating	•		•	•
external discharge	•		•	•
		exterior lights		>
low beam light source	●LED	●LED	● LED	●LED
high beam light source	•LED	●LED	• LED	•LED
Lighting features	● Matrix	● Matrix	●Matrix	●Matrix
LED daytime running lights	•	•	•	
Adaptive high and low beam	•		• (•
automatic headlight	•	•	•	•
car front fog lights	-	-	-	-
Headlight height adjustable	•	•	4.	•
Delayed turn off of headlights	•	• >	O •	•
		skylight/glass		
Skylight type	●The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened
Front/rear electric windows	before • after •	before ● after ●	before ● after ●	before ● after ●
One-touch window lifting function	• The whole car	• The whole car	●The whole car	●The whole car
Window anti-pinch function	O .	•4	•	
Multilayer soundproof glass	●Front row	●Front row	● Front row	● Front row
Car vanity mirror	Main driver +lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting

rear wiper Sensing wiper function	• Rain sensor type		• Rain sensor type	• Rain sensor type
	ex	terior rearview mirro	or	
\			● E1:	
	• Electric	Electric	Electric	• Electric
	adjustment •	adjustment Electric folding	adjustment • Electric folding •	adjustment
	Electric folding Rearview mirror	Rearview mirror	Rearview mirror	Electric folding Rearview mirror
Everagion no anyiove	memory • Heated	memory • Heated	memory Heated	memory Heated
Exterior rearview mirror function	rearview mirrors	rearview mirrors Automatically flip	rearview mirrors	rearview mirrors
illitor function	● Automatically flip down when	down when	• Automatically flip down when	Automatically flip down when
△	reversing •	down when reversing ●	reversing •	reversing
	Automatically		Automatically fold	
	fold when the car	when the car is	when the car is	when the car is
	is locked	locked	locked	locked
	18 TOCKEU	locked	locked	locked
		screen/system		
Central control color	●Touch LCD	●Touch LCD	●Touch LCD	●Touch LCD
screen	screen	screen	screen	screen
Central control	●15.6 inches	●15.6 inches	●15.6 inches	●15.6 inches
Bluetooth/car phone	•	•	•	•
Mobile phone				
interconnection/map ping	●Support HiCar	●Support HiCar	●Support HiCar	●Support HiCar
	●Multimedia (●Multimedia	●Multimedia	Multimedia
	system •	system •	system	system •
	Navigation •	Navigation •	Navigation •	Navigation •
	Telephone Air	Telephone ●Air	Telephone Air	Telephone ● Air
Voice recognition	conditioning	conditioning ●	conditioning ●	conditioning •
control system	Window ●Seat	Window ●Seat	Window ●Seat	Window ● Seat
	heating ●Seat	heating Seat	heating ● Seat	heating • Seat
	ventilation \(\rightarrow Seat \)			ventilation Seat
1	massage	massage	massage	massage
face recognition			•	
Vehicle intelligent	-		\	
system	● HarmonyOS	● HarmonyOS	●HarmonyOS	●HarmonyOS
Voice wake word free		•		•

Voice area wake-up recognition	• Four areas	●Four areas	•Four areas	●Four areas
Speech continuous recognition	\	•	•	•
It can be said that it is visible	•	. , (•	
	In	telligent configuration	on	
Internet of Vehicles	•	•	•	•
4G/5G network	●5G	●5G	● 5G	● 5G
OTA upgrade	•	•	•)	•
Wi-Fi hotspot		•		•
In-vehicle biometric monitoring system	•	•	•	• (
Mobile APP remote function simulated sound Car KTV Steering wheel		conditioning control • Vehicle status query/diagnosis • Vehicle positioning/car search - wheel/interior rearvie	conditioning control Vehicle status query/diagnosis Vehicle positioning/car search	Vehicle positioning/car search
material	• Genuine leather	● Genuine leather	• Genuine leather	● Genuine leather
Steering wheel position adjustment	●Manual up and down + front and rear adjustment	● Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment	●Electric up and down + front and rear adjustment
Shift pattern	●Electronic gear shifting	●Electronic gear shifting	●Electronic gear shifting	●Electronic gear shifting
Multifunction steering wheel	• (•	• \	•
steering wheel gear shift	-	-	(-)	-

Steering wheel heating		•	•	•
steering wheel memory	<u> </u>	- ~	-	•
Trip computer display sc <mark>r</mark> een	● Color	● Color	● Color	● Color
Full LCD instrument	•	•	• 1	•
LCD instrument size	●12.3 inches	●12.3 inches	●12.3 inches	● 12.3 inches
Interior rearview mirror function	● Automatic anti- dazzle	●Automatic anti- dazzle	• Automatic anti- dazzle	● Automatic anti- dazzle
ETC device	0	0	0	0
		Charging in car	()	
Multimedia/charging interface	● USB ● Type-C	● USB ● Type-C	●USB ●Type-C	●USB ●Type-C
Number of	●2 in the front	●2 in the front	• 2 in the front	• 2 in the front
USB/Type-C	row/2 in the back	row/2 in the back	row/2 in the back	row/2 in the back
interfaces	row	row	row	row
Mobile phone				
wireless charging function	●Front row	●Front row	●Front row	● Front row
Mobile phone wireless charging power	● 50W	●50W	● 50W	● 50W
Luggage compartment 12V power interface	•		•	4.
	4	Seat configuration		
seat material	●Imitation leather	● Imitation leather	● Imitation leather	●Imitation leather
Main seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4- way)	●Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ●Leg rest adjustment ● Waist support (4- way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4- way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)

Secondary seat adjustment method	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○ Leg rest adjustment ○ Waist support (4-way)	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○ Leg rest adjustment ○ Waist support (4- way)	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○ Leg rest adjustment ○ Waist support (4- way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (2-way) ● Leg rest adjustment ● Waist support (4-way)
Main/passenger seat electric adjustment	Main ● Deputy ●	Main ● Deputy ●	Main Deputy ●	Main ● Deputy ●
Front seat functions	●Heating ○ Ventilation ○ Massage ● Ventilation (driver's seat only)	● Heating ○ Ventilation ○ Massage ● Ventilation (driver's seat only)	● Heating○ Ventilation ○ Massage ● Ventilation (driver's seat only)	◆Heating ◆Ventilation ◆Massage
Power seat memory function	● Driver's seat ● Co-pilot's seat	●Driver's seat ● Co-pilot's seat	●Driver's seat ● Co-pilot's seat	●Driver's seat ● Co-pilot's seat
Adjustable buttons for the passenger seat and rear row	0	0	0	• (
Second row seat	●Backrest	●Backrest	●Backrest	●Backrest
adjustment	adjustment	adjustment	adjustment	adjustment
Second row seat	○Heating○	○Heating○	○ Heating○	● Heating ●
functions	Ventilation	Ventilation	Ventilation	Ventilation
Rear seats fold down	●Inverted proportions	Invertedproportions	● Inverted proportions	● Inverted proportions
Front/rear center armrest	before • after •	before ● after ●	before ● after ●	before ● after ●
Rear cup holder		•	•	•
		udio/interior lightin		
Speaker brand name	● HUAWEI SOUND	● HUAWEI SOUND	●HUAWEI SOUND	• HUAWEI SOUND
Number of speakers	○17 speakers ● 15 speakers	○17 speakers ●15 speakers	○ 17 speakers ●15 speakers	●17 speakers
touch reading light	•	•	•	•
Car interior ambient lighting	●128 colors	●128 colors	●128 colors	●128 colors

	Air	conditioner/refrigero	itor	
Air conditioning temperature control method	• Automatic air conditioning	• Automatic air conditioning	•Automatic air conditioning	• Automatic air conditioning
heat pump air conditioner	•		•	
Independent air conditioning in the rear	0	0	0	•
Rear seat air outlet Temperature zone	•	•	•	•
control Car air purifier	0	0	0	•
In-car PM2.5 filter device	•	•	•	
negative ion generator	0	0	0	•
Car fragrance device	0	Optional package	0	
	Zero Gravity Seat Technology Comfort Package	Zero Gravity Seat Technology Comfort Package	Zero Gravity Seat Technology Comfort Package	sports kit
Exterior color	Ceramic white, warm nebula, gilt black, frost moon silver, azure blue	Frost Moon Silver, Azure Blue, Gilt Black, Warm Nebula, Ceramic White	Gilt black, warm nebula, frost moon silver, ceramic white, azure blue	Gilt black, warm nebula, frost moon silver, ceramic white, azure blue
interior color	Moon shadow gray, white sand apricot, bird feather red	Moon shadow gray, bird feather red, white sand apricot	White sand apricot, bird feather red, moon shadow gray	White sand apricot, bird feather red, moon shadow gray
Note: ●Standard ○O1	ptional-None			