

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

Web:cartradinghub.com Tel: 86-15176650760
E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	V to color of	CO configur	notion abou	o.+	
		G9 configu			V., CO 2024
	570 Pro	Xpeng G9 2024 570 Max	Xpeng G9 2024 702 Pro	Xpeng G9	Xpeng G9 2024 650 Max
	370 110	Basic para		2024 102 Max	030 Max
Manufacturer	Xpeng Motors	Xpeng Motors		Vnong Motors	Xpeng Motors
Manuracturer	Medium and				
level	large SUV				
Energy type		pure electric		pure	pure electric
time to market	2023.09	2023. 09	2023. 09	2023. 09	2023. 09
CLTC pure electric cruising	570	570	702	702	650
Fast charging time (hours)	0.33	0. 33	0.33	0.33	0. 33
Slow charging time (hours)	-		_	-	-
Fast charging percentage	10-80	10-80	10-80	10-80	10-80
Maximum power(kW)	230	230	230	230	405
Maximum torque (N•m)	430	430	430	430	717
Motor(Ps)	313	313	313	313	551
Length*width*heig	4891*1937*168	4891*1937*168	4891*1937*16	4891*1937*16	4891*1937* <mark>1</mark> 67
ht (mm)	0	0	80	80	0
Body structure	5-door, 5- seater SUV				
Maximum speed (km/h)	200	200	200	200	200
Official O- 100km/h	6.4	6. 4	6. 4	6. 4	3.9
Actual measured 0-100km/h acceleration (s)	- (-	- (-
Actual measurement of 100-0km/h braking		-	-	-	- (
Actual cruising range (km)		- 6	4 -	-	
Electric energy equivalent fuel consumption (L/100km)	1. 72	1.72	1.72	1.72	1.81
Vehicle warranty	Five years or 120,000				

First owner		<u></u>	_	_	
warranty policy		5 1	A		
1	4001	Body	4001	4001	4001
Length(mm) Width(mm)	4891 1937	4891 1937	4891 1937	4891 1937	4891 1937
Height (mm)	1680	1680	1680	1680	1670
Wheelbase (mm)	2998	2998	2998	2998	2998
Front wheelbase (mm)	1656	1656	1656	1656	1656
Rear wheelbase	1663	1663	1663	1663	1663
Minimum ground clearance with full load (mm)	145	145	145	145	145
Approach angle	19	19	19	19	19
Departure angle (°)	20	20	20	20	20
Minimum turning radius (m)	5. 9	5. 9	5. 9	5. 9	5. 9
Body structure	SUV	SUV	SUV	SUV	SUV
Car door opening method	swing door	swing door	swing door	swing door	swing door
Number of doors (number)	5	5	5	5	5
Number of seats (seats)	5	5	5	5	5
Front trunk volume (L)	71	71	71	71	71
Trunk volume (L)	660-1576	660-1576	660-1576	660-1576	660-157 <mark>6</mark>
Drag coefficient (Cd)	0. 272	0. 272	0. 272	0. 272	0. 272
Curb weight (kg)	2230	2230	2205	2205	2355
Total mass of quasi-trailer	_	-	_	-	_
Maximum full load mass (kg)	2680	2680	2680	2680	2800
(100)		Electric	notor		
	Permanent	Permanent	Permanent	Permanent	Front
Motor type	magnet/synchr				AC/asynchrono us rear
Total motor power (kW)	230	230	230	230	permanent 405
Total motor power (Ps)	313	313	313	313	551
Total torque of motor (N • m)	430	430	430	430	717
Maximum power of front electric motor (kW)	-		-	4	175

Maximum torque of front electric motor (N•m)		-	-	-	287
Maximum power of rear electric motor (kW)	230	230	230	230	230
Maximum torque of rear electric motor (N•m)	430	430	430	430	430
Number of drive motors	single motor	single motor	single motor	single motor	Dual motor
Motor layout	rear	rear	rear	rear	Front + rear
Dott T	Lithium iron	Lithium iron	Ternary	Ternary	Ternary
Battery Type	phosphate	phosphate	lithium	lithium	lithium
Battery brand	Made by	Made by	Made by	Made by	Made by
Battery cooling	liquid	liquid	liquid	liquid	liquid
method	cooling	cooling	cooling	cooling	cooling
Exchange battery	not support	not support	not support	not support	not support
CLTC pure electric cruising	570	570 \	702	702	650
Battery energy (kWh)	78. 2	78. 2	98	98	98
Battery energy density (Wh/kg)	130	130	160	160	160
Electricity consumption per 100 kilometers	15. 2	15. 2	15. 2	15. 2	16
(kWh/100km)					
Battery pack warranty	Eight years or 160,000	Eight years or 160,000	Eight years or 160,000	Eight years or 160,000	Eight yea <mark>rs</mark> or 160,000
Fast charging function	support	support	support	support	support
Fast charging power (kW)	315	315	315	315	315
High voltage fast charging	support	support	support	support	support
Fast charging time (hours)	0. 33	0. 33	0.33	0.33	0.33
Slow charging time (hours)		_	_	<u> </u>	-
Fast charging capacity (%)	10-80	10-80	10-80	10-80	10-80
electric motor	230	230	230	230	405
		Gearbo			
Number of many	1		1	1	1
Number of gears	fired	final	final	final	fired
Gearbox type	fixed ratio	fixed ratio	fixed ratio	fixed ratio	fixed ratio
abbreviation	Electric vehicle	Electric vehicle	Electric vehicle	Electric vehicle	Electric vehicle
	single speed			single speed	single speed
		Chassis st	eering	4	

four-wheel drive Center differential Front suspension type Cassist type Assist type Celectric Body structure Cert brake type Pront brake Pront brake type Pront brake type Pront brake type Pront brake Pront brake type Pront brake Pront brake type Pront brake				1		
four-wheel drive Center differential Front suspension type independent indep	Drive mode	rear wheel	rear wheel	rear wheel	rear wheel	Dual motor
Center differential Front suspension type Multi-link independent suspension suspensi		dr1ve	dr1ve	dr1ve	drive	
Center differential Front suspension type wishbone independent suspension assist type electric e	four-wheel drive		-	_	_	
Double wishbone independent type	C 4					rour-wheel
Front suspension type independent independ		_	_	_	_	_
Front suspension type rear suspension type Independent independent independent independent independent suspension type Assist type electric electric electric electric electric electric electric suspension Assist type Eront brake type rear brake type ventilated ventil	differential	D 11	D 11	D 11	D 11	D 11
type independent type suspension suspension suspension suspension suspension suspension. Assist type electric electronic electron	Front suspension					
rear suspension type suspension s						
rear suspension type suspension Assist type electric electric electric electric electric electric Body structure Front brake type rear brake rear brake type rear brake type rear brake type rear brake rear brake rear brake type rear		_				
type suspension suspe	rear suspension					
Assist type electric electric electric electric electric electric electric body structure Load-bearing Load		=	=	_		independent
Body structure						suspension
Front brake type ventilated rear brake type ventilated						
Front brake type ventilated venti	Body structure	Load-bearing			Load-bearing	Load-bearing
Parking brake Parking brake Electronic Elec			Wheel br	rake 🖊 🔪		A
Parking brake Electronic Electronic Electronic Electronic Front tire specifications Rear tire specifications Spare tire repair tools Spare tire specifications Tire repair tools Spare tire tools Spare tire specifications Tire repair tools Tire repair tools Spare tire specifications Tire repair tools Main Obeputy Mai	Front brake type	ventilated	ventilated	ventilated		ventila <mark>t</mark> ed
Front tire specifications Rear tire specifications Rear tire specifications Spare tire tools Spare tire tools Spare tire specifications Spare tire tools Tire repair tools Tire repair tools Spare tire tools Spare tire tools Tire repair tools Main Obeputy Main Obeputy Spare tire tools Spare tire tools Tire repair tools Main Obeputy Spare tire tools Main Obeputy Spare tire tools Spare tire tools Tire repair tire repair tools Main Obeputy Spare tire tools Main Obeputy Main Obeputy Spare tire tools Tire repair tire repair tire repair tools Spare tire tools Tire repair tools Front Obeach Front Oback Front Ob	rear brake type	ventilated	ventilated	ventilated	ventilated	ventilated
Front tire	Parking brake	Electronic	Electronic	Electronic	Electronic	E <mark>l</mark> ectronic
Rear tire specifications Spare tire specifications Spare tire specifications Spare tire specifications Tire repair tools Spare tire specifications Tire repair tools Spare tire specifications Tire repair tools Tire repair tools Passive safety Main/passenger seat airbags Front/rear side airbags Front/rear head airbags Front/rear head airbags Tire pressure specifications Front Back Front Bac		955 /55D10	255 /45 DO1	955 /55D10	955/45 DO1	955 /45 DO1
Specifications Spare tire specifications Spare tire specifications Tire repair tools Main	specifications	∠əə/ əəK19	200/45 KZI	∠əə/ əəK19	200/45 KZI	200/45 K21
Spare tire specifications Tire repair tools Tools Tire repair tools Tire repair tools Tools	Rear tire	255/55R19	255/45 R21	255/55R19	255/45 R21	255/45 R21
Main/passenger seat airbags Front/rear side airbags Front Back Front		Tire repair	Tire repair	Tire repair	Tire repair	Tire repair
Passive safety Main/passenger seat airbags Main ● /Deputy Main ● /Deputy ● /De	•	=	_	_	-	_
Main/passenger seat airbags Front/rear side airbags Front/rear head airbags Front/rear head airbags Front/rear head airbags Front/say head airbags Front Back F						
Seat airbags Front/rear side airbags Front → Back Front	Main/nassenger	Main - /Denuty			Main	Main - /Denuty
Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring Pressure P	= = =	main •/ Deputy	main — / Deputy			main •/ Deputy
airbags Front			_			
airbags (curtain airbags) Tire pressure monitoring pressure press	airbags	Front●/Back-	Front●/Back-			Front●/Back-
monitoring pressure pressure pressure pressure pressure Run-flat tires	airbags (curtain	Front /Back	Front ●/Back	Front ●/Back	Front ●/Back ●	Front⊕/Back ●
Run-flat tires	Tire pressure	●Tire	●Tire	●Tire	•Tire	●Tire
Seat belt not fastened reminder car car car car car car soft car	monitoring	pressure	pressure	pressure	pressure	pressure
fastened reminder car car car ISOFIX child seat interface • • • ABS anti-lock • • • Braking force distribution (EBD/CBC, etc.) • • • Brake assist (EBA/BAS/BA, • • • • Traction control (ASR/TCS/TRC, Body stability control • • • •		-	_	_		_
ISOFIX child seat interface ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, Traction control (ASR/TCS/TRC, Body stability control Body stability	Seat belt not	●The whole	•The whole	●The whole	•The whole	●The whole
interface ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, Traction control (ASR/TCS/TRC, Body stability control	<u>fastened reminder</u>	car	car	car	car	car
ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, Traction control (ASR/TCS/TRC, Body stability control		•	•	•	-	•
Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, Traction control (ASR/TCS/TRC, Body stability control			•	•	•	
distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, Traction control (ASR/TCS/TRC, Body stability control			_	4		
(EBD/CBC, etc.) Brake assist (EBA/BAS/BA, Traction control (ASR/TCS/TRC, Body stability control	_	16	•			
Brake assist (EBA/BAS/BA, Traction control (ASR/TCS/TRC, Body stability control • • • • • • • • • • • • • • • • • •						
Traction control (ASR/TCS/TRC, Body stability control	Brake assist	•	•	J •	•	
(ASR/TCS/TRC, Body stability control					1	
Body stability control		•		•	•	•
control		1			1	
			_	_		
(ESC/EST/DSC,	(ESC/ESP/DSC,	<u> </u>	l		()	1

Active braking/active	•	•		•	•
safety system Fatigue driving	•		•	•	•
tips DOW opening	•		•		
forward collision					
warning	•	•	•		•
rear collision	•	•	•		•
warning Sentry					
mode/clairvoyance		•		•	•
Low speed warning		•		•	•
Built-in driving	•	•	•	•	
recorder		Driving of	n+ro1		
	●Sport ●	Driving co	Sport •	•Sport •	●Sport ●
Driving mode	Economy •	Economy •	Economy •	Economy •	Economy •
switch					Standard/Comf
	ortable 🔷	ortable	fortable	fortable	ortable ●
energy recovery system	•	•	•	•	•
automatic parking	•	•	•	•	•
Hill assist	•	•			•
steep descent	•	•		•	
Variable 👤		O Suspension soft and hard		O Suspension	•Suspension soft and hard
suspension		adjustment O	_	soft and	adjustment •
function	Suspension	Suspension	hard	hard	Suspension
air suspension	0	0	0	0	•
Electromagnetic induction	0	0	0	0	•
suspension		Driving ha	rdware /		
Front/rear	Front●/Back		Front ●/Back	Front •/Back	Front●/Back
parking radar		•	•		
Driving	●360-degree	●360-degree	●360-degree	_	●360-degree
assistance images Transparent	panoramic	panoramic	panoramic	panoramic	panoramic
chassis/540	•	•	•	•	
degree image)		
Assisted driving	●NVIDIA	•NVIDIA	●NVIDIA	●NVIDIA	•NVIDIA
chip Chip total	Drive Orin	Drive Orin	Drive Orin	Drive Orin	Drive Orin
computing power	●254 TOPS	● 508 TOPS	●254 TOPS	●508 TOPS	●508 TOPS
Number of cameras	●11 pieces	●11 pieces	●11 pieces	●11 pieces	●11 pieces
	4)	

Ultrasonic radar quantity	•12 pieces	●12 pieces	●12 pieces	●12 pieces	●12 pieces
Millimeter wave radar quantity	•5 pieces	●5 pieces	•5 pieces	•5 pieces	●5 pieces
LiDAR quantity	_	●2 pieces /		●2 pieces	•2 pieces
		Driving fu	nction		
cruise system	●Full-speed adaptive	●Full-speed adaptive		●Full-speed adaptive	●Full-speed adaptive
Assisted driving system	●XPILOT	●XPILOT ● XNGP	●XPILOT	●XPILOT ● XNGP	● XPILOT ● XNGP
Assisted driving level	●L2	●L2	●L2	●L2	●L2
Reverse side warning system	•	•	•	•	•
satellite navigation system	•	•	•	•	• \
Navigation traffic	•	•	•	•	
map brand HD map	● Gaode ●	●Gaode	● Gaode ●	● Gaode	● Gaode
Parallel	•		•		•
Lane Keeping Assist System	•		•	•	•
Lane centering	•	•	•	•	•
Road traffic sign					
recognition					
Automatic parking	•	•		•	•
remote control parking	•	•	•	•	•
Automatic lane change assist	•	•	•	•	•
Follow the trail and reverse	•	•	ノ・	•	•
remote summoning	•	•	•		• • • • • • • • • • • • • • • • • • •
Autonomous driving assistance road	●Highway section	●Urban sections ● High-speed	●Highway section	●Urban sections ● High-speed	●Urban sections ● High-speed
assistance Toau	Λn	pearance/ar	ti-thoft	nigh speed	nigh speed
Rim material	● Aluminum	Pearance/ar ●Aluminum	●Aluminum	●Aluminum	●Aluminum
Electric suction door	OThe whole car	•The whole car	OThe whole	• The whole car	• The whole car
Frameless design		•	•	•	Out
Electric trunk	•	•	1	•	
induction trunk		-		_	<u></u>
Electric trunk					
position memory			_	_	
roof rack	•		•	•	•
Central locking in car	•	•	•		•

	●Remote key	●Remote key	●Remote key	● Remote key	●Remote key
Key type	●Bluetooth	●Bluetooth	●Bluetooth	●Bluetooth	●Bluetooth
Keyless start system		•	•	•	•
Keyless entry function	●The whole car				
Hidden electric door handle	•	•	•	•	•
Active closing air intake grille	•	•	•	•	•
Remote start function	•	•	•		•
Battery		•	•		•
external			. 1		•
Low beam light	●LED	Exterior 1	1ghts • LED	●LED	●LED
source high beam light source	●LED	●LED	●LED	●LED	• LED
LED daytime running lights	•		•	•	•
Adaptive high and low beam	•		•	•	•
automatic	•	•	•	•	•
car front fog lights	-	-	-	-	-
Headlight height adjustable	•	•	•	•	•
Delayed turn off of headlights	•	•	•	•	•
<u> </u>		Skylight/	glass		4
Skylight type	●The panoramic	●The panoramic	●The panoramic	●The panoramic	●The panoramic
Front/rear	sunroof Front ●/Back	sunroof Front ●/Back	sunroof Front ●/Back	sunroof Front ●/Back	sunroof Front●/Back
electric windows One-touch window	• The whole				
lifting function Window anti-pinch	car	car	car	car	car
function Rear side privacy	•	•	•	•	.•)
glass		• Main driver	•Main	●Main	• Main driver
Car vanity mirror	Co-pilot +	Co-pilot +	driver +	driver + lighting ●	+ lighting • Co-pilot +
rear wiper Sensing wiper	Rain concor	• Rain sensor	● ●Rain	● ●Rain	● Rain sensor
function	type	type	sensor type		type
		erior rearv			
	A				

	●Electric	●Electric	●Electric	●Electric	●Electric
	adjustment •	adjustment •	adjustment	adjustment	adjustment •
	Electric	Electric	●Electric	●Electric	Electric
	folding •	folding •	folding •	folding •	folding •
Exterior rearview	Rearview	Rearview	Rearview	Rearview	Rearview
mirror function	mirror memory ●Heated	mirror memory • Heated	mirror memory ●	mirror memory ●	mirror memory ●Heated
	rearview	rearview	Heated	Heated	rearview
	mirrors •	mirrors	rearview	rearview	mirrors •
	Automatically	Automatically	mirrors •	mirrors •	Automatically
	flip down	flip down	Automaticall	Automaticall	flip down
		Screen/sy			T -
Central control	●Touch LCD	●Touch LCD	● Touch LCD	• Touch LCD	●Touch LCD
color screen Central control	screen ● 14. 96	screen • 14.96	screen 14.96	screen • 14.96	screen • 14.96
screen size	inches	inches	inches	inches	inches
Passenger \					
entertainment	●14.96 inches	●14.96 inches	●14.96 inches	●14.96 inches	●14.96 inches
screen	Thenes	Thenes	Thenes	Thenes	
Bluetooth/car Mobile phone	•		•		•
interconnection/m	_	_ (_ 1	_	_	_
apping					
4	●Multimedia	●Multimedia	●Multimedia		●Multimedia
Voice recognition	system	system •	system •	system •	system •
control system	Navigation • Telephone •	Navigation ● Telephone ●	Navigation ●Telephone	Navigation ●Telephone	Navigation • Telephone •
Vehicle					
intelligent (●Xmart OS	●Xmart OS	●Xmart OS	●Xmart OS	●Xmart OS
Vehicle smart	•Qualcomm	•Qualcomm	•Qualcomm	● Qualcomm	● Qualcomm
chip Vehicle system	Snapdragon	Snapdragon	Snapdragon	Snapdragon	Snapdragon
memory (GB)	●16	●16	●16	●16	●16
Vehicle system storage (GB)	●256	●256	● 256	25 6	● 256
Multi-finger					
flying screen		•	_		_
Voice wake word free	•	•	•		•
Voice area wake- up recognition	•Four areas	•Four areas	•Four areas	•Four areas	•Four areas
Speech continuous				•	
recognition				_	
It can be said that it is	•	•) •	•	
	Inte	lligent con	ıfigura <u>tio</u> r		
Internet of	•			10	•
Vehicles	2.46	2.10	-	16	-
4G/5G network OTA upgrade	●4G	4 G	●4G	4 G	●4G
oin upgraue	1				

W . D . 1					
Wi-Fi hotspot	Door	• Door	• Door	• Door	• Door
	control •	control •	control •	control •	control
	Window	Window	Window	Window	Window
	control ●	control •	control •	control ●	control •
		Vehicle start		Vehicle	Vehicle start
Mobile APP remote	● Charging	● Charging	start •	start •	● Charging
function		management •	Charging	Charging	management •
		Light control	management	management	Light control
	●Air	•Air	●Light	Light	●Air
	conditioning control ●	conditioning control ●	control ● Air	control ● Air	conditioning control ●
	Vehicle	Vehicle		conditioning	Vehicle
simulated sound	venicie	venitere -	-	-	venicie –
	Steering wh	eel/interio	r rearview	mirror	
Steering wheel	• Genuine	●Genuine	• Genuine	●Genuine	●Genuine
material 🔷	leather	leather	leather	leather	leather
	●Manual up	●Electric up	●Manual up	●Electric	• Electric up
Steering wheel	and down +	and down +	and down +	up and down	and down +
position	front and	front and	front and rear	+ front and	front and
adjustment	rear adjustment⊖	rear	adjustment O	rear	rear
	Electric up	adjustment	Electric up	adjustment	adjustment
Chift nottown	●Electronic	●Electronic	● Electronic	●Electronic	●Electronic
Shift pattern	gear shifting	gear shifting	gear	gear	gear shifting
Multifunction	•	•		•	•
steering wheel steering wheel					
gear shift	_	_		_	-
Steering wheel	0		0		
heating	O		O	_	•
steering wheel	0	•	0	•	•
memory Trip computer	_	_	_		_
display screen	●Color	●Color	●Color	●Color	●Color
Full LCD					
instrument panel					•
LCD instrument	● 10. 25	●10.25	●10. 25	● 10. 25	● 10. 25
Interior rearview	●Automatic	●Automatic	●Automatic	●Automatic	●Automatic
mirror function	anti-dazzle	anti-dazzle	anti-dazzle	anti-dazzle	anti-dazz <mark>l</mark> e
Multimedia/chargi	●USB ●Type-	Charging i ●USB ●Type-	n car ●USB ●	●USB ●	●USB ●Type-
ng interface	C C	C. Type-	Type-C	Type-C	C C
Number of	•3 people in	•3 people in		•3 people	•3 people in
USB/Type-C	the front	the front		in the front	
interfaces		row/2 people			
Mobile phone				4	
wireless charging	●Front row	●Front row	●Front row	•Front row	●Front row
function			L		

Main seat adjustment method back adjustment adjustment back adjustment adjustment back adjustment back adjustment back adjustment back adjustment adjustment adjustment back adjustment adjustment adjustment back adjustment back adjustment back adjustment back adjustment back adjustment adjustment adjustment adjustment back adjustment back adjustment adjustment adjustment adjustment adjustment adjustment adjustment back adjustment adjustment adjustment adjustment back adjustment adjustment adjustment adjustment adjustment back adjustment back adjustment back adjustment adjustment adjustment adjustment back adjustment adjustment adjustment adjustment back adjustment adjustment adjustment adjustment adjustment back adjustment adjustmen	Luggage		•	•	•	•
Seat material	compartment 12v		Seat config	uration		
Main seat adjustment ● height adjustment ⊕ height adjustment back adjustment ⊕ height adjustment back adjustment ⊕ height adjustment back adjustment back adjustment back adjustment back adjustment adjustment back adjustment adjustment adjustment adjustment adjustment adjustment adjustment adjustment back adjustment back adjustment adjustment adjustment adjustment adjustment adjustment back adjustment adjustment adjustment adjustment adjustment adjustment back adjustment adjustme	seat material				●Genuine	●Genuine
Main seat adjustment Backrest Backrest adjustment Backrest Backrest adjustment Backrest adjustment Backrest adjustment Backrest Backrest Backrest Backrest Aljustment Backrest B					•Front and	•Front and
Backrest adjustment ethod Front and rear adjustment ethod Secondary seat adjustment ethod Backrest adjustment ethod Front and rear adjustment ethod Backrest adjustment ethod Bac						
adjustment method digustment of Height adjustment o	Main seat	_	_	~	· ·	adjustment •
Height adjustment adju						
adjustment		_	-	_	-	
Secondary seat adjustment back adjustment adj		_		_		adjustment
Secondary seat adjustment Backrest Adjustment Pheight Pheight Adjustment Pheight Pheight Adjustment Pheight Pheight Pheight Pheight Adjustment Pheight Ph						•Front and
Backrest adjustment method Height adjustment Height adjustment adjustment adjustment Height adjustment Deputy Main Deputy						
adjustment method adjustment digustment adjustment adjustment adjustment adjustment digustment adjustment adjustment adjustment adjustment digustment adjustment digustment adjustment adjustment digustment adjustment ventilation Ventilation Ventilation Omassage of Massage of	Secondary seat	=	-		· ·	adjustment •
Height adjustment Adjustme	-					
Main/passenger seat electric Main		-	_	_	_	_
Main/passenger seat electric Front seat functions Power seat memory function Adjustable buttons for the passenger seat Second row seat adjustment Electrically adjustable second row seats Second row seat functions Rear seats fold down Rear cup holder Audio/interior lighting Front/pack for final following for the proportions Front/pack for final following for the proportions Front/pack for final following for the passenger seat Audio/interior lighting Main / Deputy / Deput		_	_			_
Seat electric Front seat functions Front seat functions Power seat memory function Adjustable buttons for the passenger seat Second row seat adjustment Electrically adjustable second row seats Second row seat functions Rear seats fold down Front/rear center armrest Rear cup holder Addio/interior lighting Speaker brand OHeating OHeating OHeating OHeating OHeating OHeating Ventilation OMassage Nentilation OMassage OMassage OHeating OHea	Main/passenger		-			Main O/Deputy
Front seat functions Ventilation	_	•			/Deputy●	
Formulations Second row seat adjustment Second row seats	Front seat	· ·		_		●Heating ●
Power seat memory function seat • Co- seat •						Ventilation
function seat ●Co- seat ●Co- seat ●Co- seat ●Co- seat ●Co- Adjustable buttons for the passenger seat Second row seat adjustment ●Backrest adjustment ●Backrest adjustme	Dowor goot momory					
Adjustable buttons for the passenger seat Second row seat adjustment adjustment adjustment adjustment adjustment Electrically adjustable second row seats Second row seat functions Rear seats fold down proportions Front/rear center armrest Rear cup holder Audio/interior lighting Speaker brand Second row seat Audio/interior lighting Audio/interior lighting	· ·					
buttons for the passenger seat Second row seat adjustment Electrically adjustable second row seats Second row seat functions Rear seats fold down Front/rear center armrest Rear cup holder Audio/interior lighting Speaker brand Second row seat Front Sack Audio/interior lighting Second row seat Front Sack Front Sack Audio/interior lighting Front Sack		Beat Co	Beat Co	Beat Geo	Beat Co	Scar Co
Second row seat adjustment adjust	-	_	_	_	_	-
Addio/interior lighting Electrically adjustment adjust	passenger seat					
Electrically adjustable second row seats Second row seat functions Rear seats fold down proportions proportions proportions proportions Front/rear center armrest Rear cup holder Audio/interior lighting Electrically adjustable second row seats OHeating OHeating OHeating Inverted proportions proporti	Second row seat	●Backrest	●Backrest	●Backrest	●Backrest	●Backrest
adjustable second row seats Second row seat functions Rear seats fold down proportions proportions proportions Front/rear center armrest Rear cup holder Audio/interior lighting Speaker brand OHeating OHeating OHeating OHeating OHeating Inverted Inverted proportions proporti	adjustment	adjustment	adjustment	adjustment	adjustment	adjustment
row seats OHeating Heating OHeating Heating	Electrically					1
Second row seat functions Rear seats fold down proportions proportions proportions Front/rear center Front Back Armrest Rear cup holder Speaker brand OHeating OHeating OHeating of Heating of He		•	•	•	•	•
Front/rear center rear cup holder Rear speaker brand OHeating Heating Inverted proportions proportions Proportions Pront/Back Front/Back						
Rear seats fold down proportions proportio		OHeating	●Heating	OHeating	●Heating	●Heating
downproportionsproportionsproportionsproportionsproportionsFront/rear centerFront BackFront BackFront BackFront BackarmrestAudio/interiorIightingSpeaker brand		_		_		
Front/rear center armrest Front Back Front Back Front Back Front Back Front Front Back F			, and the second			
Audio/interior lighting Speaker brand			7			
Audio/interior lighting Speaker brand	armrest		•	•	•	•
Speaker brand	Rear cup holder		•	•	•	
		Aud	io/interior	· lighting	ı	
			- 01	-	- 01	- 01
Dolby Atmos		■21 speakers	•21 speakers	U 21	U 21	•21 speakers
Car interior						
ambient lighting Multicolor Multicolor		●Multicolor	●Multicolor	●Multicolor	●Multicolor	●Multicolor
Air conditioner/refrigerator		Air co	onditioner/	refrigerate	or	

Air conditioning	●Automatic	●Automatic	●Automatic	●Automatic	●Automatic
temperature	air	air	air	air	air
control method heat pump air	conditioning	conditioning	conditioning	conditioning	conditioning
conditioner	•	•		•	•
Independent air conditioning in the rear	-	-)) -	-	
Rear seat air outlet	•	•	•	•	•
Temperature zone control	•	•	•		•
Car air purifier	•	•	•	•	•
In-car PM2.5 filter device	•	•	•	•	•
Car fragrance	0	•	0	•	
device		Ontional n	aakaga		
	21-inch five-	Optional p	аскаде 21-inch		
	spoke wheels (6000) 21- inch multi- spoke wheels	21-inch five- spoke wheels(0)	five-spoke wheels (6000) 21- inch multi-	21-inch five-spoke wheels(0)	21-inch five- spoke wheels(0)
	(6000) Nebula white,	Nebula white	spoke wheels Shimmer	Nebula	Nebula White,
	shimmer blue,	crescent	blue,	white,	Star Que
Exterior color	crescent	silver,	crescent	shimmer	Grey, Shimmer
		shimmer blue,			Blue,
interior color	Black/Morning				Starry Night Black, Black/M
interior color	Brown, Starry Night Black			g Brown, Starry Night	
Note: ●Standard	O Optional	- None	Mariy Magne	scarry man	John Brown