

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	TOYOTA Bozł	ni 4X configurat	ion table	
	Platinum 4X 2024 615 AIR version		Platinum 4X 2024 615 MAX version	Bozhi 4X 2024 560 four-wheel drive MAX version
		asic parameters		
Manufacturer	GAC Toyota	GAC Toyota	GAC Toyota	GAC Toyota
level	Medium SUV	Medium SUV	Medium SUV	Medium SUV
Energy type	pure electric	pure electric	pure electric	pure elec <mark>t</mark> ric
time to market	2023. 11	2023. 11	2023. 11	2023. 11
CLTC pure electric cruising range (km)	615	615	615	560
Fast charging time (hours)	-	-	-	_
Slow charging time (hours)	-	-	-	_
Fast charging percentage	30-80	30-80	30-80	30-80
Maximum power(kW)	150	150	150	160
Maximum torque (N•m)	266. 3	266. 3	266. 3	337
Motor(Ps)	204	204	204	218
Length*width*height (mm)	4690*1860*1650	4690*1860*1650	4690*1860*1650	4690*1860*1650
Body structure	5-door, 5- seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed (km/h)	160	160	160	160
Official 0-100km/h acceleration (s)	-	-	-	-
Official O-50km/h acceleration (s)	3.8	3.8	3.8	3.4
Electric energy equivalent fuel consumption (L/100km)	1.31	1. 31	1.31	1. 48
Vehicle warranty	_		_	-
First owner warranty policy	_		_	
		Body		
Length(mm)	4690	4690	4690	4690
Width (mm)	1860	1860	1860	1860
Height (mm)	1650	1650	1650	1650
Wheelbase(mm)	2850	2850	2850	2850

Front wheelbase (mm)	1600	1600	1600	1600	
Rear wheelbase (mm)	1610	1610	1610	1610	
Approach angle (°)	15	15	15	15	
Departure angle (°)	twenty three	twenty three	twenty three	twenty three	
Minimum t <mark>u</mark> rning radius (m)	5.6	5. 6	5. 6	5. 6	
Body structure	SUV	SUV	SUV	SUV	
Car door opening method	swing door	swing door	swing door	swing door	
Number of doors (number)	5	5	5	5	
Number of seats (seats)	5	5	5	5	
Trunk volume (L)	452	452	452	452	
Drag coefficient (Cd)	0. 28	0.28	0. 28	0. 28	
Curb weight (kg)	1865	1865	1905	2000	
Maximum ful <mark>l load</mark> mass (kg)	2465	2465	2465	2550	
		Electric motor			
Motor type	Permanent magnet/synchron	Permanent magnet/synchrono	Permanent magnet/synchrono	Permanent magnet/synchronou	
Total motor power (kW)	150	150	150	160	
Total motor power (Ps)	204	204	204	218	
Total torque of motor (N • m)	266. 3	266. 3	266. 3	337	
Maximum power of front electric motor (kW)	150	150	150	80	
Maximum torque of front electric motor (N•m)	266. 3	266. 3	266. 3	168. 5	
Maximum power of rear electric motor (kW)		ı	-	80	
Maximum torque of rear electric motor (N•m)	-	-	-	168. 5	
Number of drive motors	single motor	single motor	single motor	Dual motor	
Motor layout	prefix	prefix	prefix	Front + rear	
Battery Type	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	
Battery brand	Ningde era	Ningde era	Ningde <mark>e</mark> ra	Ningde era	
Battery cooling method	liquid cooling	liquid cooling	liquid cooling	liquid cooling	
Exchange battery	not support	not support	not support	not support	

CLTC pure electric cruising range (km)	615	615	615	560
Battery energy (kWh)	66. 7	66. 7	66. 7	66. 7
Battery energy density (Wh/kg)	155. 48	155. 48	155. 48	155. 48
Electricity consumption per 100 kilometers (kWh/100km)	11.6	11.6	11.6	13. 1
Battery pack warranty	Ten years or 200,000			
Fast charging function	support	support	support	support
Fast charging time (hours)		-	-	- \
Slow charging time (hours)	-	_	_	
Fast charging capacity (%)	30-80	30-80	30-80	30-80
electric motor	150	150	150	160
		Gearbox		
Number of gears	1	1	1	1
Gearbox type	fixed ratio	fixed ratio	fixed ratio	fixed ratio
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
	•	Chassis steering	gourbon	gourson
	Front wheel	Front wheel	Front wheel	Dual motor four-
Drive mode	drive	drive	drive	wheel drive
four-wheel drive	-	-	-	Electric four- wheel drive
Center differential structure	-	-	- (-
Front suspension type	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension
rear suspension type	Double wishbone independent suspension			
Assist type	electric assist	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
		Wheel brake		
Front brake type	ventilated disc		ventilated disc	ve <mark>n</mark> tilated disc
rear b <mark>r</mark> ake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
Parking brake type	Electronic	Electronic	Electronic	Electronic
Front tire specifications	235/60R18	235/60R18	235/60R18	235/60R18
Rear tire specifications	235/60R18	235/60R18	235/60R18	235/60R18

Specifications Tool The Pepair tool The	Spare tire	Tire persin	Γ		Τ
Main/passenger seat airbag Front/rear side airbags Front/rear head airbags Front/rear head airbags Anne Deputy Main Deput	_	Tire repair tool	Tire repair tool	Tire repair tool	Tire repair tool
Front/rear side airbags Front/rear side airbags Front/rear head airbags (curtain airbags) knee air hag Tire pressure monitoring function Run-flat tires Seat belt not fastened reminder ISOFIX child seat interface ABS anti-lock Braking force distribution (RED/CRC, etc.) Brake assist (EEA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning Low speed warning roadside assistance call Driving mode switch energy recovery system automatic parking Hill assist before after before af	W : /		Passive safety		
Front/rear side airbags Front/rear head airbags (curtain airbags) knee air bag Tire pressure display Tire whole car The w		Main●Deputy●	Main⊕Deputy●	Main⊕Deputy●	Main●Deputy●
airbags (curtain airbags) knee air bag Tire pressure monitoring function Run-flat tires Seat belt not fastened reminder ISOFIX child seat interface ABS anti-lock Braking force distribution (RED/CEC, etc.) Brake assist (REA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Lane Departure Warning System Active safety Lane Departure Warning forward collision warning Low speed warning roadside assistance call Driving mode switch energy recovery system automatic parking Brire pressure display Aftire pressure	Front/rear side	before ● after -	before • after	before ● after -	before ● after -
Tire pressure display	airbags (curtain airbags)	before ● after	before • after	before ● after	before ● after ●
Seat belt not fastened reminder ISOFIX child seat interface ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning Low speed warning roadside assistance call Driving mode switch energy recovery system automatic parking Hill assist The whole car The wisched a sea sea sea sea sea sea sea sea sea	Tire pressure monitoring function	_ =	_	display	● •Tire pressure display
ISOFIX child seat interface ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning Low speed warning roadside assistance call Driving mode switch energy recovery system automatic parking Ilill assist	Seat belt not	• The whole car	The whole car		●The whole car
Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning Low speed warning roadside assistance call Driving control Driving mode switch Economic Snow Snow Snow Snow Faconomic Off Snow Snow Deconomic Off Snow Deconomic Off Snow Snow Deconomic Off	ISOFIX child seat interface	•	•	•	
Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Lane Departure Warning System Active safety Lane Departure safety system Fatigue driving tips DOW opening warning forward collision warning Low speed warning roadside assistance call Driving mode switch energy recovery system automatic parking Hill assist Active safety Active safety Beconomic Snow Beconomic	Braking force distribution	•	4	•	•
Active safety Lane Departure Warning System Active safety Lane Departure Warning System Active safety system Fatigue driving tips DOW opening warning Forward collision warning Low speed warning roadside assistance call Driving control Driving mode switch energy recovery system automatic parking Hill assist Active safety Act	Brake assist	•	•	•	•
Control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning Low speed warning roadside assistance call Driving mode switch energy recovery system automatic parking Hill assist Active safety Active safety Brive saf	(ASR/TCS/TRC, etc.)		•	•	•
Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning Low speed warning roadside assistance call Driving control Driving mode switch energy recovery system automatic parking Hill assist Active Braking/Active Active	control	•	• (·	• (
Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning Low speed warning roadside assistance call Driving control Driving mode switch energy recovery system automatic parking Hill assist Active Driving control Economic Snow Snow Snow Snow Snow Snow Snow Snow	Lana Day antique		Active safety		
braking/active safety system Fatigue driving tips DOW opening warning forward collision warning Low speed warning or adside assistance call Driving control Driving mode switch Snow Snow Snow road energy recovery system automatic parking Hill assist	Warning System	•	•	•	•
Fatigue driving tips DOW opening warning forward collision warning Low speed warning control Driving mode switch energy recovery system automatic parking Hill assist Town opening warning forward collision forward collision forward collision forward forward collision forward	braking/active	•	•	•	•
forward collision warning Low speed warning roadside assistance call Driving control Driving mode switch Snow Snow Snow Snow Snow Snow Snow Snow	F <mark>atigu</mark> e driving tips	-4	-	•	•
Low speed warning roadside assistance call Driving control Driving mode switch Snow Snow Snow Snow Snow Snow Snow Snow	forward collision		•		•
Driving control Driving mode switch Economic Snow Economic Snow Economic Snow Snow Economic Snow Snow Foad Automatic parking Hill assist Driving control Economic Economic Snow Economic Snow Foad	Low speed warning roadside assistance)	• 1	•	•
energy recovery system automatic parking Hill assist • • • • • • • • • • • • • • • • • •	<u> </u>	●Economic ●	●Economic ●		●Economic ●Off-
automatic parking Hill assist	energy recovery	9110M	SHOW	SHOW	road
	automatic parking	•	•		•
steep descent	Hill assist steep descent		_		•

creep mode		_	_	•
		riving hardware		1 6
Front/rear parking radar	_	before • after	before ● after ●	before • after
Driving assistance	ullet Reversing	●360-degree	●360-degree	●3 <mark>60-degr</mark> ee
images	image	panoramic image	panoramic image	panoramic image
		riving function	P 11 1	D 11 1
cruise <mark>s</mark> ystem	●Full-speed	• Full-speed	• Full-speed	●Full-speed
Assisted driving	adaptive cruise ●Toyota Safety	adaptive cruise ●Toyota Safety	adaptive cruise ■Toyota Safety	adaptive cruise ●Toyota Safety
system	Sense	Sense	Sense Sense	Sense
Assisted driving				
level	●L2	●L2	●L2	●L2
Reverse side warning system 📏) -	•	•	•
satellite	_	•	•	
navigation system		<u> </u>		
Navigation traffic information display	-		•	•
map brand	_	●Baidu	●Baidu	●Baidu
Parallel assistance		Dardu	Datuu	Dardu
Lane Keeping Assist				
System	•	•	•	•
Lane centering		•	4	•
Road traffic sign				
recognition				
Automatic parking	_	_	•	•
		earance/anti-the		
Rim material	●Aluminum	●Aluminum alloy	● Aluminum alloy	●Aluminum alloy
Electric trunk	_	_		
induction trunk Electric trunk			•	
position memory	_	_	•	
roof rack	-	_	• \	•
Central locking in				
car		•		
Key type	●R <mark>emote ke</mark> y	●Remote key ● UWB digital key	●Remote key ● UWB digital key	●Remote key ● UWB digital key
Keyless start system	•	•	•	• (
Keyless entry	Driving	●Driving	→ (T) 1 1	
function	position	position	●The whole car	●The whole car
Remote start				
function			_	
Battery preheating	•		•	•
		Exterior lights		
low beam light source	●LED	●LED	●LED	●LED
high beam light source	●LED	●LED	●LED	●LED

			() · `	,
LED daytime running lights		•	•	•
Adaptive high and low beam		•	•	•
automatic headlight	•		•	
car front fog lights	-	<u> </u>	-	(-)·
Headlight height adjustable	•	•	•	•
Delayed turn off of headlights	-	-		_
		Skylight/glass		
Skylight type		_	• Segmented non- openable	●Segmented non- openable skylight
Front/rear electric windows	before • after	before • after	before ● after ●	before ● after ●
One-touch window lifting function	•The whole car	●The whole car	●The whole car	•The whole car
Window anti-pinch function	•	•	•	•
Car vanity mirror	● Main driver + lighting ● Co-pilot +	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	● Main driver + lighting ● Co-pilot + lighting
rear wiper Sensing wiper	- ●Rain sensor	- ●Rain sensor	- ●Rain sensor	- ●Rain sensor
function	type	type	type	type
	Exter	ior rearview mi	_	
Exterior rearview mirror function	●Electric adjustment ● Electric folding ● Heated rearview mirrors	●Electric adjustment ● Electric folding ●Heated rearview mirrors	mirrors • Automatically flip down when reversing •	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Heated rearview mirrors ● Automatically flip down when reversing ● Automatically fold when the car
Central control	●Touch LCD	●Touch LCD	●Touch LCD	●Touch LCD
color screen	screen	screen	screen	screen
Central control	8 inches	●12.3 inches	●12.3 inches	●12.3 inches
screen size Bluetooth/car phone				
Mobile phone	Support	Support	● Support	• Support CarPlay
interconnection/map	CarPlay ● Support CarLife	CarPlay • Support CarLife	CarPlay ● Support CarLife	●Support CarLife

		<u> </u>		
Voice recognition control system		●Multimedia system ● Navigation ● Telephone ●Air conditioning ●	●Multimedia system ● Navigation ● Telephone ●Air conditioning ●	●Multimedia system ● Navigation ● Telephone ●Air conditioning ●
face recognition	_		•	
Voice wak <mark>e</mark> word free	-	•	•	•
Voice area wake-up recognition	-	●Dual area	●Dual area	●Dual area
T i C	Intel	ligent configura	tion	
Internet of Vehicles	_	•		•
4G/5G network OTA upgrade		● 4G	● 4G	● 4G
Wi-Fi hotspot 🦠	1	•	• 1	• D
Mobile APP remote function	● Door control ● Vehicle start ● Charging management ● Air conditioning control ● Vehicle condition inquiry/diagnos is ● Vehicle positioning/fin ding ● Car owner services (find charging piles, gas stations, Steering whee	control • Steering wheel heating • Seat heating • Vehicle condition inquiry/diagnosi s • Vehicle positioning/find	● Charging management ● Air conditioning control ● Steering wheel heating ● Seat heating ● Vehicle condition inquiry/diagnosi s ● Vehicle positioning/find ing ● Car owner service (find charging piles, gas stations,	control ● Steering wheel heating ● Seat heating ● Vehicle condition inquiry/diagnosis
Steering wheel material	●Plastic	●Genuine leather	●Genuine leather	●Genuine leather
Steering wheel position adjustment	●Manual up and down + front and rear	●Manual up and	• Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment
Shift pattern	<pre>•Electronic knob shift</pre>	●Electronic knob shift	●Electronic knob shift	●Electronic knob shift
Multifunction steering wheel	•		•	
steering wheel gear shift	-	$\lambda^{\underline{\cup}}$	_	<u> </u>
Steering wheel heating	-	•	•	•
steering wheel memory	-	-		_

Trip computer display screen	•Color	●Color	●Color	●Color
Full LCD instrument panel	O •	•	•	•
LCD instrument size Interior rearview mirror function	●7 inches ●Manual anti- dazzle	●7 inches ●Manual anti- dazzle	● 7 inches ● Automatic anti-dazzle	●7 inches ●Automatic anti- dazzle
ETC device	0	0	0	0
W 10 : 1: / 1 :	(Charging in car	•	
Multimedia/charging interface	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C
Number of USB/Type- C interfaces	●2 in the front row/2 in the back row	●2 in the front row/2 in the back row	●2 in the front row/2 in the back row	●2 in the front row/2 in the back row
Mobile phone wireless charging function	O -	-	•Front row	●Front row
	Se	at configuration	1	
seat material	● Leather/fabric	●Imitation leather ●	●Imitation leather ●	● Imitation leather ● Genuine
Main seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (2-	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-	●Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ●Waist
Secondary seat adjustment method	●Fore and aft adjustment ● Backrest	• Fore and aft adjustment • Backrest	• Fore and aft adjustment • Backrest	• Fore and aft adjustment • Backrest
Main/passenger seat electric adjustment	-	Main●Deputy●	Main●Deputy●	Main●Deputy●
Front seat functions	-	●Heating ● Ventilation	●Heating ● Ventilation	●Heating ● Ventilation
Power seat memory function	-	_	•	<i>)</i> •
Adjustable buttons for the passenger seat and rear row		-		_
Second row seat adjustment	●Backrest adjustment	●Backrest adjustment	●Backrest adjustment	●Backrest adjustment
Rear seats fold down	●Inverted proportions	●Inverted proportions	●Inverted proportions	●Inverted proportions
Front/rear center armrest	before ● after ●	before after	before • after	before • after
Rear cup holder	•		•	
C 1 1 1	Audio	o/interior light		♠ TDI
Speaker brand name Number of speakers	- ●6 speakers	− ●6 speakers	● JBL ●9 speakers	● JBL ●9 speakers
Car interior ambient lighting	-	_	_	_

Air conditioning temperature control method	•Automatic air conditioning	•Automatic air conditioning	•Automatic air conditioning	•Automatic air conditioning
heat pump air conditioner	•	•	•	•
Independent air conditioning in the rear	-		-	
Rear seat air outlet	•	().•	• \	•
Temperature zone control	•	•		•
Car air purifier In-car PM2.5 filter		•		•
device	C	ptional package		
O A	White exclusive	White exclusive	White exclusive	High-performance 20-inch wheel set (1) High- efficiency solar charging dome (1)
4	eyebrow (1)	eyebrow (1)	eyebrow (1)	High-performance 20-inch wheel set (1) High- efficiency solar
J			4	charging dome (1) White exclusive
Exterior color	Pure snow white, vast black, black/pure snow white, black/moon silver, black/nebula red, black/mountain gray, moon silver, nebula red, mountain gray, pure snow white, vast black, black/pure snow white, black/moon cool black, cool black	pure snow white, vast black, black/pure snow white, black/moon silver, black/nebula red, black/mountain gray, moon silver, nebula red, mountain gray, vast black, black/pure snow white, black/moon silver, Light luxury gray, stylish	pure snow white, vast black, black/pure snow white, black/moon silver, black/nebula red, black/mountain gray, moon silver, nebula red, mountain gray, vast black,	Moon Silver, Moon
Note: ●Standard	O Optional -	red None		style red, style
More. Stanuaru	Optional -	None		