

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.
Web:cartradinghub.com Tel: 86-15176650760
E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

Kia EV6 2023 GT- Line	Line EAWD sic parameters Kia (imported) Medium SUV pure electric 2023.08	Kia EV6 2023 GT  Kia (imported)  Medium SUV pure electric	Kia EV6 2023 GT Opt Kia (imported) Medium SUV
Line  Ba Kia (imported)  Medium SUV  pure electric  2023.08	Line EAWD sic parameters Kia (imported) Medium SUV pure electric 2023.08	Kia (imported) Medium SUV	Opt Kia (imported)
Kia (imported)  Medium SUV pure electric 2023.08	Kia (imported)  Medium SUV  pure electric  2023.08	Medium SUV	
Medium SUV pure electric 2023.08	Medium SUV pure electric 2023.08	Medium SUV	
pure electric 2023.08	pure electric 2023.08		Medium SUV
2023. 08	2023. 08	pure electric	
			pure electric
671		2023. 08	2023. 08
	638	555	555
0. 23	0. 23	0. 23	0. 23
11.75	11.75	11.75	11.75
30-80	30-80	30-80	30-80
168	239	430	430
350	605	740	740
229	325	585	585
4695*1890*1575	4695*1890*1575	4695*1890*1570	4695*1890*1570
5-door, 5-seat SUV crossover	5-door, 5-seat SUV crossover	5-door, 5-seat SUV crossover	5-door, 5-seat SUV crossover
185	190	260	260
7. 3	5. 2	3. 5	3. 5
Five years or 100,000 kilometers	Five years or 100,000 kilometers	Five years or 100,000 kilometers	Five years or 100,000 kilometers
	-		-
	Body		
4695	4695	4695	4695
1890	1890	1890	1890
1575	1575	1570	1570
2900	2900	2900	2900
-		-	_
-	_	- (	_
160	160	155	155
	11.75  30-80  168  350  229  4695*1890*1575  5-door, 5-seat SUV crossover  185  7.3  Five years or 100,000 kilometers  4695 1890 1575 2900	11.75       11.75         30-80       30-80         168       239         350       605         229       325         4695*1890*1575       4695*1890*1575         5-door, 5-seat SUV crossover       5-door, 5-seat SUV crossover         185       190         7.3       5.2         Five years or 100,000 kilometers       Five years or 100,000 kilometers         -       -         -       -         80dy         4695       4695         1890       1890         1575       1575         2900       2900         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -	11.75       11.75       11.75         30-80       30-80       30-80         168       239       430         350       605       740         229       325       585         4695*1890*1575       4695*1890*1575       4695*1890*1570         5-door, 5-seat SUV crossover       5-door, 5-seat SUV crossover       5-door, 5-seat SUV crossover         185       190       260         7.3       5.2       3.5         Five years or 100,000 kilometers       Five years or 100,000 kilometers       Five years or 100,000 kilometers         -       -       -         -       -       -         80dy       4695 1890       4695 1890         1890       1890 1575       1570 2900         2900       2900       2900         -       -       -         -       -       -         -       -       -         -       -       -         -       -       -         -       -       -         -       -       -         -       -       -         -       -       -

Minimum turning radius (m)	5. 81	5. 97	5. 97	5. 97
Body structure	SUV crossover	SUV crossover	SUV crossover	SUV crossover
Car door opening method	swing door	swing door	swing door	swing door
Number of doors (number)	5	5	5	5
Number of seats (seats)	5	5	5	5
Trunk volume (L)	-	/ -	-	-
Curb weight (kg)	1995	2100	2180	2180
	<u> </u>	Electric Motor		
Motor type	Permanent magnet/synchrono us	Permanent magnet/synchrono us	Permanent magnet/synchron ous	Permanent magnet/synchrono us
Total motor power (kW)	168	239	430	430
Total motor power (Ps)	229	325	585	585
Total torque of motor (N•m)	350	605	740	740
Maximum power of front electric motor (kW)	-	74	160	160
Maximum torque of front electric motor (N•m)	$\bigcirc$	255	350	350
Maximum power of rear electric motor (kW)	168	165	270	270
Maximum torque of rear electric motor (N•m)	350	350	390	390
Number of drive motors	single motor	Dual motor	Dual motor	Dual motor
Motor layout	rear	Front + rear	Front + rear	Front + rear
Battery Type	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery cooling method	liquid cooling	liquid cooling	liquid cooling	liquid cooling
CLTC pure electric cruising range (km)	671	638	555	555
Battery energy (kWh)	76. 4	76. 4	76. 4	76. 4
Electricity consumption per 100 kilometers (kWh/100km)	-		-	-
Battery pack warranty	Eight years or 150,000 kilometers	Eight years or 150,000 kilometers	Eight years or 150,000 kilometers	Eight years or 150,000 kilometers

Fast charging function  Fast charging power (kW)  Fast charging time (hours)  Slow charging time (hours)  Fast charging capacity(%)	support  350  0.23  11.75  30-80	support 350 0.23 11.75	350 0.23	350 0.23
Fast charging power (kW)  Fast charging time (hours)  Slow charging time (hours)  Fast charging capacity(%)	0. 23 11. 75 30–80	0. 23		
Fast charging time (hours) Slow charging time (hours) Fast charging capacity(%)	11. 75 30–80		0. 23	0. 23
Slow charging time (hours)  Fast charging capacity(%)	30-80	11.75		
capacity(%)			11. 75	11.75
	1.00	30-80	30-80	30-80
electric motor	168	239	430	430
		Gearbox		
Number of gears	1	1	1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
abbreviation	Electric vehicle single speed	Electric vehicle single speed	Electric vehicle single	Electric vehicle single speed
	gearbox	gearbox	speed gearbox	gearbox
	Ch	nassis Steering	D 1	
Drive mode	rear wheel drive	Dual motor four- wheel drive	Dual motor four-wheel drive	Dual motor four- wheel drive
four-wheel drive		Electric four- wheel drive	Electric four- wheel drive	Electric four- wheel drive
Center differential structure		-	-	-
Front suspension type	MacPherson independent	MacPherson independent	MacPherson independent	MacPherson independent
	suspension	suspension	suspension	suspension
rear suspension	Multi-link	Multi-link	Multi-link	Multi-link
type	independent suspension	ind <mark>e</mark> pendent suspension	independent suspension	independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
		Wheel Brake		
Front brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
rear brake type	disc type	disc type	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	235/55 R19	235/55 R19	255/40R21	255/40R21
Rear tire specifications	235/55 R19	235/55 R19	255/40R21	255/40R21
Spare tire specifications	-		-	
		Passive Safety		
Main/passenger seat airbag	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●
Front/rear side airbags	Before●/After-	Before●/After-	Before●/After-	Before●/After-

Front/rear head airbags (curtain airbags)	before ●/after ●	before●/after●	before●/after	before●/after●
Front middle airbag		•	-	-
Tire pressure monitoring function Run-flat tires	●Tire pressure display	●Tire pressure display	●Tire pressure display	●Tire pressure display
Seat belt not fastened reminder	●Front row	• Front row	•Front row	•Front row
ISOFIX child seat interface	•	•	•	•
ABS anti-lock	•	•		•
Braking force distribution (EBD/CBC, etc.)	_	•	•	•
Brake assist (EBA/BAS/BA, etc.)	<b>U•</b>	•	ノ・	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	
Body stability control (ESC/ESP/DSC, etc.)	•	- 1	•	•
(200) 201, 200, 300,		Active Safety		
Lane Departure Warning System	•	•	•	•
Active braking/active safety system	•	•	<b>~</b> •	•
Fatigue driving tips	•	•	•	•
DOW opening warning forward collision	_		•	•
warning	•			
Low speed warning roadside assistance call	• \	•	• >	<b>7</b> •
Cull	D	riving Control		
Driving mode switch	●Sp <mark>ort ●</mark> Economy ●	● Sport ● Economy ● Standard/Comfort	●Sport ● Economy ● Standard/Comfor	●Sport ● Economy ● Standard/Comfort
0: 1 11	able	able	table	able
Single pedal mode energy recovery system	•		•	
automatic parking Hill assist	•		•	•
steep descent	-	-		-
Variable suspension function	-	<u> </u>	<ul><li>Suspension soft and hard adjustment</li></ul>	<ul><li>Suspension soft and hard adjustment</li></ul>
	4			

variable steering		_	•	•
ratio		4WD /OCC - 14		
Limited slip		4WD/Off-road	●Rear axle	●Rear axle
differential/differ ential lock	-		limited slip differential	limited slip differential
OH TOTAL	Dı	riving Hardware	WIII OI OII OI	WIII WI WI
Front/rear parking radar	before●/after●		before●/after	before●/after●
Driving assistance images	●Reversing image	●Reversing image	• Reversing image	●360-degree panoramic image ●Vehicle side blind spot image
Ultrasonic radar quantity	●8 pieces	●8 pieces	●8 pieces	●12 pieces
Millimeter wave radar quantit <mark>y</mark>	●3 pieces	●3 pieces	•3 pieces	•3 pieces
		riving Function	1	
cruise system	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise
Assisted driving level	●L2	●L2	●L2	●L2
Reverse side warning system	•	•	•	•
satellite navigation system		•	•	•
Navigation system information traffic information display	•	• . (	•	• (
Parallel assistance	•	•	•	•
Lane Keeping Assist System	•		•	•
Lane centering Road traffic sign	•			•
recognition	•	•	•	•
remote control parking	-	_	_	•
Automatic lane change assist	( )	-	•	•
Autonomous driving assistance road		-	●Highway section	●Highway section
section				section
	Appe	arance/Anti-thef		
Rim material	●Aluminum alloy	●Aluminum alloy	●Aluminum alloy	●Aluminum alloy
Electr <mark>i</mark> c trunk	•		•	
induction trunk	•		•	•
Electric trunk	• (	•	• \	•
position memory Central locking in		_		
car	•	•		•

Kow two				
Key type	●Remote key	●Remote key	●Remote key	●Remote key
Keyless start		•	•	•
system				
Keyless entry function	•Front row	•Front row	●Front row	●Front row
Hidden electric				
door handle	_	\_	•	
Battery preheating				
external discharge	_	_	•	
external discharge	E	xterior Lights		
low beam light	Ľ	Aterior Lights		
source	● LED	● LED	●LED	●LED
high beam light	1.00	• I PD		• 1 FF
source	LED	● LED	● LED	●LED
LED daytime running				
lights		•		•
Adaptive high and				
low beam				
automatic headlight	•	•	•	
car front fog		4		
lights	_			_
Headlight height				
adjustable				_
Delayed turn off of		_	_	_
headlights				
		Skylight/Glass		
Skylight type	●Electric	●Electric	●Electric	●Electric
	sunroof	sunroof	sunroof	sunroof
Front/rear electric windows	before●/after●	before●/after●	before●/after ●	before●/after
One-touch window	•The whole car	•The whole car	•The whole car	●The whole ca
lifting function				
Window anti-pinch	•	•	•	•
function	<b>△</b>			)
Multilayer soundproof glass	●The whole car	●The whole car	●The whole car	•The whole ca
Rear side privacy				_
glass				
	●Main driver +	●Main driver +	●Main driver +	●Main driver
			lighting ●Co-	lighting •Co
Car vanity mirror	lighting $\triangle C_{0-}$	lighting $\blacksquare \Box \frown$		
Car vanity mirror	lighting ●Co-	lighting ●Co-	pilot +	
		lighting ●Co- pilot + lighting		pilot + lighti
rear wiper	pilot + lighting	pilot + lighting	pilot + lighting -	pilot + lighti
			pilot +	

Exterior rearview mirror function	car is locked	●Heated rearview mirror ●Automatic folding when the car is locked	●Electric adjustment ● Electric folding ● Heated rearview mirror ● Automatic folding when the car is locked	●Electric adjustment ● Electric folding ●Heated rearview mirror ●Automatic folding when the car is locked
Central control	●Touch LCD	Screen/System  Touch LCD	●Touch LCD	●Touch LCD
color screen	screen	screen	screen	screen
Central control screen size	•12.3 inches	●12.3 inches	•12.3 inches	●12.3 inches
Bluetooth/car phone		01		
Mobile phone interconnection/map ping  Voice recognition	●Original interconnection/mapping	●Original interconnection/mapping	●Original interconnection /mapping	●Original interconnection/mapping
control system	•	•	•	•
Vehicle intelligent system	●Kia Connect	●Kia Connect	●Kia Connect	Kia Connect
Voice wake word free	•	•	•	•
Voice area wake-up recognition	●Dual area	●Dual area	•Dual area	●Dual area
Speech continuous recognition	•	•	<b>)</b> •	• (
	Intell	igent Configurat	ion	
Internet of Vehicles	•		•	•
4G/5G network	● 4G	●4G	●4G	●4G
OTA upgrade	•	•	• (	•
Mobile APP remote function	• 1	•	•	•
simulated sound	Stooring whoo		riow mirror	•
Steering wheel	• Genuine	• Genuine	• Genuine	●Genuine
material	leather	leather	leather	leather
Steering wheel position adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment
Shift pattern	●Electronic knob shift	●Electronic knob shift	●Electronic knob shift	●Electronic knob shift
Multifunction steering wheel	• (	•	• \	•
steering wheel gear shift	•	•		•

Steering wheel heating		•	•	•
steering wheel memory	<u> </u>	-	-	-
Trip computer display screen	●Color	●Color	●Color	● Color
Full LCD instrument panel	•	•	•	•
LCD instrument size  AR-HUD augmented reality head-up	●12.3 inches	● 12.3 inches	●12.3 inches	●12.3 inches
display Interior rearview mirror function	●Automatic anti-dazzle	●Automatic anti-dazzle	●Automatic anti-dazzle	●Automatic anti-dazzle
W 1	C	harging in car		_
Multimedia/charging interface	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C
Number of USB/Type- C interfaces	●3 people in the front row/2 people in the back row	●3 people in the front row/2 people in the back row	●3 people in the front row/2 people in the back row	•3 people in the front row/2 people in the back row
220V/230V power supply	•	•	•	<b>ノ</b> ・
Mobile phone wireless charging function	●Front row	●Front row	●Front row	●Front row
Luggage compartment 12V power interface	•	• (		•
1	Sea	at Configuration		
seat material	●Imitation leather	●Imitation leather	Leather/fleece material mix and match	●Leather/fleece material mix and match
Sports style seats	_	_	•	•
Main seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4- way) ● Waist support (2-way)	adjustment ● Backrest adjustment ● Height adjustment (4- way) ●Waist support (2-way)	●Front and back adjustment ●Backrest adjustment ● Height adjustment (4- way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4- way)
Secondary seat adjustment method	●Front and back adjustment ● Backrest adjustment ● Height adjustment (4- way) ●Waist support (2-way)	●Front and back adjustment ● Backrest adjustment ● Height adjustment (4- way) ●Waist support (2-way)	●Front and back adjustment ●Backrest adjustment ● Height adjustment (4- way)	●Front and back adjustment ● Backrest adjustment ● Height adjustment (4- way)

Main/passenger seat electric adjustment	Main●/Deputy●	Main●/Deputy●	-	-
Front seat functions	●Heating ● Massage	●Heating ● Massage	●Heating	●Heating
Power seat memory function	-		-	(-)
Adjustable buttons for the passenger seat and rear row	-	1/-	-	-
Second row seat adjustment	●Backrest adjustment	●Backrest adjustment	●Backrest adjustment	●Backrest adjustment
Second row seat functions	_	-	●Heating	●Heating
Rear seats fold down Front/rear center	● Inverted proportions	● Inverted proportions	●Inverted proportions before ●/after	● Inverted proportions
armrest  Rear cup holder	before ●/after ●	before●/after●		before ●/after ●
Real cup notuci	Audio	/Interior lighti	.ng	
Speaker brand name	-	-	●Meridian British Treasure	• Meridian British Treasure
Number of speakers	●6 speakers	●6 speakers	●14 speakers	●14 speakers
Car interior ambient lighting	●Multicolor	●Multicolor	●Multicolor	●Multicolor
Air conditioning	Air cond	ditioner/Refrige	rator	
temperature control method	•Automatic air conditioning	●Automatic air conditioning	•Automatic air conditioning	●Automatic air conditioning
heat pump air conditioner	•	•	•	•
Independent air conditioning in the rear	-		- (	4 -
Rear seat air	• 1	•	•	•
Temperature zone control Car air purifier		•	•	•
In-car PM2.5 filter device	•	•	•	•
		ptional package		
	Portable Charging Gun (ICCB) (1)	Portable Charging Gun (ICCB) (1)	Portable Charging Gun (ICCB) (1)	Portable Charging Gun (ICCB) (1)

	Mary Cl. 1	Mary Cl. 1	D 1 1	M 01 1
Exterior color	Blue	Moon Shadow Grey, Aurora Black, Pearl White, Dream Red, Diamond Sea Blue	sea blue	Moon Shadow Gray, Pearl White, Aurora Black, Diamond Sea Blue, Dream Red
interior color	black/white,black	black	black/white,bla ck	black
ote: •Standard O				