

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.

Web:cartradinghub.com Tel: 86-15176650760
E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

		HON	GQI E-HS9	configura	ation tab	le		
	Hongqi E- HS9 2021 460km Qiyue version seven seats	Hongqi E-HS9 2022 model 690km Qiyue version seven seats	Hongqi E- HS9 2021 460km Flagship Edition six- seater	Hongqi E-HS9 2022 690km	Hongqi E-HS9 2021 510km Qichang version six seats	Hongqi E- HS9 2022 model 660km Qichang version six seats	Hongqi E-HS9 2021 510km flag collar version four seats	Hongqi E- HS9 2022 660km flag collar version four seats
			Basic	parametei	îs.			
Manufacturer	FAW Hongqi	FAW Hongqi	FAW Hongqi	FAW Hongqi	FAW Hongqi	FAW Hongqi	FAW Hongqi	FAW Hongqi
level	Large SUV	Large SUV	Large SUV	Large SUV	Large SUV	Large SUV	Large SUV	Large SUV
Energy type	pure electric	pure electric	pure electric	pure electric	pure electri c	pure electric	pure electric	pure electric
time to market	2020. 12	2021.11	2020. 12	2021.11	2020. 12	2021.11	2020. 12	2021. 11
NEDC pure electric cruising range (km)	460	690	460	690	510	660	510	660
Fast charging time (hours)	0.8	_	0.8		0.8	-	0.8	-
Slow charging time (hours)	8. 4	1	8.4	I	9.5	- )	9. 5	-
Fast charging percentage	80		80	I	80		80	, (
Maximum power(kW)	320	320	320	320	405	405	405	405
Maximum torque (N•m)	600	600	600	600	750	750	750	750
Motor(Ps)	435	435	435	435	551	551	551	551
Length*width *height (mm)	5209*2010* 1731	5209*201 0*1731	5209*2010 *1731	5209*201 0*1731	5209*20 10*1713	<u> </u>	5209*201 0*1713	5209*2010 *1713

Body structure	5-door, 7- seater SUV	5-door, 7-seater SUV	5-door, 6-seater SUV	5-door, 6-seater SUV	5-door, 6- seater SUV	5-door, 6-seater SUV	5-door, 4-seater SUV	5-door, 4-seater SUV
Maximum speed (km/h)	200	200	200	200	200	200	200	200
Official 0- 100km/h acceleration (s)	6. 5	_	6.5	-	5	-1	5	-
Electric energy equivalent fuel consumption (L/100km)	2	2	2	2	2. 2	2. 1	2. 2	2. 1
Vehicle warranty	Four years or 100,000 kilometers	100,000	100,000	Four years or 100,000 kilomete rs	Four years or 100,000 kilomet ers	Four years or 100,000 kilometer s	Four years or 100,000 kilomete rs	Four years or 100,000 kilometer s
First owner warranty policy	mited mileage (the liability exemption	Unlimite d years/un limited mileage (the liabilit y exemptio n clause shall be subject to the official )	exemption clause shall be subject to the official)	limited mileage (the liabilit y exemptio n clause shall be subject to the official )	Unlimit ed years/u nlimite d mileage (the liabili ty exempti on clause shall be subject to the officia 1)	Unlimited years/unl imited mileage (the liability exemption clause shall be subject to the official)	Unlimite d years/un limited mileage (the liabilit y exemptio n clause shall be subject to the official )	Unlimited years/unl imited mileage (the liability
Length (mm)	5209	5209	5209	Body 5209	5209	5209	5209	5209
Width(mm)	2010	2010	2010	2010	2010	2010	2010	2010
Height (mm) Wheelbase (mm)	1731 3110	1731 3110	1731 3110	1731 3110	1713 3110	1713 3110	1713 3110	1713 3110

Front wheelbase (mm)	1708	1708	1708	1708	1708	1708	1708	1708
Rear wheelbase (mm)	1709	1709	1709	1709	1709	1709	1709	1709
Minimum ground clearance with full load (mm)	150	150	150	150	175	175	175	175
Approach angle (°)	22. 5	twenty two	22. 5	twenty two	21.3	twenty one	21.3	twenty one
Departure angle (°) Body	22.4	twenty two	22.4	twenty two	21.4	twenty one	21.4	twenty one
structure Car door	SUV	SUV swing	SUV swing	SUV swing	SUV	SUV swing	SUV swing	SUV swing
opening method	swing door	door	door	door	door	door	door	door
Number of doors (number)	5	5	5	5	5	5	5	5
Number of seats (seats)	7	7	6	6	6	6	4	4
Trunk volume (L)	-	-	-	-	<u>_</u>	_	-	
Curb weight (kg)	2512	2644	2515	2654	2610	2702	2640	2712
Maximum full load mass (kg)	3057	3189	2985	3124	3080	3247	3090	3162
		Permanen		ric moto Permanen			Permanen	
Motor type	Permanent magnet/syn	t magnet/s	Permanent magnet/sy	t magnet/s	nt magnet/	Permanent	t magnet/s	Permanent magnet/sy
Total motor power (kW)	320	320	320	320	405	405	405	405
Total motor power (Ps)	435	435	435	435	551	551	551	551
Total torque of motor (N•m)	600	600	600	600	750	750	750	750
Maximum power of front electric	160	160	160	160	160	160	160	160

			1					•
Maximum torque of front electric motor (N•m)	300	300	300	300	300	300	300	300
Maximum power of rear electric motor (kW)	160	160	160	160	245	245	245	245
Maximum torque of rear electric	300	300	300	300	450	450	450	450
motor (N•m) Number of drive motors Motor layout	Dual motor Front +	Dual motor Front +	Dual motor Front +	Dual motor Front +	Dual motor Front +	Dual motor Front +	Dual motor Front +	Dual motor Front +
Battery Type	rear Ternary lithium battery							
Battery brand	Ningde era	Ningde era						
Battery cooling method	liquid cooling	liquid cooling	liquid cooling	liquid cooling	liquid cooling	liquid cooling	liquid cooling	liquid cooling
NEDC pure electric cruising range (km)	460	690	460	690	510	660	510	660
Battery energy (kWh)	84	120	84	120	99	120	99	120
Battery energy density (Wh/kg)	181. 2	206	181. 2	206	178. 1	206	178. 1	206
Electricity consumption per 100 kilometers (kWh/100km)	18. 1	18	18. 1	18	19.3	19	19. 3	19
			O			4		

					T		1	1
Battery pack warranty	Eight years or 160,000 kilometers	Eight years or 160,000 kilomete rs	Eight years or 160,000 kilometer s	Eight years or 160,000 kilomete rs	Eight years or 160,000 kilomet ers	Eight years or 160,000 kilometer s	Eight years or 160,000 kilomete rs	Eight years or 160,000 kilometer s
Fast charging function	support	support	support	support	support	support	support	support
Fast charging time (hours)	0.8	_	0.8	-	0.8		0.8	-
Slow charging time (hours)	8.4	1	8. 4	_	9. 5	_	9.5	_
Fast charging capacity(%)	80	-	80	-	80	_	80	
electric motor	320	320	320	320	405	405	405	405
motor			Ge	earbox				
Number of gears	1	1	1	1	1	1	1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
abbreviation	vehicle	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electri c vehicle single speed gearbox	vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
	l	D 1		s steerii	1	D 1	D. 1	D 1
Drive mode	Dual motor four-wheel drive	Dual motor four- wheel drive	Dual motor four- wheel drive	Dual motor four- wheel drive	Dual motor four- wheel drive	Dual motor four- wheel drive	Dual motor four- wheel drive	Dual motor four- wheel drive
four-wheel drive	Electric four-wheel drive	Electric four- wheel drive		Electric four- wheel drive	Electri c four- wheel drive		Electric four- wheel drive	
Center differential structure	-	-		-	-	1	-	-

		D1.1-	D 1 - 1 -	D 1. 1 -	Double	D 1, 1 -	D 1, 1 -	D 1, 1 -
Front suspension	Double wishbone independen		Double wishbone independe nt	Double wishbone independ ent	wishbon e indepen dent	wishbone independe	Double wishbone independ ent	
type	suspension	suspensi on	suspensio n	suspensi on	suspens ion	suspensio n	suspensi on	suspensio n
rear suspension type	Multi-link independen t suspension	independ ent	nt	ent	dent	nt	ent	Multi- link independe nt suspensio n
Assist type	electric assist	electric assist	electric assist	electric assist	electri c assist	electric assist	electric assist	electric assist
Body structure	Load- bearing	Load- bearing	Load- bearing	Load- bearing	Load- bearing	Load- bearing	Load- bearing	Load- bearing
			Whee	el brake	T			
Front brake type	ventilated disc	ventilat ed disc	ventilate d disc	ventilat ed disc	ventila ted disc	d disc	ventilat ed disc	ventilate d disc
rear brake type	ventilated disc	vent <mark>ilat</mark> ed <mark>d</mark> isc	ventilate d disc	ventilat ed disc	ventila ted disc	ventilate d disc	ventilat ed disc	ventilate d disc
Parking brake type	Electronic parking	Electron ic parking	Electroni c parking	Electron ic parking	Electro nic parking	c narking	Electron ic parking	Electroni c parking
Front tire specifications	265/45 R21	265/45 R21	265/45 R21	265/45 R21	265/45 R21	265/45 R21	275/40 R22	275/40 R22
Rear tire specificatio ns	265/45 R21	265/45 R21	265/45 R21	265/45 R21	265/45 R21	265/45 R21	275/40 R22	275/40 R22
Spare tire specifications	none	none	none	none	none	none	none	none
			Passi	ve safet				
Main/passeng er seat airbag	Main Deputy●	Main● Deputy●	Main● Deputy●	Main ● Deputy ●	Main ● Deputy	Main● Deputy●	Main● Deputy●	Main Deputy●
Front/rear side airbags	before • after -	before ● after -	before • after •	before • after	before  after	before ● after ●	before • after	before ● after ●
Front/rear head airbags (curtain airbags)	before ● after ●	before • after	before • after •	before • after	before • after	before • after •	before • after	before ● after ●
head airbags (curtain					•			

	Tire pressure display  The whole car	Tire pressure display  The whole car	Tire pressure display  The whole car	Tire pressur e display  The whole car	Tire pressure display  The whole car	Tire pressure display  The whole car	Tire pressure display  The whole car
function  Run-flat tires  Seat belt not fastened reminder  ISOFIX child seat interface  ABS anti- lock Braking force distribution (EBD/CBC, etc.)  Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC , etc.)  Body stability control (ESC/ESP/DSC	- The whole	display - The	●The whole	display  - The whole	– ●The	- The whole car	display - The
tires  Seat belt not fastened reminder  ISOFIX child seat interface  ABS anti- lock  Braking force distribution (EBD/CBC, etc.)  Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC , etc.)  Body stability control (ESC/ESP/DSC	whole		whole	whole		whole car	
Seat belt not fastened reminder  ISOFIX child seat interface  ABS anti- lock Braking force distribution (EBD/CBC, etc.)  Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC , etc.)  Body stability control (ESC/ESP/DSC	whole		whole	whole		whole car	
ISOFIX child seat interface  ABS anti- lock  Braking force distribution (EBD/CBC, etc.)  Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC , etc.)  Body stability control (ESC/ESP/DSC	•	•	•	•	•	•	•
interface  ABS anti- lock  Braking force distribution (EBD/CBC, etc.)  Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC , etc.)  Body stability control (ESC/ESP/DSC	•	•	•		•	•	•
lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC , etc.) Body stability control (ESC/ESP/DSC	•	•	•		•	•	•
Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC , etc.) Body stability control (ESC/ESP/DSC	•	•	•				
distribution (EBD/CBC, etc.)  Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC , etc.)  Body stability control (ESC/ESP/DSC	•	•	•				
Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC , etc.)  Body stability control (ESC/ESP/DSC	•		<b>\</b>	•	•	•	
(EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC, etc.)  Body stability control (ESC/ESP/DSC	•						
control (ASR/TCS/TRC , etc.)  Body stability control (ESC/ESP/DSC			•	•	• (	•	•
, etc.)  Body stability control (ESC/ESP/DSC			•		•	•	•
stability control (ESC/ESP/DSC			•		)		
(ESC/ESP/DSC							
, etc.)	•				•		•
		Activ	ve safety				
Lane							
D <mark>eparture</mark> Warning System	•	1.	•	•	•		•
Active		)					
braking/acti ve safety system		•	•	•	•	•	
Fatigue _ driving tips	_	-		•	•	•	
forward collision ●	•	•		•	•		).
warning  Low speed  warning	•	•	•	•	•	•	•
Built-in driving ●	•	•	•	•		•	•
recorder		<u> </u>					

assistance call	•		•	•	•	•	•	•
			Drivi	ng contro	01			
Driving mode switch	●Sport ● Standard/C omfort ● Off-road ●Snow	Sport Standard /Comfort Off- road Snow		Standard /Comfort Off- road Snow	Sport  Standar  d/Comfo  rt  Off-  road  Snow	Standard/	Standard /Comfort Off- road Snow	Sport Standard/ Comfort Off- road Snow
energy recovery system	• (		•	•	•	•	•	•
automatic parking		•	•	•	•	•	•	
Hill assist steep descent		•	•	•	•	•	•	•
Variable suspension function		and hard adjustme nt O Suspensi on height	n soft and hard adjustmen t O Suspensio n height	and hard adjustme nt O Suspensi on height	soft and hard adjustm ent Suspens ion	Suspensio n soft and hard adjustmen t Suspensio n height adjustmen	Suspensi on soft and hard adjustme nt Suspensi on height adjustme nt	n soft and hard adjustmen t • Suspension height
air suspension	0	0	0	0	•	•	•	•
			Drivin	g hardwa	1			
Front/rear parking radar	before ● after ●	before • after	before ● after ●	before • after	before  after	before ● after ●	before • after	before ● after ●
Driving assistance images	●360- degree panoramic image	●360- degree panorami c image	●360- degree panoramic image	•360- degree panorami c image	●360- degree panoram ic image	●360- degree panoramic image	●360- degree panorami c image	●360- degree panoramic image
			Drivin	g functi	on			

cruise system	●Full- speed adaptive cruise	●Full- speed adaptive cruise	●Full- speed adaptive cruise	●Full- speed adaptive cruise	•Full-speed adaptive cruise	●Full- speed adaptive cruise	●Full- speed adaptive cruise	●Full- speed adaptive cruise
Assisted driving level	●L2	●L2	●L2	●L2	●L2	●L2	●L2	●L2
Reverse side warning system	•	•		•	•		•	•
satellite navigation system	•		•	•		•	•	•
Navigation traffic information	•	•	•	•	•	•	•	
display Parallel assistance Lane Keeping		•	•	•	•	•		•
Assist System Road traffic	•	•		•	•	•	•	•
sign recognition Automatic	•	•	•	•	• )	•	•	•
parking	•	•	•	•		•	•	•
Rim material	●Aluminum alloy	● Aluminum alloy	Appearand Aluminum alloy			Aluminum alloy	Aluminum alloy	Aluminum alloy
Electric suction door	-	-	1-	-	●The whole car	●The whole car	●The whole car	●The whole car
Electric trunk Electric	•	•	1	•	•	•	•	•
trunk position memory		•	•	.1	•	•	•	
roof rack Central locking in car	•	•	•		•	•	•	•
Out						A	I	

Keyless start system  Keyless entry function lidden electric door handle Active closing air intake grille  Remote start function  Battery preheating Vehicle wireless charging  LED   LED	Key type	●Remote key ● Bluetooth key	● Remote key ● Bluetoot h key	key	●Remote key ● Bluetoot h key	Remote	●Remote key ● Bluetooth key	●Remote key ● Bluetoot h key	●Remote key ● Bluetooth key
Keyless entry function  Hidden electric door handle  Active closing air intake grille  Remote start function  Battery preheating  Vehicle wireless charging  Townsham  Ight source  LED leb l	Keyless \	_							
entry function Hidden electric door handle Active closing air intake grille Remote start function Battery preheating Vehicle wireless charging  Iow beam light source Lighting features LED oled oled oled oled oled oled oled oled			The c			The	_		•
electric door handle  Active Closing air intake grille Remote start function Battery preheating Vehicle wireless charging  Exterior lights  LED   Light source high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight Turn assist light turn headlight Car front Car front Car font Car fighliss LED displays   LED   LE	entry		whole		whole	whole		whole	●The whole car
Active closing air intake grille  Remote start function  Battery preheating  Vehicle wireless charging  LED   LED	electric	•	•	•	•	•		•	•
Remote start function Battery preheating Vehicle wireless charging  Exterior lights  low beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight Turn assist light turn headlight Car front fog lights Headlight Headlight Headlight  Led o	Active closing air intake	•	J•	•	•		•	•	•
Battery preheating  Vehicle wireless charging  Exterior lights  low beam light source high beam light source Lighting Matrix Matrix Matrix Matrix Matrix Matrix  LED daytime running lights  Adaptive high and low beam automatic headlight  Turn assist light  turn headlight  Car front fog lights  Headlight	Remote start		•	•	•	•	•	•	<b>J.</b>
Wireless charging	Battery preheating	•	•		•	•	• (		•
low beam light source high beam light source  Lighting features  LED daytime running lights  Adaptive high and low beam automatic headlight  Turn assist light  turn headlight  car front fog lights  Headlight	wireless	0	0			4	0	0	Ο
high beam light source  Lighting features  LED daytime running lights  Adaptive high and low beam automatic headlight  Turn assist light  turn headlight  Car front fog lights  Headlight		●LED	●LED				●LED	●LED	●LED
features  LED daytime running lights  Adaptive high and low beam automatic headlight  Turn assist light turn headlight  Car front fog lights  Headlight  Ten assist light ligh	high beam	TED	●LED	●LED	●LED	• LED	●LED	●LED	●LED
running lights Adaptive high and low beam automatic headlight  Turn assist light turn headlight  car front fog lights  Headlight	features		-	●Matrix	●Matrix	• Matrix	●Matrix	●Matrix	●Matrix
high and low beam  automatic headlight  Turn assist light  turn headlight  car front fog lights  Headlight	running	•	•	•	•	•	•		•
automatic headlight  Turn assist light  turn headlight  car front fog lights  Headlight	high and low	-	7	<b>\.</b>	•	•	•	•	•
light turn headlight car front fog lights Headlight	automatic headlight	•	•	•	•	•	•	•	•
headlight — — — — — — — — — — — — — — — — — — —	light	•	•	•	•	•	•	•	•
fog lights Headlight	headlight	_	_	•	•	•	•		•
	fog lights	_	_	-		-	_	_	_
adjustable	height	•	•		•	•		•	•

Delayed turn off of headlights	•	•	•	•	•	•	•	•
neadilgnes			Skvli	ght/glas	S			
Skylight type	●The panoramic sunroof can be opened	●The panorami c sunroof can be opened	●The panoramic sunroof can be opened	• The	The	•The panoramic sunroof can be opened	The panorami c sunroof can be opened	•The panoramic sunroof can be opened
Front/rear electric windows	before • after •	before • after	before ● after ●	before • after	before  after	before ● after ●	before • after	before ● after ●
One-touch window lifting function	●The whole car	●The whole car	●The whole car	●The whole car	●The whole car	●The whole car	●The whole car	•The whole car
Window anti- pinch function	•	•		٠.	•	•		•
Multilayer soundproof glass	●Front row	•Front row	•Front row	●Front row	●Front row	●Front row	•Front row	●Front row
Rear side privacy glass	•	•	•	•		•	•	•
Car vanity mirror	●Main driver + lighting ●Co-pilot + lighting	●Co-	lighting ●Co- pilot +	●Main driver + lighting ●Co- pilot + lighting	lightin g ●Co- pilot +	●Co- pilot +	●Main driver + lighting ●Co- pilot + lighting	●Co- pilot +
rear wiper Sensing wiper function	● Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type	● Rain sensor type
, 4		E	xterior r	earview	mirror			

Electric adjustment ad				4					•	
Central control color screen   Central control screen size   Passenger entertainmen to tscreen   Bluetooth/ca r phone   Bluetooth/ca r phone   Mobile phone interconnect   Central control color screen   Central color color screen   Central color c	rearview mirror	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Heated rearview mirrors ● Automatica lly flip down when reversing ● Automatica lly fold when the car is	adjustme nt   Electric folding  Rearview mirror memory   Heated rearview mirrors  Automati cally flip down when reversin g Automati	adjustmen t Electric folding Rearview mirror memory Heated rearview mirrors Automatic ally flip down when reversing Automatic ally fold	adjustme nt  Electric folding  Rearview mirror memory Heated rearview mirrors  Automati cally flip down when reversin g Automati	c adjustment • Electric c folding • Rearvie w mirror memory • Rearvie w dirror heating • Automatic flip down when	Electric adjustmen t Electric folding Rearview mirror memory Rearview mirror heating Automatic flip down when reversing Automatic folding when locking	adjustment of the state of the	Electric adjustmen t Electric folding Rearview mirror memory Rearview mirror heating Automatic flip down when reversing Automatic folding when locking	7
Central control color screen			fold when the car is	car is	fold when the car is	ng ● Automat ic folding	Automatic anti-	when locking the car	Automatic anti-	
Central control color screen  Central control color screen  Central control control screen  Central control screen size  Passenger entertainmen t screen  Bluetooth/ca r phone  Mobile phone interconnect  — Touch LCD screen  — T				Scree	en/system					
control         - </td <td>control</td> <td></td> <td>LCD</td> <td>LCD</td> <td>LCD</td> <td>LCD</td> <td>LCD</td> <td>LCD</td> <td>LCD</td> <td></td>	control		LCD	LCD	LCD	LCD	LCD	LCD	LCD	
entertainmen t screen  Bluetooth/ca r phone Mobile phone interconnect	control	_	- (	<b>1</b> -	I	-		, -	_	
r phone  Mobile phone interconnect	Passenger entertainmen t screen		0	0	0	•	<b>\</b>	•		
interconnect	r phone	•	•	•	•	•	•	•		
	interconnect	-	-	-		_	_	-	) -	

A	Multimedia system ● Navigation ● Telephone	system	Multimedi a system  Navigatio n  Telephone  Air condition	system  Navigati on  Telephon	system  Navigat ion Telepho ne Air	Multimedi a system  Navigatio n Telephone Air condition ing Sunroof	Navigati	Navigatio  n  Telephone  Air  condition
face		-		_	•	•	•	
recognition rear LCD		_	_		_	_		
screen					<u> </u>			
Rear seat control multimedia	-	_		-	-	- (	•	•
Voice wake word free	-	•	-	•	-	•	_	•
Voice area wake-up recognition	-	•Four areas	-	●Four areas	_	●Four areas	_	●Four areas
Speech continuous	4	•	-	•	-	•	_	•
recognition It can be said that it		•	_		_	•		•
is visible		T <sub>1</sub>	ntelligent	t configu	ration			
Internet of			rterrigen	Configu				
Vehicles 4G/5G	●4G	●4G	●4G	●4G	●4G	●4G	●4G	●4G
network OTA upgrade	•		•	•	•	•	•	
Wi-Fi hotspot	•	•	•	• \	•	•	•	
Mobile APP remote function	•	•	•	•,	•	•	•	•
Tunction	S	teering	wheel/int	terior re	arview	mirror		
Steering wheel material	●Genuine leather	• Genuine leather	•Genuine leather	• Genuine leather	• Genuine leather	●Genuine leather	• Genuine leather	●Genuine leather

			•	•	● Electri			• (		
Steering wheel position adjustment	●Electric up and down + front and rear adjustment	up and down + front and rear	up and down + front and rear	and rear	and down + front and	up and down + front and rear	and rear	up and down + front and		
		nt	t	nt	adjustm ent	-	nt	t		
Shift pattern	Electronic gear shift	ic gear	● Electroni c gear shift	Electron ic gear shift	Electro nic gear shift	Electroni c gear shift	Electron ic gear shift	● Electroni c gear shift		
Multifunction steering wheel	)	<b>)</b> •	•	•		•	•			
steering wheel gear shift	<u></u>	-	- (	-	-	-	-	<i>-</i>		
Steering wheel heating	_	-		_	•	•		•		
steering wheel memory	•		•	•	• \	•	•	•		
Trip computer display screen	• Color	●Color	●Color	●Color	• Color	• Color	●Color	●Color		
Full LCD instrument panel		•	•		•	•	1	•		
LCD instrument size	●16.2 inches	●16.2 inches	●16.2 inches	●16.2 inches	●16.2 inches	●16.2 inches	●16.2 inches	●16.2 inches		
AR-HUD augmented reality head-up display	0	0	0	0	0	O	•	• ~		
Interior rearview	Automatic	• Automati	• Automatic	Automati	●Auto-dimming ● Streami	Auto- dimming	• Auto-dimming	• Auto-dimming		
mirror function	anti- dazzle	c anti- dazzle	anti- dazzle	c anti- dazzle	ng media rearvie w mirror	media	Streamin g media rearview mirror	Streaming media rearview mirror		

Multimedia/c harging	●USB	●USB	●USB	ing in ca ●USB	er ●USB	●USB	●USB	●USB
Number of USB/Type-C interfaces	•2 in the front row/4 in the back row	•2 in the front row/4 in the back row	the hack	row/4 in	In tho	•2 in the front row/4 in the back row	•2 in the front row/2 in the back row	•2 in the front row/2 in the back row
220V/230V power supply	•	•	•	•	•		•	•
Mobile phone wireless charging function		•Front row	●Front row	●Front row	•Front row	●Front row	●Front row ● Back row	●Front row ● Back row
			Seat co	nfigurat	ion			
seat material	Imitation leather	Imitatio n leather	●Genuine leather	Genuine leather	• Genuine leather	Loathor	Genuine leather	●Genuine leather
1								
Main seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way)	●Front and back adjustme nt ● Backrest adjustme nt ● Height adjustme nt (4- way)	Backrest adjustmen t   Height adjustmen t (4-way)	Backrest adjustme nt Height adjustme nt (4-way) Leg rest adjustme	adjustm ent ● Backres t adjustm ent ● Height adjustm ent (4- way) ●	●Front and back adjustmen t ● Backrest adjustmen t ● Height adjustmen t (4-way) ●Leg rest adjustmen t ● Waist support (4-way)	●Front and back adjustme nt ● Backrest adjustme nt ● Height adjustme nt (4- way) ● Leg rest adjustme nt ● Waist support (4-way)	and back adjustmen t Backrest adjustmen t Height adjustmen t (4-way) Leg

			4					,
Secondary seat adjustment method	●Front and back adjustment ●Backrest adjustment ●Height adjustment (2-way)	Front and back adjustme nt • Backrest adjustme nt • Height adjustme nt (2- way)	●Front and back adjustmen t ● Backrest adjustmen t ● Height adjustmen t (2-way) ●Leg rest adjustmen t ●Waist support (4-way)	Backrest adjustme nt Height adjustme nt (2- way) Leg rest adjustme	Front and back adjustm ent • Backres t adjustm ent (2-way) • Leg rest adjustm ent • Waist support (4-way)	●Front and back adjustmen t ● Backrest adjustmen t ● Height	●Front and back adjustme nt ● Backrest adjustme nt ● Height adjustme nt (2- way) ● Leg rest adjustme nt ● Waist support (4-way)	and back adjustmen t Backrest adjustmen t Height adjustmen t (2-way) Leg
Main/passeng er seat electric	Main⊕ Deputy⊕	Main● Deputy●	Main● Deputy●	Main⊕ Deputy⊕	Main • Deputy	Main⊕ Deputy⊕	Main● Deputy●	Main ● Deputy ●
Front seat functions		- (	●Heating	Heating	Heating  Ventila tion  Massage	Ventilati on •	Heating Ventilat ion  Massage	●Heating ● Ventilati on ● Massage
Power seat memory function	●Driver's seat ●Copilot's seat		Driver's seat • Co-pilot's seat	Driver's seat • Co-pilot's seat	Driver's seat  Copilot's seat	seat ● Co-	Driver's seat • Co-pilot's seat	Driver's seat • Co-pilot's seat
Adjustable buttons for the passenger seat and	_	-	0	-	-	A	•	•

	•Fore and	• Fore	•Fore	●Fore and aft	●Fore and aft	•Fore and aft	● Backrest	Backrest
Second row seat adjustment	aft adjustment  Backrest adjustment	adjustme nt ● Backrest	adjustmen t ● Backrest	adjustme nt ● Backrest	adjustm ent ● Backres t	adjustmen t ● Backrest	adjustme nt ●Leg rest	adjustmen
	adjus tilient	nt	t	nt	adjustm ent	t	nt	t
Electrically adjustable second row seats	_	Ī	•	•	•		•	•
Second row seat functions	) <u>-</u> /(	<u>`</u> ر	-	-	Heating  Ventila  tion	Ventilati	•	• Heating • Ventilati • on • Massage
Second row independent seats	_	-		•	•	• (		•
Seat layout	●2-3-2	●2-3-2	•2-2-2	●2-2-2	●2-2-2	●2-2-2	-	-
Rear seats fold down	•Inverted proportion s	Inverted proportions	Inverted proportions	Inverted proporti	Inverte d proport ions	nroportio	-	
Electrically reclining rear seats	•	•	•		•	•	4	-
Front/rear center armrest	before ● after ●	before • after	before ● after ●	before • after	before  after	before • after •	before • after	before ● after ●
Rear cup holder	•	•	<b>)</b> –	-	-		•	•
		I	Audio/inte	erior lig	hting			
Speaker brand name	-	_	_	- (	-	-	_	
Number of speakers	●8 speakers○ 16 speakers	016	●12 speakers ○16 speakers	●12 speakers ○16 speakers	●12 speaker s○16 speaker	speakers 016	●16 speakers	●16 speakers
touch reading light	•	•		•	•		•	•

			4					•
	1						,	
Car interior ambient lighting	- (	-	Multicolo r	Multicol or	Multico lor	Multicolo r	Multicol or	Multicolo r
		Air	conditio	ner/refr	igeratoı			
Air conditioning temperature control method Independent	Automatic air conditioni ng	c air	Automatic air condition ing	c air	ic air	air	c air	Automatic air condition ing
air conditioning in the rear	•	•	•	•	•		•	•
Rear seat air outlet Temperature	• (	•	•	•	•	•	•	•
zone control Car air purifier		-	•	•	•	•	•	<b>—</b>
In-car PM2.5 filter device	•	•		•	•	•	•	•
negative ion generator	-		•	•	•	•	•	•
Car fragrance device	0	0	0	0	0	0	•	•
			Option	al packaş	ge			
<i>)</i> , ,		1		(	)\\			

	1			-	1			
Exterior color	Ice white/quan tum silver grey, alpine crystal white, black/alpi ne crystal white, black/quan tum silver grey, quantum silver grey, charming night black	quantum silver grey, black/al pine crystal white, ice white/qu antum silver grey, alpine	Charming Night Black, Quantum Silver Grey, Ice White/Qua ntum Silver Grey, Alpine White, Black/Alp ine White, Black/Qua ntum Silver	Alpine crystal white, ice white/qu antum silver grey, black/al pine crystal white, black/qu antum silver grey, quantum silver grey, quantum silver grey, charming night black	lpine crystal white,	White/Qua ntum Silver Grey, Mountain Crystal White, Black/Qua ntum Silver Grey,	Quantum Silver Grey, Ice White/Qu antum Silver Grey, Alpine White, Black/Al pine White, Black/Qu antum Silver, Charming Night Black	Ice white/qua ntum silver grey, alpine crystal white, black/alp ine crystal white, black/qua ntum silver grey, quantum silver grey, charming night black
interior color Note: ●Sta	Xuanjing Gray/Yingy u White	Xuanjing Gray/Yin gyu White, Graphite Black/Po megranat e Red	black/gar net red,	graphite black	graphit e black	Graphite black/gar net red, Xuanjing gray/Ying yu white	Graphite black/ga rnet red, Xuanjing gray/Yin gyu white	Graphite black, Xuanjing gray/Ying yu white