

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

Web:cartradinghub.com Tel: 86-15176650760
E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

| | | S9 configurat: | ion sheet | |
|-----------------------------|------------------------------|-------------------------|--------------------------------|--------------------------|
| | Trumpchi ES9 | Trumpchi ES9 | Trumpchi ES9 | Trumpchi ES9 |
| | 2024 PHEV 143km | 2024 PHEV 143km | 2024 PHEV 143 <mark>k</mark> m | 2024 PHEV 143km |
| | Pro | Max | Traveler Pro | Traveler Max |
| | Bas | sic parameters | S | > |
| Manufacturer | GAC Pa <mark>s</mark> senger | GAC Passenger | GAC Passenger | GAC Passenger |
| manarac tarer | Car | Car | Car | Car |
| leve1 | _ | _ | Medium and large | Medium and |
| | SUV | SUV | SUV | large SUV |
| Energy type | plug-in hybrid | plug-in hybrid | plug-in hybrid | plug-in hybrid |
| Environmental | 0 | 0 | 0 | O NA |
| protection | Country VI | Country VI | Country VI | Country VI |
| standards time to market | 2023. 10 | 2023. 10 | 2023. 10 | 2023. 10 |
| WLTC pure | 2023 . 10 | 2023. 10 | 2023. 10 | 2023. 10 |
| electric cruising | 110 | 110 | 110 | 110 |
| range (km) | 110 | 110 | 110 | 110 |
| CLTC pure | | | | |
| electric cruising | 143 | 143 | 143 | 143 |
| range (km) | 110 | | | |
| Fast charging | 0.00 | 0.00 | 0.00 | 0.00 |
| time (hours) | 0.36 | 0.36 | 0.36 | 0.36 |
| Slow charging | 3.5 | 3.5 | 3.5 | 3.5 |
| time (hours) | 5. 5 | 3, 5 | 3, 0 | ٥, ٥ |
| Fast charging | 30-80 | 30-80 | 30-80 | 30-80 |
| percentage | | | | |
| Maximum power(kW) | 274 | 274 | 274 | 274 |
| Maximum torque | 630 | 630 | 630 | 630 |
| (N • m) | 2. OT 190 | 2. OT 190 | 2. OT 190 | 2. OT 190 |
| engine | horsepower L4 | horsepower L4 | horsepower L4 | horsepower L4 |
| Motor(Ps) | 182 | 182 | 182 | 182 |
| gearbox | 2nd gear DHT | 2nd gear DHT | 2nd gear DHT | 2nd gear DHT |
| Length*width*heig | | | | |
| ht (mm) | 5015*1950*1780 | 5015*1950*1780 | 5110*1976*1780 | 5110*1976*1780 |
| Body structure | 5-door, 7-seater SUV | 5-door, 7-seater SUV | 5-door, 6-seater SUV | 5-door, 6- seater SUV |
| Maximum speed | | | | |
| (km/h) | 180 | 180 | 180 | 180 |
| Official O- | 4 | | | |
| 100km/h | 8 | 8 | 8 | 8 |
| acceleration (s) | | | | |

| WLTC comprehensive fuel consumption (L/100km) | 1. 2 | 1.2 | 1.2 | 1.2 |
|--|--|--|--|--|
| Minimum state of charge fuel consumption (L/100km) | 6. 18 | 6. 18 | 6. 18 | 6. 18 |
| Vehicle warranty | Five years or 150,000 kilometers | Five years or 150,000 kilometers | Five years or 150,000 kilometers | Five years or 150,000 kilometers |
| First owner warranty policy | _ | - | | - |
| warranty porrey | 4 | Body | | |
| Length(mm) | 5015 | 5015 | 5110 | 5110 |
| Width (mm) | 1950 | 1950 | 1976 | 1976 |
| Height(mm) 🔪 | 1780 | 1780 | 1780 | 1780 |
| Wheelbase(mm) | 2920 | 2920 | 2920 | 2920 |
| Front wheelbase (mm) | 1664 | 1664 | 1672 | 1672 |
| Rear wheelbase (mm) | 1676 | 1676 | 1684 | 1684 |
| Minimum ground clearance without load (mm) | 171 | 171 | 171 | 171 |
| Approach angle (°) | 18 | 18 | 18 | 18 |
| Departure angle (°) | twenty three | twenty three | twenty one | twenty one |
| Minimum turning radius (m) | 5.85 | 5.85 | 5.85 | 5. 85 |
| Body structure | SUV | SUV | SUV | SUV |
| Car door opening method | swing door | swing door | swing door | swing door |
| Number of doors (number) | 5 | 5 | 5 | 5 |
| Number of seats (seats) | 7 | 7 | 6 | 6 |
| Fuel tank volume (L) | 56 | 56 | 56 | 56 |
| Trunk volume (L) | - | - | - | - |
| Curb weight (kg) | 2220 | 2220 | 2220 | 2220 |
| Maximum full load mass (kg) | 2805 | 2805 | 2805 | 2805 |
| | | Engine | | |
| engine model | 4B20J2 | 4B20J2 | 4B20J2 | 4B20J2 |
| Displacement (mL) | 1991 | 1991 | 1991 | 1991 |
| Displacement(L) | 2.0 | 2.0 | 2.0 | 2.0 |
| Intake form | turbocharging | turbocharging | turbocharging | turbocharging |
| Engine layout | horizontal | horizontal | horizontal | horizontal |
| | | | | |
| | | | | |

| | Cylinder arrangement | L | L | L | L |
|---|--|------------------|------------------|-------------------------------------|-------------------------------------|
| ŀ | Number of cylinders (number) | 4 | 4 | 4 | 4 |
| Ī | Number of valves per cylinder (number) | 4 | 4 | 4 | 4 |
| Ī | Air Supply | DOHC | DOHC | DOHC | DOHC |
| | Maximum horsepower (Ps) | 190 | 190 | 190 | 190 |
| | Maximum power(kW) | 140 | 140 | 140 | 140 |
| | Maximum power speed (rpm) | 4 | - | | - |
| | Maximum torque (N•m) | 330 | 330 | 330 | 330 |
| | Maximum torque speed (rpm) | - | - | - | |
| | Maximum net power (kW) | 140 | 140 | 140 | 140 |
| | fuel form | plug-in hybrid | plug-in hybrid | plug-in hybrid | plug-in hybrid |
| L | fuel grade | No. 92 | No. 92 | No. 92 | No. 92 |
| | Fuel supply method | direct injection | direct injection | direct injection | direct injection |
| | Cylinder head material | Aluminum alloy | Aluminum alloy | Aluminum alloy | Aluminum alloy |
| | Cylinder material | Aluminum alloy | Aluminum alloy | Aluminum alloy | Aluminum alloy |
| | Environmental protection standards | Country VI | Country VI | Country VI | Country VI |
| | | E ⁻ | lectric motor | | |
| | Motor type | Permanent | Permanent | Permanent magnet/synchrono us | Permanent magnet/synchron ous |
| | Total motor power (kW) | 134 | 134 | 134 | 134 |
| | Total motor power (Ps) | 182 | 182 | 182 | 182 |
| | Total torque of motor (N•m) | 300 | 300 | 300 | 300 |
| • | Maximum power of front electric motor (kW) | 134 | 134 | 134 | 134 |
| | Maximum torque of front electric motor (N • m) | 300 | 300 | 300 | 300 |
| | System comprehensive power (kW) | 274 | 274 | 274 | 274 |

| | | 7 | | |
|---|----------------------------|----------------------------|---|---|
| | | | | |
| System comprehensive power (Ps) | 373 | 373 | 373 | 373 |
| System comprehensive torque (N•m) | 630 | 630 | 630 | 630 |
| Number of drive motors | single motor | single motor | single motor | single motor |
| Motor layout | frontload | frontload | frontload 🗸 | frontload |
| Battery Type | Ternary lithium battery | Ternary lithium battery | Ternary lithium battery | Ternary lithium battery |
| Battery brand | Jiangsu Zhengli | Jiangsu Zhengli | Jiangsu Zhengli | Jiangsu Zhengli |
| Battery cooling method | liquid cooling | liquid cooling | liquid cooling | liquid cooling |
| WLTC pure electric cruising range (km) | 110 | 110 | 110 | 110 |
| CLTC pure electric cruising range (km) | 143 | 143 | 143 | 143 |
| WLTC comprehensive range (km) | 1016 | 1016 | 1016 | 1016 |
| Battery energy (kWh) | 25. 57 | 25. 57 | 25. 57 | 25. 57 |
| Electricity consumption per 100 kilometers (kWh/100km) | twenty two | twenty two | twenty two | twenty two |
| Battery pack warranty | shall be subject | shall be subject | There is no limit on the age/mileage of the first car owner (the liability exemption clause shall be subject to the official) | There is no limit on the age/mileage of the first car owner (the liability exemption clause shall be subject to the official) |
| Fast charging function | support | support | support | support |
| Fast charging power (kW) | 40 | 40 | 40 | 40 |
| Fast charging time (hours) | 0.36 | 0. 36 | 0.36 | 0. 36 |
| Slow charging time (hours) | 3. 5 | 3.5 | 3.5 | 3. 5 |
| Fast charging capacity(%) | 30-80 | 30-80 | 30-80 | 30-80 |
| | | Gearbox | | |
| Number of gears | 2 | 2 | 2 | 2 |
| | | | | |

| | Dedicated Hybrid | Dedicated Hybrid | Dedicated Hybrid | Dedicated Hybrid |
|---|----------------------------|---------------------------|----------------------------|---|
| Gearbox type | Transmission (DHT) | Transmission (DHT) | Transmission (DHT) | Transmission (DHT) |
| abbreviation | 2nd gear DHT | 2nd gear DHT | 2nd gear DHT | 2nd gear DHT |
| A | Cha | assis steerin | g | |
| Drive mode | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive |
| four-wheel drive | - | (),2 | - (| - |
| Center differential structure | - | - | | - |
| | MacPherson | MacPherson | MacPherson | MacPherson |
| Front suspension type | independent suspension | independent suspension | independent suspension | independent suspension |
| rear suspension | Multi-link | Multi-link | Multi-link | Multi-link |
| type | independent suspension | independent suspension | independent suspension | independent susp <mark>ension</mark> |
| Assist type | electric assist | electric assist | electric assist | electric assist |
| Body structure | Load-bearing | Load-bearing | Load-bearing | Load-bearing |
| y = 12 00 0 00 0 | | Wheel brake | | 2 32 2110 |
| Front brake type | ventilated disc | ventilated disc | ventilated disc | ventilated disc |
| rear brake type | ventilated disc | ventilated disc | ventilated disc | ventilated disc |
| Parking brake | Electronic | Electronic parking | Electronic | Electronic |
| type Front tire | parking | | parking | parking |
| specifications | 255/50 R20 | 255/50 R20 | 255/50 R20 | 255/50 R20 |
| Rear tire specifications | 255/50 R20 | 255/50 R20 | 255/50 R20 | 255/50 R20 |
| Spare tire specifications | _ | | _ | _ |
| specifications | D, | assive safety | | |
| Main/passenger | | | 2 / | |
| seat airbag | Main●/Deputy● | Main●/Deputy● | Main●/Deputy● | Main●/Deputy● |
| Front/rear side airbags Front/rear head | Before●/After- | Before●/After- | Before●/After- | Before●/After- |
| airbags (curtain airbags) | before●/after● | before●/after● | before●/after● | before ●/after ● |
| Tire pressure monitoring function | ●Tire pressure display | ●Tire pressure display | ●Tire pressure display | ●Tire pressure display |
| Run-flat tires | | | | |
| Seat belt not fastened reminder | ●Front row ● Second row | ●Front row ● Second row | ●Front row ● Second row | ●Front row ● Second row |
| ISOFIX child seat | • / | | • | • |
| interface ABS anti-lock | | | | |
| THE UNIT TOCK | 4 | | | |

| Braking force distribution (EBD/CBC, etc.) | | • | • | • |
|---|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Brake assist (EBA/BAS/BA, etc.) | • | • | • | |
| Traction control (ASR/TCS/TRC, etc.) | • | • | • | • |
| Body stability control (ESC/ESP/DSC, etc.) | • | • | | • |
| 000.7 | A | ctive safety | | |
| Lane Departure Warning System Active | • | • | • | • 1 |
| braking/active safety system | • | • | • | |
| Fatigue driving tips DOW opening | - | | - | - |
| warning forward collision warning | • | • | • | • |
| rear collision warning | | • | • | • |
| Low speed warning Built-in driving recorder | • | • | • | • |
| roadside assistance call | • Dr | iving control | • | • |
| | ●Sport ● | Sport • | ●Sport ● | ●Sport ● |
| Driving mode switch | Economy ● Standard/Comfort able | Economy ● Standard/Comfort able | Economy ● Standard/Comfort able | Economy ● Standard/Comfor table |
| energy recovery system | | • | | • |
| automatic parking Hill assist steep descent | | • 1 | • | |
| D 4 / | Dri | iving hardwar | e I | 1 6 4 6 |
| Front/rear parking radar Driving | before●/after● ■ 360-degree | before●/after● ■360-degree | before●/after● ■ 360-degree | before●/after ● ●360-degree |
| | panoramic image | _ | _ | panoramic image |
| <i>y</i> | | | | |

| cruise system | ●Full-speed adaptive cruise | ●Full-speed adaptive cruise | ●Full-speed adaptive cruise | ●Full-speed adaptive cruise |
|---|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Assisted driving level | ●L2 | ●L2 | ●L2 | ●L2 |
| Reverse side warning system | • | | • | |
| satellite navigation system | • | • | • | • |
| Navigation traffic information display | • | • | | • |
| map brand | ●Gaode | ●Gaode | ●Gaode | ●Gaode |
| Parallel assistance | • | • | • | • \ |
| Lane Keeping Assist System | • | • | • | |
| Lane centering Road traffic sign | • | | • | |
| recognition | A 10 10 0 0 | nonco/onti-th | oft. | |
| | | rance/anti-th | | ●Aluminum |
| Rim material | ●Aluminum alloy | ●Aluminum alloy | ●Aluminum alloy | alloy |
| Electric trunk | | • | • | • |
| induction trunk | | • | | • |
| Electric trunk | • | • | • | • (|
| position memory roof rack | | | | |
| Engine electronic anti-theft | • | • | • | • |
| Central locking | | | | |
| in car | D 1 | A D 1 | | D 1 |
| Key type Keyless start | ●Remote key | ●Remote key | ●Remote key | ●Remote key |
| system | • | • | • | • |
| Keyless entry function | •Front row | ●Front row | •Front row | ●Front row |
| Hidden electric door handle | | • | - | - |
| Remote start function | | • _ | • | •) |
| Battery preheating | • | | • | |
| external discharge | • | • | • | • |
| | Ex | terior lights | (| |
| low beam light source | ●LED | ●LED | ●LED | ●LED |
| | | | | |

| high beam light | ●LED | ●LED | ●LED | ●LED |
|-----------------------------------|---|--|--|---|
| source | | | | |
| Lighting features LED daytime | ●Matrix | ●Matrix | ●Matrix | ●Matrix |
| running lights | • | • | • | • |
| Adaptive high and low beam | • | • | • | • |
| automatic headlight | • | • | • | • |
| car front fog lights | _ | _ | ●LED | ●LED |
| Headlight height adjustable | • | • | • | • |
| Delayed turn off of headlights | | • | • | • |
| | Sl | kylight/glass | | |
| Skylight type | - | ●The panoramic sunroof can be opened | ●The panoramic sunroof can be opened | ●The panoramic sunroof can be opened |
| Front/rear electric windows | before●/after● | before●/after● | | before ●/after |
| One-touch window lifting function | ●The whole car | •The whole car | ●The whole car | ●The whole car |
| Window anti-pinch function | • | • | • | • |
| Multilayer soundproof glass | _ | ●Front row | - | ●Front row |
| Rear side privacy glass | • | • | • | • |
| Car vanity mirror | ●Main driver + lighting ●Co- pilot + lighting | ●Main driver + lighting ●Co-pilot + lighting | ●Main driver + lighting ●Co-pilot + lighting | ● Main driver + lighting ● Co- pilot + lighting |
| rear wiper | • | • | • | • |
| Sensing wiper function | ●Rain sensor type | ●Rain sensor type | ●Rain sensor type | ●Rain sensor type |
| | Exterio | or rearview m | irror | |
| | | | | |
| | | | | |

| | ●Electric adjustment ● | ●Electric adjustment ● Electric folding ●Rearview mirror memory ● | ●Electric adjustment ● Electric folding ●Rearview mirror memory ● | Rearview mirror |
|--|---|---|---|---|
| Exterior rearview mirror function | Electric folding Heated rearview mirror Automatic | Heated rearview mirrors ● Automatically | Heated rearview mirrors ● Automatically | memory • Heated rearview mirrors • Automatically |
| | folding when the car is locked | flip down when reversing • Automatically | flip down when reversing ● Automatically fold when the | flip down when reversing ● Automatically |
| | | fold when the car is locked | car is locked | fold when the car is locked |
| Central control | ●Touch LCD | ecreen/system ●Touch LCD | ●Touch LCD | ● Touch LCD |
| color screen Central control screen size | screen 14.6 inches | screen ●14.6 inches | screen ●14.6 inches | screen ●14.6 inches |
| Bluetooth/car phone | • | | • | • |
| Mobile phone interconnection/m apping | - | <u></u> - | - | <i>J</i> - |
| Voice recognition control system | ●Multimedia system ● Navigation ● Telephone ●Air conditioning | ●Multimedia system ● Navigation ● Telephone ●Air conditioning ● | ●Multimedia system ● Navigation ● Telephone ●Air conditioning ● | ●Multimedia system ● Navigation ● Telephone ●Air conditioning ● |
| Vehicle smart chip | ●Qualcomm Snapdragon 8155 | Sunroof ■ Qualcomm Snapdragon 8155 | Sunroof | Sunroof Qualcomm Snapdragon 8155 |
| Voice wake word free Voice area wake- | • | • | • | • |
| up recognition Speech continuous | ●Dual area | ●Dual area | ●Dual area | ●Dual area |
| recognition | Intelli | gent configur | cation | |
| Internet of Vehicles 4G/5G network OTA upgrade | ● 4G | ●4G | ● 4G | ● 4G |
| om apgrauc | | | | |
| | | | | |
| | | | | |
| | | | | |

| Mobile APP remote function | ●Door control ●Vehicle start ●Charging management ●Air conditioning control ●Seat heating ● Vehicle status | ● Door control ● Vehicle start ● Charging management ● Air conditioning control ● Seat heating ● Vehicle status | ●Door control ●Vehicle start ●Charging management ●Air conditioning control ●Seat heating ● Vehicle status | ● Door control ● Vehicle start ● Charging management ● Air conditioning control ● Seat heating ● |
|--|--|---|--|--|
| | inquiry/diagnosi s ●Vehicle positioning/car search | inquiry/diagnosi s ●Vehicle positioning/car search | inquiry/diagnosi s | Vehicle status inquiry/diagnos is ●Vehicle positioning/car search |
| Steering wheel material | Steering wheel OLeather | /interior rea ●Leather | erview mirror •Leather | ●Leather |
| Steering wheel position adjustment | •Manual up and down + front and rear adjustment | ●Manual up and down + front and rear adjustment | ●Manual up and down + front and rear adjustment | ●Manual up and down + front and rear adjustment |
| Shift pattern | ●Electronic gear shift | ●Electronic gear shift | ●Electronic gear shift | • Electronic gear shift |
| Multifunction steering wheel | • | • | • | • |
| steering wheel gear shift | -() | _ | | - |
| Steering wheel heating | - | • | | • |
| steering wheel memory | - | - | - | - |
| Trip computer display screen Full LCD | ●Color ● | • Color | • Color | Color |
| instrument panel LCD instrument size | ●12.3 inches | ●12.3 inches | •12.3 inches | •12.3 inches |
| AR-HUD augmented reality head-up display | -50 | • | - | • |
| Interior rearview mirror function | ●Manual anti- dazzle | ●Automatic anti-dazzle | ●Manual anti- dazzle | ●Automatic anti-dazzle |
| | | arging in car | | |
| Multimedia/chargi ng interface | ●USB | ●USB | ●USB | ●USB |
| Number of USB/Type-C interfaces | ●2 in the front row/2 in the back row | ●2 in the front row/2 in the back row | ●2 in the front row/3 in the back row | ●2 in the front row/3 in the back row |
| 220V/230V power supply | - | _ | | • |
| | | | | |

| Mobile phone wireless charging function |
|--|
| Seat material ■ Imitation leather |
| Seat material Cather Canuine leather Canuinter |
| Front and back adjustment ● Backrest adjustment ● Backrest adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Backrest adjustment ● Waist support (2-way) Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way) ● Front and back adjustment ● Waist support (4-way) ● Front and back adjustment ● Waist support (4-way) ● Leg rest adjustment ● Backrest adjustment ● Waist support adjustment ● Backrest adjustment ● Waist support adjustment ● Waist support adjustment ● Waist support (4-way) ● Front and back adjustment ● Backrest adjustment ● Backrest adjustment ● Waist support adjustment ● Waist support (4-way) |
| Main seat adjustment tethod Height adjustment (4- way) |
| way) |
| Secondary seat adjustment Backrest adjustment Backrest adjustment Backrest adjustment Backrest adjustment Leg support adjustment Waist support (4-way) Main/passenger seat electric adjustment Front seat functions Power seat memory function Adjustable buttons for the passenger seat and rear row Second row seat adjustment Second row seat functions Second row seat functions Second row seat functions Second row seat functions Adjustment Backrest adjustment Leg support adjustment Waist support (4-way) Main/Deputy |
| adjustment method adjustment adju |
| Main/passenger seat electric adjustment Front seat functions Power seat memory function Adjustable buttons for the passenger seat and rear row Second row seat functions Second row seat functions Main ● / Deputy ● ● / Deput |
| Front seat functions Heating Wentilation Massage Wentilation Massage Massage Power seat memory function Adjustable buttons for the passenger seat and rear row Second row seat adjustment Second row seat functions Second row seat functions Second row seat functions Second row independent seats All Heating Ventilation Massage Nassage Poriving position Position Heating Heating Heating Heating Heating |
| Power seat memory function Adjustable buttons for the passenger seat and rear row Second row seat functions Second row seat functions Second row independent seats Adjustment Second row independent seats Second row seat functions Second row seats functions Second row independent seats Second row seats functions Second row seat |
| buttons for the passenger seat and rear row Second row seat adjustment adjustment Second row seat functions Second row independent seats Second row to but the passenger seat and rear row Backrest adjustment adjustment adjustment adjustment Backrest adjustment adjustment adjustment Backrest adjustment adjustment adjustment Heating Heating |
| adjustment adjustment adjustment adjustment adjustment Second row seat functions Second row independent seats Adjustment adjustment adjustment adjustment adjustment Heating Heating |
| Second row seat functions Second row independent seats - Heating Heating Heating - Heating |
| independent seats |
| This is a second of the property of the proper |
| Third row seat Backrest Backrest Backrest Backrest Backrest Backrest Backrest Backrest Backrest Backrest Backrest Backrest |
| row seats |
| Seat layout $\bigcirc 2-3-2$ $\bigcirc 2-3-2$ $\bigcirc 2-2-2$ $\bigcirc 2-2-2$ Rear seats fold down $\bigcirc Inverted$ proportions $\bigcirc Inverted$ proportions $\bigcirc Inverted$ proportions $\bigcirc Inverted$ proportions |

| Electrically reclining rear seats | | • | • | • |
|---|--|---|--|---|
| Front/rear center armrest | before●/after● | before●/after● | before●/after● | before●/after ● |
| Rear cup holder | • | | • | |
| | Audio/ | interior ligh | ting | |
| Speaker brand name | •ALPINE Alpine | • ALPINE Alpine | ●ALPINE Alpine | ●ALPINE Alpine |
| Number of speakers | ●10 speakers | ●10 speakers | ●10 speakers | ●10 speakers |
| Car interior ambient lighting | ●32 colors | ●32 colors | •32 colors | ●32 colors |
| | Air cond | itioner/refri | gerator | |
| Air conditioning temperature control method | •Automatic air conditioning | •Automatic air conditioning | •Automatic air conditioning | • Automatic air conditioning |
| Independent air conditioning in the rear | • | 4 | • | |
| Rear seat air outlet | • | • | • | • |
| Temperature zone control | • | • | • | • |
| Car air purifier | | • | • | • |
| In-car PM2.5 | | | | |
| filter device | | | | |
| negative ion | • | | | |
| generator | • | | | |
| | 0p- | tional package | 9 | |
| Exterior color | Elegant black, Phantom Silver, Haoyue Gray, Black Seal Green, Blade Shadow White | Haoyue Gray, Blade Shadow White, Ink Seal Green, Elegant Black, Magic Speed Silver | Blade Shadow White, Elegant Black, Haoyue Grey, Phantom Silver, Ink Seal Green | Elegant black, bright moon gray, magic speed silver, black seal green, blade shadow white |
| interior color | Stardew Valley, Dark Night Lingying, Mo Xi Green Shadow | Stardew Valley, Dark Night Lingying | Stardew Valley, Dark Night Lingying, Mo Xi Green Shadow | Dark Night Lingying, Star Dew Guyu |

Note: Standard O Optional - None