

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.

Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	Zhi ji	LS7 configuration	n sheet	
	Zhiji LS7 2023	Zhiji LS7 2023	Zhiji LS7 2023	Zhiji LS7 2023
	90kWh Elite rear-	100kWh Lux rear-	100kWh Lux four-	100kWh Pro four-
	wheel drive	wheel drive	wheel drive	wheel drive
		Basic parameters		
Manufacturer	Zhiji Automobile	Zhiji Automobile	Zhiji Automobile	Zhiji Automobile
level	Medium and large	Medium and large	Medium and large	Medium and large
level	SUV	SUV	SUV	SUV
Energy type	pure electric	pure electric	pure electric	pure electric
time to market	2023. 02	2023. 02	2023. 02	2023. 02
CLTC pure	602	660	625	625
electric	002	000	020	020
Fast charging	_	_	_	- 1
time (hours)		4		
Slow charging	_	_	_	_
time (hours)				
Fast charging	-) -	-	_
percentage	050	050	405	405
Maximum	250	250	425	425
Maximum torque (N•m)	475	475	725	725
Motor(Ps)	340	340	578	578
Length*width*hei ght (mm)	5049*2002*1731	5049*2002*1731	5049*2002*1731	5049*2002*1773
girt (IIIII)	5-door, 5-seater	5-door, 5-seater	5-door, 5-seater	5-door, 5-seater
Body structure	SUV	SUV	SUV	SUV
Maximum speed				
(km/h)	200	200	200	200
Official 0-				
100km/h	6. 5	6. 5	4.5	4. 5
Electric energy	. \			
equivalent fuel	1 00	1 00	1.00	1 00
consumption	1.80	1.83	1. 98	1.98
(L/100km)				
Vahiala warmantu	Five years or	Five years or	Five years or	Five years or
Vehicle warranty	150,000	150,000	150,000	150,000
	Unlimited	Unlimited	Unlimited	Unlimited
	years/unlimited	years/unlimited	years/unlimited	years/unlimited
First owner	mileage (the	mileage (the	mileage (the	mileage (the
warranty policy	liability	liability	liability	liability
warrancy porrey	exemption clause	exemption clause	exemption clause	exemption clause
	shall be subject	shall be subject	shall be subject	shall be subject
	to the official)	to the official)	to the official)	to the official)
		Body		
Length (mm)	5049	5049	5049	5049
Width (mm)	2002	2002	2002	2002

5 5 5 5 5 6 733 268 400 851 E1	1731 3060 1700 1715 18 twenty four SUV swing door 5 5 56 733 0.268 2520 2971 cetric motor Permanent net/synchronou 250 340 475	1731 3060 1700 1715 18 twenty four SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchrono 425 578	1773 3060 1700 1715 18 twenty four SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchronou 425 578
700 715 18 ty four t SUV g door 5 5 5 6 733 268 400 851 Elmanent synchronou magn 250 340	1700 1715 18 twenty four SUV swing door 5 5 6 733 0.268 2520 2971 cetric motor Permanent net/synchronou 250 340	1700 1715 18 twenty four SUV swing door 5 5 6 733 0.268 2630 3081 Permanent magnet/synchrono 425	1700 1715 18 twenty four SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchronou 425
715 18 ty four t SUV g door 5 5 5 6 733 268 400 851 Elmanent synchronou magn 250 340	1715 18 twenty four SUV swing door 5 5 5 6 733 0.268 2520 2971 ectric motor Permanent net/synchronou 250 340	1715 18 twenty four SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchrono 425	1715 18 twenty four SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchronou 425
18 ty four t SUV g door 5 5 5 66 733 268 400 851 Elmanent synchronou magn 250 340	twenty four SUV swing door 5 5 56 733 0.268 2520 2971 cetric motor Permanent net/synchronou 250 340	twenty four SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchrono 425	twenty four SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchronou 425
ty four to SUV g door 5 5 5 6 733 268 400 851 E1 manent synchronou magn 250 340	swing door 5 5 5 5 6 733 0.268 2520 2971 ectric motor Permanent net/synchronou 250 340	twenty four SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchrono 425	twenty four SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchronou 425
5 5 5 5 5 5 6 733 268 400 851 E1 manent synchronou magn 250 340	SUV swing door 5 5 56 733 0.268 2520 2971 ectric motor Permanent net/synchronou 250 340	SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchrono 425	SUV swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchronou 425
g door 5 5 5 6 733 268 400 851 El manent synchronou magn 250 340	swing door 5 5 56 733 0.268 2520 2971 cetric motor Permanent net/synchronou 250 340	swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchrono 425	swing door 5 5 56 733 0.268 2630 3081 Permanent magnet/synchronou 425
5 5 5 6 733 268 400 851 Elmanent synchronou magn 250 340	5 5 56 733 0.268 2520 2971 ectric motor Permanent net/synchronou 250 340	5 5 56 733 0.268 2630 3081 Permanent magnet/synchrono 425	5 5 56 733 0.268 2630 3081 Permanent magnet/synchronou 425
5 56 733 268 400 851 Elmanent synchronou magn 250 340	5 56 733 0. 268 2520 2971 ectric motor Permanent net/synchronou 250 340	5 56 733 0.268 2630 3081 Permanent magnet/synchrono 425	5 56 733 0.268 2630 3081 Permanent magnet/synchronou 425
56 733 268 400 851 E1 manent synchronou magn 250	56 733 0.268 2520 2971 ectric motor Permanent net/synchronou 250 340	56 733 0.268 2630 3081 Permanent magnet/synchrono 425	56 733 0.268 2630 3081 Permanent magnet/synchronou 425
733 268 400 851 Elmanent synchronou magn 250	733 0.268 2520 2971 ectric motor Permanent net/synchronou 250 340	733 0.268 2630 3081 Permanent magnet/synchrono 425	733 0.268 2630 3081 Permanent magnet/synchronou 425
268 400 851 Elmanent synchronou magn 250 340	0.268 2520 2971 ectric motor Permanent net/synchronou 250 340	0.268 2630 3081 Permanent magnet/synchrono 425	0.268 2630 3081 Permanent magnet/synchronou 425
400 851 Elmanent synchronou magn 250 340	2520 2971 ectric motor Permanent net/synchronou 250 340	2630 3081 Permanent magnet/synchrono 425	2630 3081 Permanent magnet/synchronou 425
851 manent synchronou magn 250 340	2971 Permanent net/synchronou 250 340	3081 Permanent magnet/synchrono 425	3081 Permanent magnet/synchronou 425
manent synchronou magn 250	Permanent net/synchronou 250 340	Permanent u magnet/synchrono 425	Permanent magnet/synchronou 425
manent synchronou magn 250	Permanent net/synchronou 250 340	Permanent u magnet/synchrono 425	Permanent magnet/synchronou 425
manent synchronou magn 250 340	Permanent net/synchronou 250 340	u magnet/synchrono 425	magnet/synchronou 425
synchronou magn 250 340	250 340	u magnet/synchrono 425	magnet/synchronou 425
250 340	250 340	425	425
		578	578
175	475		<u> </u>
	TI 0	725	725
-	-	175	175
- ()	-	250	250
250	250	250	250
175	475	475	475
e motor s	ingle motor	Dual motor	Dual motor
ear	rear	Front + rear	Front + rear
y lithium Ter	rnary lithium		Ternary lithium
ttery	battery	battery	battery
Times	SAIC Times	SAIC Times	SAIC Times
,	e motor s ear lithium Ter	e motor single motor ear rear Tithium Ternary lithium tery battery	e motor single motor Dual motor ear rear Front + rear Telithium Ternary lithium battery battery

Battery cooling method	liquid cooling	liquid cooling	liquid cooling	liquid cooling
CLTC pure electric	602	660	625	625
Battery energy (kWh)	90	100	100	100
Electricity consumption per 100 kilometers (kWh/100km)	15. 9	16. 2	17. 5	17. 5
Battery pack warranty	Eight years or 240,000	Eight years or 240,000	Eight years or 240,000	Eight years or 240,000
Fast charging function	support	support	support	support
Fast charging time (hours)		-	-	-
Slow charging time (hours)	-	-	-	<u>-</u>
Fast charg <mark>i</mark> ng capacity(%)	-	-	-	
electric motor	250	250	425	425
		Gearbox		
Number of gears	1	1	1	1
Gearbox type	fixed ratio	fixed ratio	fixed ratio	fixed ratio
abbreviation	Electric vehicle single speed	Electric vehicle single speed	Electric vehicle single speed	Electric vehicle single speed
	gearbox	gearbox Chassis steering	gearbox	gearbox
Drive mode	rear wheel drive	rear wheel drive	Dual motor four- wheel drive	Dual motor four- wheel drive
four-wheel drive	_		Electric four- wheel drive	Electric four- wheel drive
Cente <mark>r</mark> differential			-	-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
		Wheel brake		
Front brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
rear bra <mark>k</mark> e type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
Parking brake	Electronic	Electronic	Electronic	Electronic
Front tire specifications	255/55 R20	255/45R22	255/45R22	255/45R22
Rear tire specifications	275/50 R20	285/40 R22	285/40 R22	285/40 R22

Spare tire)		
specifications	Tire repair tool	Tire repair tool	Tire repair tool	Tire repair tool
1 /		Passive safety		
Main/passenger seat airbag	Main●Deputy●	Main●Deputy●	Main●Deputy●	Main●Deputy●
Front/rear side airbags	before ● after -	before • after -	before ● after -	before • after -
Front/rear head airbags (curtain airbags)	before ● after ●	before ● after	before ● after	before ● after
Front middle Tire pressure monitoring	● Tire pressure display	● Tire pressure display	●Tire pressure display	● Tire pressure display
Run-flat tires Seat belt not fastened	●The whole car	The whole car	●The whole car	The whole car
ISOFIX child seat interface	•	•	•	
ABS anti-lock Braking force distribution	•	4	•	•
(EBD/CBC, etc.) Brake assist (EBA/BAS/BA,	•	•	•	•
Traction control (ASR/TCS/TRC,	•()	•	•	•
Body stability control (ESC/ESP/DSC,	•	•	J.	•
Lane Departure		Active safety		
Warning System)		•	
Active braking/active safety system	•	•	• (•
Fatigue driving tips	- 4	-	- 1	-
DOW opening	• 1	•	•	•
forward collision	•	•	•	•
Low speed	•	•	•	•.
Built-in driving recorder	U •	•	•	
roadside assistance call	•		•	
		Driving control		

	•Sports •	●Sports ●	•Sports •	•Sports •
Driving mode switch	Economy ● Standard/Comforta ble ●	Economy	Economy ● Standard/Comfort able ●Snow ●	Economy ● Standard/Comforta ble ●Snow ●
	alized	alized	nalized	alized
energy recovery system	•	•	•	•
automatic	•	•	•	•
Hill assist steep descent	•			•
Variable suspension function	●Suspension soft and hard adjustment ● Suspension height	Suspension soft and hard adjustment Suspension height	●Suspension soft and hard adjustment ● Suspension	●Suspension soft and hard adjustment ● Suspension height
air suspension				
Electromagnetic induction suspension	•	•	•	
		Driving hardware		
Front/rear parking radar	before ● after ●	before • after	before • after	before ● after ●
Driving assistance images	● 360-degree panoramic image ● Vehicle side blind spot image	●360-degree panoramic image ●Vehicle side blind spot image	●360-degree panoramic image ●Vehicle side blind spot image	● 360-degree panoramic image ● Vehicle side blind spot image
Transparent chassis/540 degree image	•	•	offina spec image	• C
Assisted driving chip	ONVIDIA Orin-X	●NVIDIA Orin-X	●NVIDIA Orin-X	●NVIDIA Orin-X
Number of Ultrasonic radar	●11 pieces	●11 pieces	●11 pieces	●11 pieces
quantity Millimeter wave	●12 pieces	●12 pieces	●12 pieces	●12 pieces
radar quantity	●5 pieces	●5 pieces	●5 pieces	●5 pieces
LiDAR quantity	-	O2 pieces	O2 pieces	●2 pieces
cruise system	●Full-speed adaptive cruise	Driving function • Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise
Assisted driving system	● IM AD	●IM AD	●IM AD	● IM AD
Assisted driving level	●L2	● L2	●L2	●L2
Reverse side warning system	•		•	
satellite navigation	•	•	•	•
Navigation traffic	•	•		•
map brand	●Gaode	●Gaode	●Gaode	●Gaode

Parallel		•	•	•
Lane Keeping		_		
Assist System				
Lane centering			•	•
Road traffic				
sign recognition				
Automatic	•		•	
remote control				
parking			4	•
Automatic lane				
change assist				
remote summoning	•	•		•
Steering wheel				
hand off		•		•
	A	ppearance/anti-the	eft	
Rim material	●Aluminum alloy	●Aluminum alloy	●Aluminum alloy	●Aluminum all
Electric suction	OThe whole car	●The whole car	•The whole car	•The whole c
door	Othe whote car	• The whole car	• The whole car	The whole c
Automatic				
opening and	_	_	_	
closing of car				
Frameless design				
door				
Electric trunk		•	•	•
Electric trunk			4	
position memory		•		
Central locking				
in car		•	1	
	Remote key	●Remote key ●	●Remote key ●	●Remote key
Key type	Bluetooth key ●	Bluetooth key	Bluetooth key ●	Bluetooth key
	NFC/RFID key	NFC/RFID key	NFC/RFID key	NFC/RFID key
Keyless start	•		•	
system				
Keyless entry	●The whole car	●The whole car	•The whole car	●The whole c
function				11101010 0.
Hidden electric	•	•		•
door handle		-		_
Active closing	• \ 1	•		•
air intake				
Remote start		•	•	•
function			_	
Battery			•	
external		E-ti 1:1-		
T 1 1 1 1		Exterior lights	1	
Low beam light	●LED	● LED	●LED	●LED
source				
high beam light	●LED	●LED	● LED_	●LED
source				
Lighting				●Pixel style
features	_	_	(- 4	Programmable
=======================================	4			smart headligh

Adaptive high and low beam automatic Turn assist car front fog lights Headlight height adjustable Delayed turn off of headlights Skylight type Skylight type The panoramic sunroof cannot be opened opened opened before after electric windows One-touch window lifting function Window antipinch function Window a	LED daytime running lights	•	•	•	•
automatic Turn assist car front fog lights Headlight height adjustable Delayed turn off of headlights Skylight/Glass The panoramic sunroof cannot be copened popened pope	Adaptive high		• \	•	•)
Car front fog lights Car Car wanty mirror rearview mirror function Exterior rearview mirror function Exterior rearview mirror function Exterior rearview mirror function Can Car wanty mirror function Can		•	•	•	•
Skylight type		-	-	_	•
Delayed turn off of headlights	lights	-		_	-
Skylight type Sunroof cannot be opened Su	adjustable	•		•	•
Skylight type opened sunroof cannot be sunroof cannot be sunroof cannot be sunroof cannot be opened opened before after electric windows One-touch window office folding function Window antipinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror plott + lighting office opilot + lighting offic		•	•		•
Skylight type opened opened opened before after electric windows One-touch window lifting function Window antipinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror Sensing wiper function Exterior rear wiper Sensing wiper function Exterior rearview mirror function Car vanity mirror Exterior rearview mirror function Exterior rearview mirror folding when locking the car of Automatic folding when locking the car of Automatic antipoking and the car of Central control color screen Central control color screen Central control core size Exterior size Electric size		The many many		The second of	• Tl
Front/rear electric windows One-touch window Iffting function Window antipinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror Fensing wiper function Exterior rearview mirror function Exterior	Skylight type	sunroof cannot be	sunroof cannot be	sunroof cannot	sunroof cannot be
One-touch window lifting function Window antipinch function Multilayer soundproof glass Rear side privacy glass Car vanity lighting ©Copilot + li		before ● after			
## The whole car whole car wiper Main driver + lighting	One-touch window lifting function	• The whole car	●The whole car	●The whole car	•The whole car
Rear side privacy glass Car vanity mirror lighting Co-pilot + lighting Co-pilot + lighting Diot + lighting Di	pinch function	•		•	•
Car vanity mirror	soundproof glass	●The whole car	•The whole car	●The whole car	•The whole car
Car vanity mirror		•()	•	•	•
rear wiper Sensing wiper function Exterior rearview mirror function function folding function Exterior rearview mirror function function function function function folding when locking the car folding when locking the					
Sensing wiper function type type type type type Exterior rearview mirror Exterior rearview mirror Fearview mirror function Exterior rearview mirror rearview mirror function Exterior rearview mirror function Exterior rearview mirror Fearview mirror function Exterior rearview mirror Fearview mirror Fearview mirror Fearview mirror Fearview mirror Fearview mirror Fearview mirror Folding when locking the car locking the car Automatic anti- Fearview mirror Folding when locking the car Automatic anti- Folding when locking the car Screen Folding when locking the car Screen Screen Screen Folding when locking the car Screen Screen Screen Screen Folding when locking the car Screen	mirror			_	
Exterior rearview mirror Exterior rearview mirror Exterior rearview mirror rearview mirror function Exterior function Exterior rearview mirror memory Heated rearview mirror Automatic folding when locking the car Automatic anti- Automatic anti- Automatic anti- Automatic anti- Central control color screen Central control screen size Screen size Exterior All S inches Electric adjustment Electric folding Electric folding Rearview mirror memory Heated rearview mirror memory Heated rearview mirror Mattomatic folding when locking the car locking the car Automatic folding when locking the car Folding when locking the car Automatic anti- Screen/System Central control screen size Screen size Al2 8 inches		- ●Rain sensor	- ●Rain sensor	- ●Rain sensor	- ●Rain sensor
Exterior rearview mirror function Exterior folding exerview mirror function Exterior rearview mirror memory exerview mirror memory exerview mirror folding when locking the car folding when locking the car exerview mirror exerview mirror exerview mirror exerview mirror folding when locking the car folding when locking the car exerview mirror exerview					
Exterior rearview mirror function Exterior folding Rearview mirror function Exterior rearview mirror function Exterior rearview mirror function Exterior rearview mirror function Exterior rearview mirror memory Heated rearview mirror memory Heated rearview mirror memory Heated rearview mirror folding when locking the car Automatic folding when locking the car Automatic anti- Exterior folding Rearview mirror memory Heated rearview mirror memory Heated rearview mirror folding when locking the car locking the car locking the car locking the car Automatic anti- Electric folding Rearview mirror memory Heated rearview mirror folding when locking the car screen Screen Entral control screen Electric folding Electric folding Fleated rearview mirror memory Heated rearview mirror memory Heated rearview mirror memory Automatic folding when locking the car locking the car locking the car screen/System Electric folding Fleatric folding Flea					77.
Exterior rearview mirror function Electric folding					
Exterior rearview mirror function Rearview mirror function Rearview mirror memory Heated rearview mirror memory Heated rearview mirror Mautomatic folding when locking the car Automatic anti- Central control color screen Central control screen System Central control screen S			_	-	-
rearview mirror function Memory Heated rearview mirror function Automatic folding when locking the car Automatic anti- Central control color screen Central control screen size Screen size Memory Heated rearview mirror Automatic folding when locking the car Automatic anti- Automatic anti- Screen/System Touch OLED screen 26. 3 inches Memory Heated rearview mirror Automatic folding when locking the car locking the car Automatic anti- Screen/System Touch OLED screen Screen 26. 3 inches	D		_		•Rearview mirror
function Automatic folding when locking the car Automatic anti- Central control color screen Central control screen size Screen size Automatic folding when locking the car Automatic anti- Touch OLED screen Central control screen size Automatic folding when locking the car Automatic anti- Automatic anti- Automatic anti- Automatic anti- Automatic folding when locking the car locking the car Automatic anti- Touch OLED screen Screen Central control screen size Automatic Folding when locking the car Locking the car Automatic anti- Screen/System Automatic Folding when locking the car Locking the car Automatic folding when locking the car Locking the car Automatic Automatic Folding when Locking the car Folding when Locking the car Automatic Folding when Locking the car Foldin		memory ●Heated	memory ●Heated	mirror memory •	memory ●Heated
Central control color screen Screen Size Screen size Automatic folding when locking the car		rearview mirror	rearview mirror	Heated rearview	rearview mirror
locking the car Automatic anti- Automatic anti- Screen/System Central control color screen S	Tunetion				
Automatic anti- Screen/System Central control color screen		_ =	•		
Central control				=	
Central control color screen Touch OLED screen Touch OLED screen Touch OLED screen Touch OLED screen Central control screen size •26.3 inches •26.3 inches •26.3 inches Screen size •12.8 inches •12.8 inches		●Automatic anti-		locking the car	●Automatic anti-
color screenscreenscreenscreenCentral control screen size• 26.3 inches• 26.3 inches• 26.3 inchesScreen size• 12.8 inches• 12.8 inches	Central control	● Touch OLED		● Touch OLED	• Touch OLED
Screen size Screen size 12 8 inches 12 8 inches 12 8 inches 12 8 inches					
\blacksquare 12 X inches \blacksquare \blacksquare 12 X inches \blacksquare \blacksquare 12 X inches	screen size	●26.3 inches	•26.3 inches	●26.3 inches	●26.3 inches
		●12.8 inches	•12.8 inches	●12.8 inches	●12.8 inches

Passenger entertainment screen	●15.5 inches	●15.5 inches	●15.5 inches	●15.5 inches
Screen	●720P ●2K ●4K	●720P ●2K ●4K	●720P ●2K ●4K	●720P ●2K ●4K
Bluetooth/car Mobile phone interconnection/ mapping	-		-	
Voice recognition control system	●Multimedia system ● Navigation ● Telephone ●Air	●Multimedia system ● Navigation ● Telephone ●Air	●Multimedia system ● Navigation ● Telephone ●Air	●Multimedia system ● Navigation ● Telephone ●Air
Vehicle intelligent	●IM OS	●IM OS	● IM OS	●IM OS
Vehicle smart chip	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155
Multi-finger flying screen	•	•	•	•
Voice wake word free	•	•	•	•
Voice area wake- up recognition	●Four areas	• Four areas	●Four areas	Four areas
Speech continuous	•	•	•	•
It can be said	•	•	•	•
that it is	Int	L elligent configura	tion	
Internet of Vehicles	•	•	.) •	•
4G/5G network	● 5G	●5G	● 5G	● 5G
OTA upgrade Wi-Fi hotspot	•		•	•
Mobile APP remote function	● Charging management ● Air conditioning control ● Steering wheel heating ● Seat heating ● Vehicle condition query/diagnosis ● Vehicle positioning/car search ● Car owner service (find charging piles, gas	● Door control ● Window control ● Charging management ● Air conditioning control ● Steering wheel heating ● Seat heating ● Vehicle condition query/diagnosis ● Vehicle positioning/car search ● Car owner service (find charging piles, gas stations, parking lots, etc.) ●	management Air conditioning control Steering wheel heating Seat heating Vehicle condition query/diagnosis Vehicle positioning/car search Car owner service	● Door control ● Window control ● Charging management ● Air conditioning control ● Steering wheel heating ● Seat heating ● Vehicle condition query/diagnosis ● Vehicle positioning/car search ● Car owner service (find charging piles, gas stations, parking lots, etc.) ●
	25.5, 556.7	, 23.53, 300.7	, San	, 2000, 000.7

	Stooning w) heel/interior rear	wiew minnen	
Steering wheel material		Genuine leather	Genuine leather	●Genuine leather
Steering wheel position adjustment Shift pattern	down + front and rear adjustment • Electronic gear	rear adjustment ●Electronic gear	●Electric up and down + front and rear ●Electronic	●Electric up and down + front and rear adjustment ●Electronic gear
Multifunction steering wheel	shifting •	shifting •	gear shifting •	shifting •
steering wheel gear shift	-	-	(-
Steering wheel heating	0	•	•	•
steering wheel memory		•	•	•
Trip computer display screen Full LCD	•Color	●Color	●Color	●Color
instrument panel LCD instrument	-		-	-
Interior rearview mirror ETC device	●Automatic anti- dazzle ○	•Automatic anti- dazzle	●Automatic anti-dazzle ○	•Automatic anti- dazzle
Multimedia/charg		Charging in car	m 0	
ing interface Number of	•2 in the front	Type-C 2 in the front		
USB/Type-C interfaces Mobile phone	row/2 in the back	row/2 in the back	row/2 in the back row	row/2 in the back
wireless charging	●Front row	●Front row	●Front row	•Front row
Luggage compartment 12V	•	•	•	, •
		Seat configuration		1
seat material	● Imitation leather ○ Genuine ● Front and rear	Genuine leatherFront and rear	●Genuine leather ●Front and rear	Genuine leatherFront and rear
Main seat adjustment method	adjustment ● Backrest adjustment ●	adjustment Backrest adjustment Height adjustment (4-way) OLeg	adjustment • Backrest adjustment • Height adjustment (4-	adjustment Backrest adjustment Height adjustment (4-way) OLeg
A	rest adjustment	rest adjustment	way) OLeg rest	rest adjustment

Secondary seat adjustment method	●Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○Leg rest adjustment	●Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○Leg rest adjustment	●Front and rear adjustment ● Backrest adjustment ● Height adjustment (2- way) ○Leg rest	●Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○Leg rest adjustment
Main/passenger seat electric	Main⊕Deputy●	Main●Deputy●	Main●Deputy●	Main⊕Deputy⊕
Front seat functions Power seat	●Heating○ Ventilation○ Massage ●Driving	●Heating○ Ventilation○ Massage ●Driving	●Heating○ Ventilation○ Massage ●Driving	●Heating○ Ventilation○ Massage ●Driving
memory function Adjustable buttons for the	position	position	position	position
passenger seat Second row seat adjustment	○ Front and rear adjustment ○ Backrest adjustment ○ Waist adjustment ○ Leg rest	●Front and back adjustment ● Backrest adjustment ● Waist adjustment ●Leg support	●Front and back adjustment ● Backrest adjustment ● Waist adjustment ●Leg support	● Front and back adjustment ● Backrest adjustment ● Waist adjustment ● Leg support
Electrically adjustable second row seats	•	•	•	•
Second row seat functions	○Heating○ Ventilation○ Massage	●Heating ● Ventilation ● Massage	●Heating ● Ventilation ● Massage	●Heating ● Ventilation ● Massage
Rear seats fold down Electrically reclining rear seats	● Inverted proportions	● Inverted proportions	● Inverted proportions	●Inverted proportions
Front/rear center armrest Rear cup holder	before • after	before • after	before • after	before ● after ●
Speaker brand Number of speakers touch reading	-	dio/interior light - 16 speakers○24 speakers	_	- ●16 speakers○24 speakers
Car interior ambient lighting	●256 colors	•256 colors	●256 colors	•256 colors
Air conditioning	Air c	conditioner/refrigo		
temperature control method heat pump air	•Automatic air conditioning	•Automatic air conditioning	•Automatic air conditioning	• Automatic air conditioning
conditioner	•	•		•

Independent air				
conditioning in	_			• (
the rear		_	_	
Rear seat air				
outlet				
Temperature zone				
control				
Car air purifier	•		•	•
In-car PM2.5				
filter device				
negative ion				
generator				
Car fragrance				
device	_			
		Optional package		
	Luxurious and	Luxurious and	Luxurious and	Luxurious and
	comfortable front	comfortable front	comfortable	comfortable front
	seats + 24	seats + 24	front seats + 24	seats + 24
	speakers (limited	speakers (limited	speakers	speakers (limited
	time price)	time price)	(limited time	time price)
	(2888) Art car	(2888) Art car	price) (2888)	(2888) Art car
	paint (limited	paint (limited	Art car paint	paint (limited
	time price)	time price)	(limited time	time price)
	(5800) 22-inch	(5800) Matte car	price) (5800)	(5800) Matte car
	rims (limited	paint (18000)	Matte car paint	paint (18000)
)	time price)	Full function	(18000) Full	Full function
	(12800) Matt car	package (limited	function package	package (limited
	paint (18000)	time price)	(limited time	time price)
	Full-featured	(36800)	price) (36800)	(36800)
			Monet green,	Rembrandt gray,
	Rembrandt gray,	Raphael tea,	Raphael tea,	Pissarro white,
	Vermeer yellow,	Pissarro white,	Pissarro white,	Di <mark>a</mark> na white, Van
	Van Gogh blue,	Van Gogh blue,	Van Gogh blue,	Gogh blue,
Exterior color	Pissarro white,	Rembrandt gray,	Rembrandt gray,	Raphael tea,
	Raphael tea,	Monet green,	Cezanne black,	Morandi gray,
	Monet green, Cé	Cezanne black,	Vermeer yellow,	Monet green,
	zanne black	Vermeer yellow	Diana white,	Cezanne black,
			Morandi gray	Vermeer yellow
	Stars travel	Floating light	Floating light	Floating light
interior color	blue, floating	leaps into gold,	leaps into gold,	leaps into gold,
	_	stars travel blue	stars travel	stars travel blue
Note: ●Standard	O Optional - None			
1				